PRINCETON NURSERIES

Wholesale Price List SPRING 1960



PRINCETON PRODUCTS

WM FLEMER JR.

Princeton, N. J. Telephone WA 4-1776

FOREWORD

February 15, 1960

You are cordially invited to visit our nursery in the near future to discuss your spring requirements with us. For those customers too distant to make the trip to Princeton this catalogue is our attempt to bring the nursery to you.

Listed here is one of the most complete assortments of hardy woody plants offered in the entire United States. It is expensive to stock this tremendous list, so we ask you to place complete orders with us. Many of these rare plants are offered at cost or below it as a service to the trade.

Princeton stock is grown carefully and given every possible protection during the digging and shipping process. This extra care in handling and the protection afforded by our ultra-modern storage facilities gives good stands in your nursery and an absolute minimum of costly on-the-job replacements.

Princeton means the best in new plants. We are continually adding new shrub and tree varieties to our list after proper testing and evaluation. Our own tree breeding program, which has already produced the famous Shademaster Locust (see page 34) and Summershade Maple (see page 7), is continuing at an accelerated rate. Plan to visit our nursery and get a preview of the trees of the future.

Sincerely,

WM. FLEMER JR.
WM. FLEMER, III
GEORGE S. HARRIS

Conditions of Sale PRICES, ETC.

The prices named in this list cancel all previous lists. They are based on current market conditions and are subject to change without notice.

PLEASE NOTE

Because of the extremely high cost of filling orders for small quantities of assorted shrubs and many other small bare root items, we have found it necessary to discontinue our "1 to 9" price column on them. Where these items are required in lots of less than ten of a variety and size, prices will be twice the 10 to 49 rates.

TERMS

PRICES F.O.B. NURSERY AT KINGSTON, N. J.

To those with an established record for prompt payment or with satisfactory references, we are glad to extend our regular terms at thirty days from date of invoice.

2% DISCOUNT will be allowed for payment in ten days from date of invoice. Overdue accounts are subject to a 6% per annum service charge.

SPECIAL CASH DISCOUNT

5% discount will be allowed if cash, in full, is paid when order is placed and digging, or delivery, is scheduled for not less than thirty days after date of payment.

Orders for **shipment C.O.D.** must be accompanied by a remittance for one-third of the amount to insure acceptance. These are our only terms and no salesman or representative is authorized to alter them in any way unless confirmed from the office in writing.

CLAIMS

All sales are made with the understanding that we shall not be liable in event of crop loss, or of damage from other causes over which we have no control.

We will gladly correct any errors, but we cannot entertain any claims that are not made within ten days after receipt of the stock or are made after the stock has once been accepted. Claims should be made promptly in writing on receipt of stock.

Plants become your property upon delivery to transportation company and we cannot be responsible for loss, damage, or delay in transit.

All orders booked are based on the distinct understanding that the purchaser agrees to the condition of sales as stated above.

SCHEDULE OF B&B CHARGES

The following charges are made to cover additional cost of balling and burlapping deciduous trees and shrubs that are not listed B&B. The size of ball for most stock is in accordance with the A.A.N. "Horticultural Standards" recommendations.

These charges are based on a carefully dug, solid ball of earth, laced with rope or wire, and handled according to the best nursery practice.

TREES, SHRUBS AND SMALL TREES

Diam.		Estimated	
of ball	Size	Weight	Each
10"	18/24"	30 lbs	.80
12"	2/3'	45 lbs	1.25
13"	3/4'	60 lbs.	2.00
15"	4/5′	75 lbs	2.50
16"	5/6'	100 lbs.	$\frac{2.50}{3.50}$
18"	6/8'	150 lbs.	5.00
21"	8/10'	225 lbs	7.00
22''	1½ to 1¾" cal.	260 lbs	9.00
24"	2" cal.	300 lbs	8.00
Pro 1	_ 501.	000 100	9.00

The above charges apply only F.O.B. NURSERY. We will be glad to estimate a delivered price based on the terms of delivery noted below.

Ball depth will normally be not less than 60% of the diameter, and in all cases is adjusted so as to encompass a maximum of the fibrous root system of the plant.

BOXING CHARGES

Length	12x15"	15x16"	17x20"	19x24"	23x28"	27x32"	32x36"
4'	\$1.40	1.60	1.90	2.40	2.60	3.00	3.60
6'	2.10	2.40	2.85	3.60	3.90	4.50	5.40
8′	2.80	3.20	3.80	4.80	5.10	6.00	7.20
10'	3.50	4.00	4.75	6.00	6.50	7.50	9.30
12′	4.20	4.80	5.70	7.20	7.80	9.00	10.80
14'	4.90	5.60	6.65	8.40	9.10	10.50	12.60

Packing charges are at cost and represent the actual cost of the material used in the operation. No charge will be made for loading bulk truck or car lots.

DELIVERY SERVICE

Although we maintain and operate a number of trucks for delivery of our orders and for which a reasonable charge is made, it is very difficult for us to attempt to deliver the vast volume of material we produce and we strongly urge that our customers send their own trucks, or hire local trucks, to pick up their orders here at the nursery as soon as we send notification that orders are ready.

When you send your trucks for material, we will be very glad to load the stock carefully with our help and supply ample quantities of good damp packing material, without extra charge. We will handle the loads to the best of our ability and can even make arrangements to load your trucks in the evening, if necessary.

Be sure to bring tarpaulins or suitable coverings to protect the plants on the truck, so they will not dry out on the road.

If it is necessary for us to supply covering material and rope it will be charged for at cost.

DELIVERY CHARGES ARE NET AND DUE WHEN STOCK IS DELIVERED.

DELIVERING AGENT OR DRIVER WILL COLLECT THIS CHARGE WHEN DELIVERY IS MADE.

"CARLOADS" AND FREIGHT SHIPMENT

With our own railroad siding connecting with the main line of the Pennsylvania Railroad and a daily pickup service on L.C.L. and express shipments, we are in a position to expedite shipment to you without delay. Consult your local agent for rates to Monmouth Junction, N. J., or write us and we will gladly take care of it for you.

GUARANTEE OF GENUINENESS

We will send out healthy, thrifty stock, true to name. If any nursery stock proves untrue to description or variety name under which it is sold, we hold ourselves in readiness, on proper proof, to replace free of charge such stock that may prove untrue to description or name, or refund the original amount paid. We shall in no case be liable for any sum greater than the amount originally received for said stock.

COME TO SEE US

If you come by rail, use Pennsylvania Railroad and get off at Princeton Junction. Call WAlnut 4-1776. We will send a car for you.

If you come by automobile our nurseries are on U. S. Highway No. 1, about ten miles northeast from Trenton. Watch for our signs.

If travelling on New Jersey Turnpike from the south, use Exit 8 (Hightstown) or, if travelling from the north, use Exit 9 (New Brunswick). Route 1 can be reached easily from either exit.

NOTES IN EXPLANATION OF CATALOGUE

The figures following each variety indicate in feet the approximate height of that plant at maturity. Ample allowance has been made for the many physical factors that tend to modify the growth of plants in cultivation.

The botanical and common names are largely taken from the 1942 edition of "Standardized Plant Names." Changes in nomenclature according to the revised "Second Edition," which have not become generally familiar to the trade, are shown in parenthesis and cross-indexed for reference.

ZONES RELATIVE TO HARDINESS—Following the ultimate height shown on each variety, you will find a number covering the most northern zone where the particular variety is considered hardy.

See Hardiness Zone Map-Page 88

Our standard of grading all plants is based on a schedule which has been adopted by the American Association of Nurserymen.

To facilitate the handling of orders and to enable us to render you quicker and better service we desire where possible, especially in deciduous material, that orders be made in multiples of 10. Many varieties are tied in 10's when graded. Your cooperation will be appreciated.

SEE "A HELPFUL SERVICE"-PAGE 87



ACER palmatum atropurpureum—Japanese Red Maple. Excellent grafted plants in gallon cans. A natural for sales yard operations.

·[A]·			
	Unit Pric 1-9		ntities 50-249
ABELIA grandiflora, 3'-4' (Zone 5) Evergreen. Lilac-white tinted flowers. E	Blooms all	Glossy A	
15 to 18 in., B&B 18 to 24 in., B&B 2 to 3 ft., B&B 3 to 3½ ft., B&B	1.90 2.25 3.30 4.50	1.50 1.90 2.75 3.75	1.25 1.50 2.25 3.00
ABIES concolor, 70'-80' (Zone 3) Evergreen. Perhaps the most beautiful in most locations and forming a symmaintained even when it is old. Large, 18 to 24 in., B&B 2 to 2½ ft., B&B 2½ to 3 ft., B&B	metrical gray-green 3.75	firs, thi	ch is
ACANTHOPANAX pentaphyllum (sieboldia	Five	Leafed A	Aralia
Glossy rich green foliage. Thrives in exposures and dry locations. Good for	hedge or	eas, nor screen.	thern
18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft.		.55 .70 .90 1.20	.45 .55 .70 .95



ACER dasycarpum—Silver maple.

color.

ACER dasycarpum wieri—Wiers cutleaf maple, at right. Silver Maple grows very rapidly, quickly developing into a shapely tree. Low in cost and popular for development planting or anywhere a fast growing inexpensive tree is desired.

Unit Price in Quantities 1-9 10-49 50-249

1.75

 $\frac{2.75}{3.75}$

5.00

6.00

2.10

3.30

4.50

6.00

7.50

1.40

2.20

3.00 **4.00**

5.00

JAPANESE MAPLE ACER palmatum atropurpureum, 6'-8' (Zone A good dwarf tree with rich purple leav in sun. Grafted from especially selected rich color.	e 5) Japa es all sur	nmer. Doe	es best
12 to 15 in., B&B	3.40 4.50 6.00 8.50	2.80 3.75 5.00 7.00	2.25 3.00 4.00 5.50
——atropurpureum Grafted plants in gallon cans. This is a and is ideal for sales yard operations. 12 to 15 in. 15 to 18 in.	very fine 2.50 3.40	2.05 2.80	1.65 2.25
——— SELECTED SEEDLINGS, 10'-12' (Z These seedlings have been carefully	Japa	nese Red d for goo	

12 to 15 in., B&B 15 to 18 in., B&B 18 to 24 in., B&B 2 to 3 ft., B&B 3 to 4 ft., B&B

SUMMERSHADE MAPLE

(Plant Patent #1748)


ACER platanoides "Summershade", 60'-75' (Zone 3)

The new rapid-growing, heat-resistant, upright Norway Maple, developed at Princeton Nurseries.

For over a decade we have been working with Norway Maples to produce a variety especially adapted to adverse hot weather areas. This new Summershade Maple is the most outstanding Norway Maple we have ever seen; the best of over 120,000 plants we have evaluated. The very dark green foliage is larger and more leathery than in other kinds and it resists windburn and insect injury. The tree grows much more rapidly, is a self-branching type, and quickly forms a shapely, upright head with the leader maintained to the top.


Its superior growth rate, form, and foliage will make money for you.

	Unit Price in Quantities		
	1-9	10-49	50-249
6 to 8 ft	4.90	4.05	3.25
8 to 10 ft., 1 to 1¼ in	6.75	5.50	4.50
9 to 11 ft., 1¼ to 1½ in	10.00	8.00	6.50
10 to 12 ft., 1½ to 1¾ in	12.50	10.25	8.15
11 to 13 ft., 1¾ to 2 in	16.00	13.00	10.50
12 to 14 ft., 2 to 2½ in	20.00	16.25	13.50



SUMMERSHADE MAPLE Plant Patent No. 1748

Princeton's new rapid growing upright Norway Maple.



CRIMSON KING MAPLE

(Plant Patent #735)

(Zone 4)

This is the finest of all purple leaved maples. Its rich color remains throughout the entire summer and early fall. Grown under license by patent owner.

	Unit Price in Quantities		
	1-9	10-49	50-249
4 to 5 ft., branched	3.75	3.00	2.50
5 to 6 ft., branched	4.90	4.05	3.25
6 to 8 ft., branched	6.75	5.50	4.50
8 to 10 ft., 1 to 1¼ in., branched	10.00	8.00	6.50
9 to 11 ft., 1¼ to 1½ in.,			
branched	12.00	10.00	8.00
10 to 12 ft., 1½ to 1¾ in.		12.00	

	1-0	10-10	00-210
ACER buergerianum, 40' (Zone 6)		Trident	
A very fine, small growing tree. (striking, brilliant fall foliage. Ideal in telephone or electric wires.	Compact i n crowded	n growtl areas or	n. Has under
5 to 6 ft	3.75	3.00	
6 to 8 ft	4.90	4.05	
8 to 10 ft	6.75	5.50	
ON (77 1)		Hodge	Maple
— campestre, 25' (Zone 4) An outstanding low growing tree w	rith corky		
distinct and interesting foliage. Slo dry locations and under overhead v	w growin	g. Excel	lent in
5 to 6 ft	4.10	3.50	
6 to 8 ft	6.25	5.15	2 22
8 to 10 ft	8.00	6.50	5.25
— dasycarpum (saccharinum), 60'-80' (Zo:	ne 3)	Silve	r Maple
Quick growing, graceful. Leaves silve	ery under	neath.	
6 to 8 ft	2.25	1.90	1.50
8 to 10 ft.	3.40	2.80	2.25 2.75
9 to 11 ft., 1¼ to 1½ in 10 to 12 ft., 1½ to 1¾ in	$\frac{4.10}{6.00}$	$\frac{3.50}{5.00}$	4.00
10 to 12 ft., 172 to 174 fft. 11 to 13 ft., 134 to 2 in.		6.00	5.00
12 to 14 ft., 2 to 2½ in	9.00	7.50	6.00
— — pyramidalis, 60'-80' (Zone 3)		mid Silve	
An attractive pyramidal form of Acer	dasycarp	um. Fast	growing
and distinctive. 6 to 8 ft.	3.75	3.00	2.50
8 to 10 ft., 1 to 1¼ in.	4.50	3.75	3.00
9 to 11 ft 1½ to 1½ in	5.60	4.75	3.75
10 to 19 ft 11/4 to 13/4 10	$\frac{8.00}{11.20}$	$6.50 \\ 9.50$	5.25 7.50
11 to 13 ft., 1% to 2 in.	13.50	11.00	9.00
12 to 14 ft., 2 to 2½ in			
—— wieri, 60'-80' (Zone 3)		r's Cutlea	af Maple
Graceful, drooping form. Deeply cut	leaves.	250	
6 to 8 ft	$\frac{3.00}{4.50}$	$\frac{2.50}{3.75}$	
8 to 10 ft	6.35	5.30	
10 to 12 ft 1% to 1% in	8.75	7.25	
11 to 13 ft., 1% to 2 in	11.20	9.50	• • •
— ginnala, 21 ′ (Zone 2)		Amı	ır Maple
Dense and compact in habit. Has brig hardy and fits into close quarters.	ht fall foli Excellent	lage color under o	r. Is very overhead
wires.		1.50	1.25
4 to 5 ft.	2.60	2.20	1.75
5 to 6 ft	3.75	3.00	2.50
6 to 8 ft		$\frac{4.40}{5.50}$	$\frac{3.50}{4.50}$
8 to 10 ft	0.70	9.50	4.50



ACER platanoides—Norway Maple. We grow the best. This is a good heat and drought resistant variety.

NORWAY MAPLE STANDS DROUGHT

The most popular of all street trees. Through the drought periods of the recent summers, and most noticeably in 1957, this has been the tree that retained its dark green foliage without a sign of leaf scorch or drop throughout the entire summer.

ACER platanoides, 50'-75' (Zone 3)	Norway	Maple
6 to 8 ft 3.75	3.00	
8 to 10 ft., 1 to 1¼ in 4.90	4.05	
9 to 11 ft., 1¼ to 1½ in. 6.35	5.30	
10 to 10 ft 11/ to 13/ in 0.50		
10 to 12 ft., $1\frac{1}{2}$ to $1\frac{3}{4}$ in 8.50		
11 to 13 ft., 1¾ to 2 in 10.00	8.00	6.50
12 to 14 ft., 2 to 2¼ in	11.00	9.00
13 to 15 ft., 2¼ to 2½ in 17.00	14.00	11.00
14 to 16 ft., 2½ to 3 in	19.00	15.00
11 to 10 10., 2/2 to 0 iii 22.10	19.00	10.00
—— columnare, 50'-75' (Zone 3) Columnar	Norway	Maple
An outstanding, compact growing tree. Foliage	is heav	hae v
dark green. Very useful where a narrow dense	troo is d	ogirod
Also useful in monte energ where a harry delise	tiee is u	esireu.
Also useful in many areas where a heavy screen		
6 to 8 ft		3.2 5
8 to 10 ft., 1 to 1¼ in 6.75	5.50	4.50
9 to 11 ft., 1¼ to 1½ in 9.00	7.50	6.00
	10.00	
	13.00	
10 to 14 ft 0 to 2111 10.00		
12 to 14 ft., 2 to $2\frac{1}{2}$ in	16.25	13.50



ACER platanoides columnare. Makes an attractive medium sized screen as above. Also excellent in tall screens. Very effective as a columnare street tree. Foliage is rich dark green.

ACER platanoides Drummondi, 20'-30' (Zone 4)

Silver Variegated Norway Maple

Green leaves with almost white edging which follows contour of the leaf. A showy novelty. A spectacular sales yard item when potted.

	-				
4	to 5 ft	branched	 3.75	3.00	2.50
			 5.75	4.40	3.50
			 7.15	5.85	4.75

___ schwedleri, 40'-60' (Zone 4)

Schwedler Maple

The ever popular purple leaved Schwedler Norway Maple. Slow growing and compact. In spring and early summer foliage is a rich reddish purple. Makes dense shade and, because of its slow growth and comparative small size at maturity, is often used as a colorful street tree where space is limited. Its bright colorful foliage makes an excellent tree to pot for sales yard operations.

C	to !	Q ft		4.50	3.75	3.00
0	to :	10 ft	1 to 1¼ in	6.00	5.00	4.00
0	to :	10 ft.,	1¼ to 1½ in	7.50	6.00	5.00
0	to .	10 10.,	1½ to 1¾ in	10.00	8.00	6.50
10	to .	11 16., 10 ft	1% to 2 in.	12.00	10.00	8.00
10	10	12 It.,	2 to 2½ in	18.00	15.00	12.00
	1.0	10 16	2 (0 2/2 1111			



ACER rubrum—Red or scarlet maple. Well balanced tops and straight trunks.

Unit Price in Quantities

	1-9	10-49	50-249
ACER pseudoplatanus, 60' (Zone 5)		Planetree	Maple
Vigorous growing. Spreading habit. Go	od in	exposed loc	cations
and one of the most desirable trees for s	eashoi	e planting.	Strong
growing. Forms a compact top, similar	to Nor	way Maples	
6 to 8 ft.	3.75	3.00	2.50
8 to 10 ft., 1 to 1½ in	5.25		3.50
8 to 10 ft., 1½ to 1½ in	6.75		4.50
9 to 11 ft., 1½ to 1¾ in	8.50		5.50
10 to 12 ft., 1¾ to 2 in		8.80 10.00	7.00 8.00
11 to 13 ft., 2½ to 3 in	15.00		
11 10 10 10., 2/2 10 0 111	10.00	12.00	
— rubrum, 50'-75' (Zone 3)	Re	d or Scarlet	Maple
Brilliant fall coloring. Excellent in dam			-
6 to 8 ft	3.75	3.00	2.50
8 to 10 ft., 1 to 1¼ in.	5.25	4.40	3.50
9 to 11 ft., 1¼ o 1½ in	7.50	6.00	5.00
10 to 12 ft., 1½ to 1¾ in	10.25	8.40	6.75
11 to 13 ft., 1¾ to 2 in.	13.50	11.00	9.00
12 to 14 ft., 2 to 2½ in.	15.00		10.25
12 to 14 ft., $2\frac{1}{2}$ to 3 in	18.00	15.00	12.00
—— columnare, 40'-50' (Zone 3)	Colu	mnare Red	Maple
A fine columnar clone of the colorful R			
to narrow streets.	ica mi	apic. Wen a	aaptea
4 to 5 ft	2.60	2.20	1.75
5 to 6 ft	3.40		2.25
6 to 8 ft.	4.90		3.25
8 to 10 ft., 1 to 1¼ in.	6.35		4.25
9 to 11 ft., 1¼ to 1½ in	8.75	7.25	5.75



ACER saccharum—Sugar Maple. You never saw finer Sugar Maples.

ACER saccharinum (dasycarpum) (See AC	ER das	ycarpum)	
ACER saccharum, 50'-75' (Zone 3) A stately, long lived tree. Rich autumn tory in most locations. Not desirable	n colorii	ng. Verv	r Maple satisfac- ity con-
ditions. 6 to 8 ft. 8 to 10 ft., 1 to 1½ in. 9 to 11 ft., 1½ to 1½ in. 10 to 12 ft., 1½ to 1¾ in. 11 to 13 ft., 1¾ to 2 in. 12 to 14 ft., 2 to 2½ in.	4.10 6.00 8.50 11.00 13.50 18.00	3.75 5.00 7.00 9.00 11.00 15.00	9.00
columnare, 50'-75' (Zone 3) A very beautiful Sugar Maple clone foliage colors. Rapidly makes up into a 6 to 8 ft. 8 to 10 ft., 1 to 11/4 in. 9 to 11 ft., 11/4 to 11/2 in.	noted fine na 4.90 6.75	nar Suga for brilli rrow coni 4.05 5.50 7.50	ant fall cal tree. 3.25 4.50
Greenish white flowers in July. Rich d	ark gree	Border A en foliage	ctinidia . Yellow
berries. A strong growing vine. 18 to 24 in		.75	.60
AKEBIA quinata, 15'-20' (Zone 6) An excellent vine. Deep green. Purple foliage until winter. Large, bright, viol	e nowe	is ill may	v. Hulus
for low fences. 2 year, 3" pot		.60	.50

A flat-topped, spreading, small tree. Pink, fuzzy flowers all summer. Dainty, finely cut leaves like fern fronds. 5 to 6 ft. 3.00 2.50 2.00 6 to 8 ft. 3.00 2.50 2.00 ALMOND, FLOWERING (See PRUNUS) ALTHEA (See HIBISCUS) AMELANCHIER canadensis, 20'-30' (Zone 4) Downy Shadblow Juneberry. Early white flowers. Edible small red fruit. Very popular as a flowering clump tree. 12 to 18 in. 70 .55 .45 18 to 24 in. 85 .70 .65 2½ to 3 ft. 1.00 .80 .65 2½ to 3 ft. 1.00 .80 .65 2½ to 1.00 .80 .80 .65 .20 .80 .80 .65 .20 .80 .80 .65 .20 .80 .80 .65 .20 .80 .80 .65 .20 .80 .80 .65 .20 .80 .80 .80 .80 .80 .80 .80 .80 .80 .8		1-9	10-49	30-249
Summer. Dainty, finely cut leaves like fern fronds.			_	
ALMOND, FLOWERING (See PRUNUS) ALTHEA (See HIBISCUS) AMELANCHIER canadensis, 20'-30' (Zone 4) Downy Shadblow Juneberry. Early white flowers. Edible small red fruit. Very popular as a flowering clump tree. 12 to 18 in	summer. Dainty, finely cut leaves like	fern f	ronds.	
AMELANCHIER canadensis, 20'-30' (Zone 4) Downy Shadblow Juneberry. Early white flowers. Edible small red fruit. Very popular as a flowering clump tree. 12 to 18 in				
AMELANCHIER canadensis, 20'-30' (Zone 4) Downy Shadblow Juneberry. Early white flowers. Edible small red fruit. Very popular as a flowering clump tree. 12 to 18 in	ALMOND, FLOWERING (See PRUNUS)			
Juneberry. Early white flowers. Edible small red fruit. Very popular as a flowering clump tree. 12 to 18 in	ALTHEA (See HIBISCUS)			
18 to 24 in.	Juneberry, Early white flowers, Edible			
A beautiful, climbing vine with very attractive greenish berries in fall. 12 to 18 in., 2 yr	18 to 24 in	.85 1.00	.70 .80	.55 .65
For other varieties of AMPELOPSIS—See PARTHENOCISSUS AMYGDALIS nana (See PRUNUS GLANDULOSA) ANDROMEDA (See PIERIS) ARBORVITAE (See THUJA) ARONIA arbutifolia 6'-8' (Zone 5) Red Chokeberry Bright red berries in fall. 12 to 18 in	A beautiful, climbing vine with very att in fall.	ractiv	e greenish	berries
AMYGDALIS nana (See PRUNUS GLANDULOSA) ANDROMEDA (See PIERIS) ARBORVITAE (See THUJA) ARONIA arbutifolia 6'-8' (Zone 5) Red Chokeberry Bright red berries in fall. 12 to 18 in	, •		•10	
ARBORVITAE (See THUJA) ARONIA arbutifolia 6'-8' (Zone 5) Red Chokeberry Bright red berries in fall. 12 to 18 in				US
ARBORVITAE (See THUJA) ARONIA arbutifolia 6'-8' (Zone 5) Red Chokeberry Bright red berries in fall. 12 to 18 in		ULOSA	1)	
ARONIA arbutifolia 6'-8' (Zone 5) Red Chokeberry Bright red berries in fall. 12 to 18 in	,			
Bright red berries in fall. 12 to 18 in				
12 to 18 in	· · · · · · · · · · · · · · · · · · ·		Red Chok	eberry
Similar to arbutifolia but more brilliant berries. 18 to 24 in	12 to 18 in. 18 to 24 in. 2 to 3 ft.		.55 .75	.45 .60
18 to 24 in	- brilliantissima, 6'-8 (Zone 5)	Brillia	nt-red Chok	eberry
White flowers in May. Black berries in fall. 18 to 24 in	18 to 24 in. 2 to 3 ft. 3 to 4 ft.		.55 .75 .95	.60 .75
18 to 24 in	- melanocarpa (Nigra), 8'-10' (Zone 4)	foll.	Black Chol	eberry
ASH WHITE (See FRAXINUS) AZALEAS (RHODODENDRON) AZALEA amoena (Rhodo. obtusum amoenum), 3'-4' (Zone 5) Amoena Azalea Evergreen. Conspicuous, purple-red flowers. April-May. Leaves turn a rich, bronze-green in winter. 10 to 12 in., B&B	18 to 24 in		.75	.60
AZALEAS (RHODODENDRON) AZALEA amoena (Rhodo. obtusum amoenum), 3'-4' (Zone 5) Amoena Azalea Evergreen. Conspicuous, purple-red flowers. April-May. Leaves turn a rich, bronze-green in winter. 10 to 12 in., B&B				
AZALEA amoena (Rhodo. obtusum amoenum), 3'-4' (Zone 5) Amoena Azalea Evergreen. Conspicuous, purple-red flowers. April-May. Leaves turn a rich, bronze-green in winter. 10 to 12 in., B&B	ASH WHITE (See FRAXINUS)			
turn a rich, bronze-green in winter. 10 to 12 in., B&B	AZALEA amoena (Rhodo. obtusum amoenu	ım), 3'	' -4' (Zone 5 Amoena	Azalea
10 to 12 in., B&B	Evergreen. Conspicuous, purple-red flor	wers.	April-May.	Leaves
	10 to 12 in., B&B	2.85	2.35	1.90

AZALEA hinodegiri, 3'-4' (Zones 6 and 7) Evergreen. Larger leaves and looser flowers very bright scarlet; effective in	growth t	odegiri Az han Amo or with	ena;
10 to 12 in., B&B	2.00 2.30 2.85 4.10	1.70 1.95 2.35 3.50	1.35 1.55 1.90 2.75
- kaempferi, 4'-5' (Zone 4) Warm brick-red flowers, May. Hardy and 18 to 24 in., B&B	very des 4.50	Torch Az irable. 3.75	zalea 3.00
AZALEA KAEMPFERI HYBRII	S (Zone	4)	
Fedora—Salmon-rose flowers. 9-12", 12-15", 15-			
Louise-Light-rose flowers. 10-12", 12-15", 15-			
Othello—Brick-red flowers. 10-12", 12-15", 15-		", 2-2½'	
Wilhelmina Vuyk—The very best hardy wh			5-18",
18-24", 2-2½' 10 to 12 in., B&B 12 to 15 in., B&B 15 to 18 in., B&B 18 to 24 in., B&B 2 to 2½ ft., B&B	2.30 2.85 3.75 4.90 6.75	1.95 2.35 3.00 4.05 5.50	1.55 1.90 2.50 3.25 4.50
KURUME AZALEAS—EVERGRE	EN (Zon	e 6)	
Christmas Cheer—Crimson. 10-12", 12-15"			
Pink Pearl—Salmon rose flowers. 10-12", 12-	-15"		
Snow—Large pure white flowers. 8-10", 10-12 8 to 10 in., B&B 10 to 12 in., B&B 12 to 15 in., B&B		1.70 1.95 2.35	1.35 1.55 1.90
— ledifolia alba (Indica), 4'-6' (Zone 5) Evergreen. Large single white flowers, f striking background for Azalea hinodegia	reely pro ri, bloomi	Snow A duced. Ma ng at the	kes a
time. 10 to 12 in., B&B 12 to 15 in., B&B 15 to 18 in., B&B 18 to 24 in., B&B	2.30 2.85 4.10 4.90	1.95 2.35 3.50 4.05	1.55 1.90 2.75 3.25
— poukhanensis, 1'-3' (Zone 4) Single purple-lilac flowers are borne p	profusely	Korean A in May.	very
hardy. 9 to 12 in. B&B 12 to 15 in., B&B 15 to 18 in., B&B	2.10 2.90 4.10	1.75 2.40 3.50	1.40 1.95 2.75

·[B]·

BAYBERRY (See MYRICA)

BEACH PLUM (See PRUNUS)

BEAUTYBUSH (See KOLKWITZIA)

BERBERIS—HARDY	EVERGI	REEN T	YPES	
Medium growth. Broad spined Most popular of all evergreen	l leaves. E	Evergreer	ergreen B n. Yellow :	arberry flowers.
12 to 15 in., B&B		2.25 3.00 3.75 4.50 5.60 7.15	1.90 2.50 3.00 3.75 4.75 5.85	1.5° 2.0° 2.50 3.00 3.75 4.75
— triacanthophora, 4'-6' (Zone 5) Fast growing, evergreen. S flowers. Its fine texture and unusual foundation plant.	pined lea graceful	aves, bu	Spine B shy habi tips mal	t. Pink
12to 15 in., B&B		3.00 4.10 5.25	2.50 3.50 4.40	2.00 2.75 3.50
— verruculosa, 3' (Zone 5) Dwarf spreading, compact ha turns a bright wine color in 12 to 15 in., B&B	winter.	y evergre Fragrant 2.25 3.00	yellow i	which
BERBERIS—DE	CIDUOUS	S TYPES		
— mentorensis, 4' (Zone 5) Upright type with dark green Very drought resistant.	_	Excellen	Mentor Batt fall cold	arberry oration.
15 to 18 in		.90	.75	.55
10 00 21 111.		1.10	.95	.75
10 to 21 m.		it Price i	.95 n Quantiti 50-249	es
-thunbergi, 4'-5' (Zone 5) Rugged, low hedge plant, Red	Un 1-9	ait Price in 10-49 Ja all winte	n Quantiti 50-249 panese Bar. Excelle	es 250 up arberry
- thunbergi, 4'-5' (Zone 5) Rugged, low hedge plant. Redrier because of spiny growth 9 to 12 in., 2 yr. trsp.	Un 1-9	Ja all winte colored f	n Quantiti 50-249 panese Bar. Excelle all foliage	es 250 up arberry ent bar-
- thunbergi, 4'-5' (Zone 5) Rugged, low hedge plant. Redrier because of spiny growth 9 to 12 in., 2 yr. trsp. 12 to 15 in., 2 yr. trsp.	1-9 d berries: Richly	Ja all winte colored for .22	n Quantiti 50-249 panese Bar. Excelle all foliage .18 .27	es 250 up arberry ent bar- e14 .22
-thunbergi, 4'-5' (Zone 5) Rugged, low hedge plant. Redrier because of spiny growth 9 to 12 in., 2 yr. trsp. 12 to 15 in., 2 yr. trsp. 15 to 18 in., 2 yr. trsp.	1-9 l berries :	Ja all winte colored from 22 .33 .40	n Quantiti 50-249 panese Bar. Excelle all foliage .18 .27 .35	es 250 up arberry ent bar-e14 .22 .28
 ← thunbergi, 4'-5' (Zone 5) Rugged, low hedge plant. Redrier because of spiny growth 9 to 12 in., 2 yr. trsp. 12 to 15 in., 2 yr. trsp. 15 to 18 in., 2 yr. trsp. 18 to 24 in., 2 yr. trsp. 2 to 2½ ft., 3 yr. trsp. 	I berries : . Richly (Ja Ja all winte colored f22 .33 .40 .55 .70	n Quantiti 50-249 panese Bar. Excelle all foliage .18 .27 .35 .45 .55	es 250 up arberry ent bar-214 .22 .28 .35 .45
→ thunbergi, 4'-5' (Zone 5) Rugged, low hedge plant. Red rier because of spiny growth 9 to 12 in., 2 yr. trsp. 12 to 15 in., 2 yr. trsp. 15 to 18 in., 2 yr. trsp. 18 to 24 in., 2 yr. trsp. 2 to 2½ ft., 3 yr. trsp. 2½ to 3 ft	Un 1-9	Ja Ja all winte colored f .22 .33 .40 .55 .70 .90	panese Bar. Excelle all foliage .18 .27 .35 .45	es 250 up arberry ent bar-214 .22 .28 .35
 → thunbergi, 4'-5' (Zone 5) Rugged, low hedge plant. Recrier because of spiny growth 9 to 12 in., 2 yr. trsp. 12 to 15 in., 2 yr. trsp. 15 to 18 in., 2 yr. trsp. 18 to 24 in., 2 yr. trsp. 2 to 2½ ft., 3 yr. trsp. 2½ to 3 ft. → thunbergi, 2 year, not transplant 9 to 12 in. 	Un 1-9	Ja all winte colored f22 .33 .40 .55 .70 .90 e 5) .11	n Quantiti 50-249 panese Bar. Excelle all foliage .18 .27 .35 .45 .55 .75	es 250 up arberry ent bar-214 .22 .28 .35 .45
- thunbergi, 4'-5' (Zone 5) Rugged, low hedge plant. Recrier because of spiny growth 9 to 12 in., 2 yr. trsp. 12 to 15 in., 2 yr. trsp. 15 to 18 in., 2 yr. trsp. 18 to 24 in., 2 yr. trsp. 2 to 2½ ft., 3 yr. trsp. 2½ to 3 ft	I berries : . Richly (Ja all winte colored f22 .33 .40 .55 .70 .90 e 5)	n Quantiti 50-249 panese Bar. Excelle all foliage .18 .27 .35 .45 .55 .75	es 250 up arberry ent bar- e14 .22 .28 .35 .45 .60
- thunbergi, 4'-5' (Zone 5) Rugged, low hedge plant. Recrier because of spiny growth 9 to 12 in., 2 yr. trsp. 12 to 15 in., 2 yr. trsp. 15 to 18 in., 2 yr. trsp. 18 to 24 in., 2 yr. trsp. 2 to 2½ ft., 3 yr. trsp. 2½ to 3 ft. - thunbergi, 2 year, not transplan 9 to 12 in. 12 to 15 in.	d berries : . Richly (Ja all winte colored f22 .33 .40 .55 .70 .90 e 5) .11 .16 .22	n Quantiti 50-249 panese Bar. Excelle all foliage .18 .27 .35 .45 .55 .75	es 250 up arberry ent barde14 .22 .28 .35 .45 .60 .071/2 .10 .15
- thunbergi, 4'-5' (Zone 5) Rugged, low hedge plant. Redrier because of spiny growth 9 to 12 in., 2 yr. trsp. 12 to 15 in., 2 yr. trsp. 15 to 18 in., 2 yr. trsp. 18 to 24 in., 2 yr. trsp. 2 to 2½ ft., 3 yr. trsp. 2½ to 3 ft. - thunbergi, 2 year, not transplant 9 to 12 in. 12 to 15 in. 15 to 18 in. - atropurpurea, 4'-5' (Zone 5) Reddish-purple type of thunbers.	d berries : . Richly d ated (Zone	Ja all winte colored f22 .33 .40 .55 .70 .90 ee 5) .11 .16 .22 Unit Pi 1-9 Red Ja	n Quantiti 50-249 panese Bar. Excelle all foliage .18 .27 .35 .45 .55 .75 .09 .13 .20	es 250 up arberry ent bar- 214 .22 .28 .35 .45 .60 .15 .15 .15 .15 .15 .15 .15 .15 .15 .15
- thunbergi, 4'-5' (Zone 5) Rugged, low hedge plant. Recrier because of spiny growth 9 to 12 in., 2 yr. trsp. 12 to 15 in., 2 yr. trsp. 15 to 18 in., 2 yr. trsp. 18 to 24 in., 2 yr. trsp. 2 to 2½ ft., 3 yr. trsp. 2½ to 3 ft. - thunbergi, 2 year, not transplant 9 to 12 in. 12 to 15 in. 15 to 18 in. - atropurpurea, 4'-5' (Zone 5) Reddish-purple type of thunbery yard operation. 9 to 12 in.	I berries : . Richly (Ja all winte colored f22 .33 .40 .55 .70 .90 ee 5) .11 .16 .22 Unit Pi 1-9 Red Ja	panese Bar. Excelle all foliage .18 .27 .35 .45 .55 .75 .09 .13 .20 rice in Quantum panese Bar putting i	es 250 up arberry ent bar- 214 .22 .28 .35 .45 .60 .07½ .10 .15 antities 50-249 arberry n sales .25
- thunbergi, 4'-5' (Zone 5) Rugged, low hedge plant. Redrier because of spiny growth 9 to 12 in., 2 yr. trsp. 12 to 15 in., 2 yr. trsp. 15 to 18 in., 2 yr. trsp. 18 to 24 in., 2 yr. trsp. 2 to 2½ ft., 3 yr. trsp. 2½ to 3 ft. - thunbergi, 2 year, not transplan 9 to 12 in. 12 to 15 in. 15 to 18 in. - atropurpurea, 4'-5' (Zone 5) Reddish-purple type of thunbery yard operation. 9 to 12 in. 12 to 15 in. 12 to 15 in.	d berries : . Richly (Ja all winte colored f22 .33 .40 .55 .70 .90 ee 5) .11 .16 .22 Unit Pi 1-9 Red Ja	panese Bar. Excelle all foliage .18 .27 .35 .45 .55 .75 .09 .13 .20 rice in Quanting i .30 .45	es 250 up arberry ent barder14 .22 .28 .35 .45 .60 .07½ .10 .15 antities 50-249 arberry n sales .25 .35
 → thunbergi, 4'-5' (Zone 5) Rugged, low hedge plant. Recrier because of spiny growth 9 to 12 in., 2 yr. trsp. 12 to 15 in., 2 yr. trsp. 15 to 18 in., 2 yr. trsp. 18 to 24 in., 2 yr. trsp. 2 to 2½ ft., 3 yr. trsp. 2½ to 3 ft. — thunbergi, 2 year, not transplant 9 to 12 in. 12 to 15 in. 15 to 18 in. 15 to 18 in. 12 to 15 in. 15 to 18 in. 12 to 15 in. 15 to 18 in. 15 to 18 in. 15 to 18 in. 15 to 18 in. 18 to 24 in. 18 to 24 in. 19 to 12 in.	d berries : . Richly d	Ja all winte colored f22 .33 .40 .55 .70 .90 ee 5) .11 .16 .22 Unit Pi 1-9 Red Ja	panese Bar. Excelle all foliage .18 .27 .35 .45 .55 .75 .09 .13 .20 rice in Quantum panese Bar putting i	es 250 up arberry ent bar- 214 .22 .28 .35 .45 .60 .07½ .10 .15 antities 50-249 arberry n sales .25
- thunbergi, 4'-5' (Zone 5) Rugged, low hedge plant. Red rier because of spiny growth 9 to 12 in., 2 yr. trsp. 12 to 15 in., 2 yr. trsp. 15 to 18 in., 2 yr. trsp. 18 to 24 in., 2 yr. trsp. 2 to 2½ ft., 3 yr. trsp. 2½ to 3 ft. - thunbergi, 2 year, not transplan 9 to 12 in. 12 to 15 in. 15 to 18 in. - atropurpurea, 4'-5' (Zone 5) Reddish-purple type of thunber yard operation. 9 to 12 in. 12 to 15 in. 15 to 18 in.	d berries : . Richly d ated (Zond	Ja all winte colored f22 .33 .40 .55 .70 .90 ee 5) .11 .16 .22 Unit Pi 1-9 Red Ja	n Quantiti 50-249 panese Bar. Excelle all foliage .18 .27 .35 .45 .55 .75 .09 .13 .20 rice in Quantiti 10-49 panese Bar putting i .30 .45 .55	es 250 up arberry ent barder14 .22 .28 .35 .45 .60 .071/4 .10 .15 antities 50-249 arberry n sales .25 .35 .45

	1.0	Unit		e in Quantit 9	
BERBERIS thunbergi atropurpurea	1-9	TOOP			
	1, 2	ycar,	1100	_ (Zone 5)
9 to 12 in			.16	.13	.10 .15
15 to 18 in	. , .		.22	.20 .25	.13
				Price in Qu	antities
**************************************			1-9	10-49	50-249
*BETULA alba, 30'-50' (Zone 2) Very attractive tree with whit	e ba	rk I	Euro Wher	opean Whit	te Birch multiple
stem clump is desired, several	tre	es ca	in be	planted t	ogether,
giving an immediate pleasing e			1.50	1.25	1.00
5 to 6 ft.			1.90	$\begin{array}{c} 1.25 \\ 1.50 \\ 2.50 \end{array}$	$1.00 \\ 1.25$
6 to 8 ft			3.00	2.00	2.00
8 to 10 ft			$\frac{4.50}{}$	3.75	
— clumps, 30'-50' (Zone 2) Two or more stems.			Eur	opean Whi	te Birch
5 to 6 ft			3.00	2.50	2.00
6 to 8 ft			4.50		3.00
*——fastigiata, 50' (Zone 2)	Pyr	amid	al Ei	nglish Whi	te Birch
Columnar form of the Éuropea formal effects are desired.	n Bi	ıren.	Exce	ellent wher	e neavy
4 to 5 ft			3.75	3.00	• • •
5 to 6 ft	0 .		4.90	4.00	
6 to 8 ft			6.00	5.00	
*— — laciniata (pen. laciniata), 30'-	#U ; (Zone	. Ćutl	leaf Weepir	ng Birch
Deeply cut leaves. Silvery whit			Proop	ing branch	ies.
4 to 5 ft			2.25 3.40	$\frac{1.90}{2.80}$	$\frac{1.50}{2.25}$
5 to 6 ft			4.50	$\frac{2.30}{3.75}$	3.00
8 to 10 ft			6.00	5.00	4.00
*— papyrifera, 40' (Zone 2)	. ,		Par	er or Cano	e Birch
The most permanent and des Birches. Slow to turn white b	ırab.	le of	all fect	the white	barked e when
older.	ut a	per.	icci	CHAIR WIII	
4 to 5 ft			1.90	1.50	1.25
5 to 6 ft			$\frac{3.00}{4.50}$	$\frac{2.50}{3.75}$	2.00 3.00
8 to 10 ft			6.00	5.00	0.00
*— populifolia, 30'-40' (Zone 4)				Gra	y Birch
Thrives in poor or sandy soil.	Wh	ite b	ark.	Desirable	in mass
planting. 4 to 5 ft			1.90	1.50	1.25
5 to 6 ft			3.00	2.50	2.00
6 to 8 ft			4.10 5.25	$\frac{3.50}{4.40}$	$\frac{2.75}{3.50}$
BIGNONIA grandiflora, 25'-40' (Car	mpsi	is gr.			0.00
_		C	hine	se Trumpe	tcreeper
Orange-yellow trumpet-like flow	vers	in J		and August .60	.50
1 year 2 year				.75	.60
—— Mme. Gallen, 25'-40' (Campsis	Mm	e. Ga	allen)	(Zone 7)	
				Trumpe	tcreeper
A beautiful hybrid with dark 1 yr., 18 to 24 in.	orai	ige,	very	.60	.50
2 vr., 2 to 3 ft				.75	.60
*EXTRA CHARGE FOR D	[GG]	ING	BIRG	CHES B&B	
SEE B&B SCHEI	JUL	E PA	lGE	Z	

1-9 10-49 **50-249** Trumpetcreeper BIGNONIA radicans, 25'-40' (Zone 7) Strong growing. Scarlet-orange flowers. .30 .37 .45 .35 2 year BIOTA (See THUJA ORIENTALIS) BIRCH (See BETULA) BITTERSWEET (See CELASTRUS) BOX (See BUXUS) BRIDALWREATH (See SPIREA PRUNIFOLIA) BUCKTHORN (See RHAMNUS) Summer Flowering Butterfly Bush **BUDDLEIA** (Zone 5) - Fascination, 4'. Orchid. 12-18"; 18-24"; 2-3' — He de France, 4'. Dark purple, fragrant. 18-24"; 2-3' - Pink Charming, 4-6'. Long panicles of pink flowers. 12-18"; 18-24"; — Princeton Purple, 4', 18-24"; 2-3' - Princeton Red, 4'. 12-18"; 18-24"; 2-3' - Princeton White, 4'. 12-18"; 18-24"; 2-3' Above varieties at following prices: 12 to 18 in.37 .35 .4518 to 24 in.55 .45BUTTERFLY BUSH (See BUDDLEIA) BUXUS sempervirens, 12'-15' (Zone 5) Common Box Evergreen. Rapid growth. Useful for formal hedges. .75 .60 1.10 .90 2.25 1.90 1.50 2.20 2.60 1.75 2.80 3.40 2.25 suffruticosa, 3'-4' (Zone 5) Evergreen. Extensively used for edging. Dwarf English Box .45 4 to 6 in., B.R. 6 to 8 in., B.R. .35 .50 .60 8 to 10 in., B&B 1.75 1.40 ·[C]· CALLICARPA purpurea, 4'-5' (Zone 6) Chinese Beautyberry Lilac-violet berries, especially attractive in August. Graceful habit. .45.70 .55 .90 .702 to 3 ft.

Unit Price in Quantities

Please order in multiples of 10 shrubs and other small bare root items. See page 1 for explanation in box.

50-249 10-49 1-9 CALYCANTHUS floridus, 4'-5' (Zone 4) Sweet Shrub An old garden favorite, with fragrant, dark reddish-brown flowers. 12 to 18 in. 18 to 24 in. 2 to 3 ft. .45 .55 .70 .45 .55 .70 3 to 4 ft.90 CAMPSIS (See BIGNONIA) CARPINUS betulus, 30' (Zone 4) European Hornbeam A very handsome, slow growing tree. 2 to 3 ft., B&B 2.702.35 3 to 4 ft., B&B 3.75 4 to 5 ft., B&B 7.50 5 to 6 ft., B&B 10.75 3.00 6.00 9.00 - caroliniana, 30'-40' (Zone 4) American Hornbeam Bluish-green foliage, Low, bushy, Excellent fall coloring, Grows well in shade. $\frac{2.00}{3.30}$ 1.65 2 to 3 ft., B.R. 3 to 4 ft., B.R. 2.75 3.90 4.65 5.00 4.50 **CARYOPTERIS** incana (mastacantha), 2'-3' (Zone 5) Blue Spirea CATALPA speciosa, 30'-35' (Zone 4) Western Catalpa A very picturesque tree with large, heart-shaped leaves and long, bean-like seed pods. 8 to 10 ft., 1¼ to 1½ in. 4.50 9 to 11 ft., 1½ to 1¾ in. 6.00 10 to 12 ft., 1¾ to 2 in. 8.00 11 to 13 ft., 2 to 2½ in. 10.00 12 to 14 ft., 2¼ to 2½ in. 13.50 12 to 14 ft., 2½ to 3 in. 17.00 3.75 5.00 6.508.00 11.00 14.00 CELASTRUS orbiculatus, 15'-20' (Zone 4) Oriental Bittersweet Rapid growing, high climbing shrubby vine. Orange fruit opening to expose red seeds in fall. 18 to 24 in., 1 year 2 to 3 ft., 2 year 3 to 4 ft., 3 year .30 .50 .40 .50 .60 **- scandens**, **15'-20**' (Zone 4) American Bittersweet - occidentalis, 50'-60' (Zone 2) Hackberry Resembles a slow growing Elm. Compact in habit. Thrives in dry soil. 6 to 8 ft. 3.75 3.00 8 to 10 ft. 5.25 4.40 9 to 11 ft., 1¼ to 1½ in. 7.50 6.00 10 to 12 ft., 1½ to 1¾ in. 10.00 8.00 3.50 5.00

Unit Price in Quantities

CEPHALANTHUS occidentalis, 5'-6' (Zone 4)	But	tonbush
Fragrant, creamy white flowers borne September. Good foliage. Likes moistur	in 1	round head	ds July-
		.55	.45
3 to 4 ft		.75 .95	.60 .75
CERCIDIPHYLLUM japonicum, 20'-30' (Zo:			
Excellent symmetrical tree. Beautiful sp colors.	ring a	and autumr	i foliage
3 to 4 ft., B.R	$\frac{3.75}{5.25}$	$\frac{3.00}{4.40}$	
5 to 6 ft., B.R.	6.75	5.50	
6 to 8 ft., B.R	9.00		Dealbrad
CERCIS canadensis, 12'-15' (Zone 4) Rosy pink flowers in April. Also called	Judas	American s Tree.	Reabua
2 to 3 ft	.85	.70	.55
3 to 4 ft	$\frac{1.30}{1.90}$.90 1.25
5 to 6 ft	2.10	1.75	
chinensis, 10'-12' (Zone 6)	11.	Chinese	Redbud
A most interesting, compact growing sincercis canadensis. Very heavy bloomin	nrub. g. Ex	Deeper pu	nk than potting
for sales vard operations. Makes an idea	ıl larg	e, broad fl	owering
hedge. Has interesting heart-shaped foli	age. .90	.75	.60
2 to 3 ft	1.30	1.10	.90
3 to 4 ft	2.10	1.75	1.40
CHAENOMELES lagenaria (See CYDONIA)		
CHILIFITO INTERNAL (SEC CLE CLECTICE)	/		
CHAMAECYPARIS gracilis nana, 2½'-4' (Z	one 4	.)	Carmana
CHAMAECYPARIS gracilis nana, 2½'-4' (Z	one 4 Dwai	rf Hinoki	Cypress p green
CHAMAECYPARIS gracilis nana, 2½'-4' (Z Evergreen. Low form, of slow growth, foliage.	one 4 Dwar with	rf Hinoki short, dee	p green
CHAMAECYPARIS gracilis nana, 2½'-4' (Z Evergreen. Low form, of slow growth, foliage. 9 to 12 in., B&B	one 4 Dwai	rf Hinoki short, dee 2.50	Cypress p green
CHAMAECYPARIS gracilis nana, 2½'-4' (Z Evergreen. Low form, of slow growth, foliage. 9 to 12 in., B&B	one 4 Dwar with 3.00 4.10	rf Hinoki short, dee 2.50 3.50 Plume Reti	p green
CHAMAECYPARIS gracilis nana, 2½'-4' (Z Evergreen. Low form, of slow growth, foliage. 9 to 12 in., B&B 12 to 15 in., B&B — plumosa, 25'-35' (Zone 3) Evergreen. Dense, fine texture. Shears	one 4 Dwar with 3.00 4.10 well.	rf Hinoki short, dee 2.50 3.50 Plume Reti Bright gr	nospora een.
CHAMAECYPARIS gracilis nana, 2½'-4' (Z Evergreen. Low form, of slow growth, foliage. 9 to 12 in., B&B 12 to 15 in., B&B — plumosa, 25'-35' (Zone 3) Evergreen. Dense, fine texture. Shears 15 to 18 in., B&B 18 to 24 in., B&B	one 4 Dwar with 3.00 4.10 well. 1.95 2.60	rf Hinoki short, dee 2.50 3.50 Plume Reti Bright gr 1.60 2.20	p green
CHAMAECYPARIS gracilis nana, 2½'-4' (Z Evergreen. Low form, of slow growth, foliage. 9 to 12 in., B&B 12 to 15 in., B&B — plumosa, 25'-35' (Zone 3) Evergreen. Dense, fine texture. Shears 15 to 18 in., B&B 18 to 24 in., B&B 2 to 2½ ft., B&B	3.00 4.10 well. 1.95 2.60 3.40	rf Hinoki short, dee 2.50 3.50 Plume Reti Bright gr 1.60 2.20 2.80	nospora een. 1.30 1.75 2.25
CHAMAECYPARIS gracilis nana, 2½'-4' (Z Evergreen. Low form, of slow growth, foliage. 9 to 12 in., B&B 12 to 15 in., B&B — plumosa, 25'-35' (Zone 3) Evergreen. Dense, fine texture. Shears 15 to 18 in., B&B 18 to 24 in., B&B 2 to 2½ ft., B&B 2½ to 3 ft., B&B	one 4 Dwar with 3.00 4.10 well. 1.95 2.60	rf Hinoki short, dee 2.50 3.50 Plume Reti Bright gr 1.60 2.20 2.80 3.75	inospora een. 1.30 1.75
CHAMAECYPARIS gracilis nana, 2½'-4' (Z Evergreen. Low form, of slow growth, foliage. 9 to 12 in., B&B 12 to 15 in., B&B — plumosa, 25'-35' (Zone 3) Evergreen. Dense, fine texture. Shears 15 to 18 in., B&B 18 to 24 in., B&B 2 to 2½ ft., B&B 2½ to 3 ft B&B 3 to 4 ft., B&B ——aurea, 20'-25' (Zone 3)	one 4 Dwar with 3.00 4.10 well. 1.95 2.60 3.40 4.50 6.75	rf Hinoki short, dee 2.50 3.50 Plume Reti Bright gr 1.60 2.20 2.80 3.75 5.50 Golden Reti	inospora een. 1.30 1.75 2.25 3.00 4.50
CHAMAECYPARIS gracilis nana, 2½'-4' (Z Evergreen. Low form, of slow growth, foliage. 9 to 12 in., B&B 12 to 15 in., B&B — plumosa, 25'-35' (Zone 3) Evergreen. Dense, fine texture. Shears 15 to 18 in., B&B 18 to 24 in., B&B 2 to 2½ ft., B&B 2½ to 3 ft B&B 3 to 4 ft., B&B ——aurea, 20'-25' (Zone 3) Foliage golden yellow. Similar in habit	one 4 Dwar with 3.00 4.10 well. 1.95 2.60 3.40 4.50 6.75 to pl	rf Hinoki short, dee 2.50 3.50 Plume Reti Bright gr 1.60 2.20 2.80 3.75 5.50 Golden Reti umosa.	nospora een. 1.30 1.75 2.25 3.00 4.50 inospora
CHAMAECYPARIS gracilis nana, 2½'-4' (Z Evergreen. Low form, of slow growth, foliage. 9 to 12 in., B&B 12 to 15 in., B&B — plumosa, 25'-35' (Zone 3) Evergreen. Dense, fine texture. Shears 15 to 18 in., B&B 18 to 24 in., B&B 2 to 2½ ft., B&B 2½ to 3 ft B&B 3 to 4 ft., B&B — aurea, 20'-25' (Zone 3) Foliage golden yellow. Similar in habit 12 to 15 in., B&B 15 to 18 in., B&B	one 4 Dwar with 3.00 4.10 well. 1.95 2.60 3.40 4.50 6.75	rf Hinoki short, dee 2.50 3.50 Plume Reti Bright gr 1.60 2.20 2.80 3.75 5.50 Golden Reti umosa. 1.60	inospora een. 1.30 1.75 2.25 3.00 4.50
CHAMAECYPARIS gracilis nana, 2½'-4' (Z Evergreen. Low form, of slow growth, foliage. 9 to 12 in., B&B 12 to 15 in., B&B —plumosa, 25'-35' (Zone 3) Evergreen. Dense, fine texture. Shears 15 to 18 in., B&B 18 to 24 in., B&B 2 to 2½ ft., B&B 2½ to 3 ft B&B 3 to 4 ft., B&B —aurea, 20'-25' (Zone 3) Foliage golden yellow. Similar in habit 12 to 15 in., B&B 15 to 18 in., B&B 18 to 24 in., B&B	one 4 Dwar with 3.00 4.10 well. 1.95 2.60 3.40 4.50 6.75 (to pl 1.95 2.40 3.00	2.50 3.50 Plume Reti Bright gr 1.60 2.20 2.80 3.75 5.50 Golden Reti umosa. 1.60 2.00 2.50	1.30 1.75 2.25 3.00 4.50 inospora 1.30 1.60 2.00
CHAMAECYPARIS gracilis nana, 2½'-4' (Z Evergreen. Low form, of slow growth, foliage. 9 to 12 in., B&B 12 to 15 in., B&B — plumosa, 25'-35' (Zone 3) Evergreen. Dense, fine texture. Shears 15 to 18 in., B&B 2 to 2½ ft., B&B 2½ to 3 ft B&B 3 to 4 ft., B&B ——aurea, 20'-25' (Zone 3) Foliage golden yellow. Similar in habit 12 to 15 in., B&B 15 to 18 in., B&B 18 to 24 in., B&B 2 to 2½ ft., B&B	one 4 Dwar with 3.00 4.10 well. 1.95 2.60 3.40 4.50 6.75 (to pl 1.95 2.40	2.50 3.50 Plume Reti Bright gr 1.60 2.20 2.80 3.75 5.50 Golden Reti umosa. 1.60 2.00 2.50	1.30 1.75 2.25 3.00 4.50 inospora 1.30 1.60 2.00
Evergreen. Low form, of slow growth, foliage. 9 to 12 in., B&B 12 to 15 in., B&B — plumosa, 25'-35' (Zone 3) Evergreen. Dense, fine texture. Shears 15 to 18 in., B&B 2 to 24 in., B&B 2 to 2½ ft., B&B 2½ to 3 ft B&B 3 to 4 ft., B&B ——aurea, 20'-25' (Zone 3) Foliage golden yellow. Similar in habit 12 to 15 in., B&B 15 to 18 in., B&B 15 to 18 in., B&B 2 to 2½ ft., B&B 3 to 4 ft., B&B 3 to 34 ft., B&B	one 4 Dwar with 3.00 4.10 well. 1.95 2.60 3.40 4.50 6.75 (to pl 1.95 2.40 3.00 3.75	2.50 3.50 Plume Reti Bright gr 1.60 2.20 2.80 3.75 5.50 Golden Reti umosa. 1.60 2.00 2.50 3.00	inospora een. 1.30 1.75 2.25 3.00 4.50 inospora 1.30 1.60 2.00 2.50
Evergreen. Low form, of slow growth, foliage. 9 to 12 in., B&B 12 to 15 in., B&B — plumosa, 25'-35' (Zone 3) Evergreen. Dense, fine texture. Shears 15 to 18 in., B&B 2 to 24 in., B&B 2½ to 3 ft B&B 3 to 4 ft., B&B ——aurea, 20'-25' (Zone 3) Foliage golden yellow. Similar in habit 12 to 15 in., B&B 15 to 18 in., B&B 15 to 18 in., B&B 16 to 24 in., B&B 17 to 18 in., B&B 18 to 24 in., B&B 2 to 2½ ft., B&B 2 to 2½ ft., B&B 3 to 3½ ft., B&B 3 to 3½ ft., B&B 3 to 3½ ft., B&B ——squarrosa veitchi, 25'-30' (Zone 3)	one 4 Dwai with 3.00 4.10 well. 1.95 2.40 4.50 6.75 (to pl 1.95 2.40 3.00 3.75 5.25	rf Hinoki short, dee 2.50 3.50 Plume Reti Bright gr 1.60 2.20 2.80 3.75 5.50 Golden Reti umosa. 1.60 2.00 2.50 3.00 4.40	inospora een. 1.30 1.75 2.25 3.00 4.50 inospora 1.30 1.60 2.00 2.50 3.50 4.50
Evergreen. Low form, of slow growth, foliage. 9 to 12 in., B&B 12 to 15 in., B&B	one 4 Dwai with 3.00 4.10 well. 1.95 2.40 4.50 6.75 (to pl 1.95 2.40 3.00 3.75 5.25	rf Hinoki short, dee 2.50 3.50 Plume Reti Bright gr 1.60 2.20 2.80 3.75 5.50 Golden Reti umosa. 1.60 2.00 2.50 3.00 4.40 5.50 Moss Reti	inospora een. 1.30 1.75 2.25 3.00 4.50 inospora 1.30 1.60 2.00 2.50 3.50 4.50
CHAMAECYPARIS gracilis nana, 2½'-4' (Z Evergreen. Low form, of slow growth, foliage. 9 to 12 in., B&B 12 to 15 in., B&B — plumosa, 25'-35' (Zone 3) Evergreen. Dense, fine texture. Shears 15 to 18 in., B&B 18 to 24 in., B&B 2 to 2½ ft., B&B 2½ to 3 ft B&B 3 to 4 ft., B&B — aurea, 20'-25' (Zone 3) Foliage golden yellow. Similar in habit 12 to 15 in., B&B 15 to 18 in., B&B 2 to 2½ ft., B&B 2 to 2½ ft., B&B 3 to 4 ft., B&B — squarrosa veitchi, 25'-30' (Zone 3) Foliage blue gray, feathery and dense. 12 to 15 in., B&B 15 to 18 in., B&B 15 to 18 in., B&B	one 4 Dwai with 3.00 4.10 well. 1.95 2.60 3.40 6.75 to pl 1.95 2.40 3.00 3.75 5.25 6.75	rf Hinoki short, dee 2.50 3.50 Plume Reti Bright gr 1.60 2.20 2.80 3.75 5.50 Golden Reti umosa. 1.60 2.00 2.50 3.00 4.40 5.50 Moss Reti 1.60 2.00	1.30 1.60 2.50 3.50 4.50 inospora 1.30 1.60 2.00 2.50 3.50 4.50
Evergreen. Low form, of slow growth, foliage. 9 to 12 in., B&B 12 to 15 in., B&B — plumosa, 25'-35' (Zone 3) Evergreen. Dense, fine texture. Shears 15 to 18 in., B&B 18 to 24 in., B&B 2 to 2½ ft., B&B 2½ to 3 ft B&B 3 to 4 ft., B&B — aurea, 20'-25' (Zone 3) Foliage golden yellow. Similar in habit 12 to 15 in., B&B 18 to 24 in., B&B 18 to 24 in., B&B 15 to 18 in., B&B 16 to 2½ ft., B&B 17 to 18 in., B&B 18 to 24 in., B&B 18 to 24 in., B&B 19 to 19 ft., B&B 2½ to 3 ft., B&B 3 to 3½ ft., B&B 3 to 3½ ft., B&B 18 to 24 in., B&B 18 to 24 in., B&B 18 to 34 in., B&B	one 4 Dwai with 3.00 4.10 well. 1.95 2.60 3.40 4.50 6.75 to pl 1.95 2.40 3.00 3.75 5.25 6.75	rf Hinoki short, dee 2.50 3.50 Plume Reti Bright gr 1.60 2.20 2.80 3.75 5.50 Golden Reti umosa. 1.60 2.00 2.50 3.00 4.40 5.50 Moss Reti 1.60	1.30 1.75 2.25 3.00 4.50 inospora 1.30 2.50 2.50 3.50 4.50 inospora
CHAMAECYPARIS gracilis nana, 2½'-4' (Z Evergreen. Low form, of slow growth, foliage. 9 to 12 in., B&B 12 to 15 in., B&B — plumosa, 25'-35' (Zone 3) Evergreen. Dense, fine texture. Shears 15 to 18 in., B&B 18 to 24 in., B&B 2 to 2½ ft., B&B 2½ to 3 ft B&B 3 to 4 ft., B&B — aurea, 20'-25' (Zone 3) Foliage golden yellow. Similar in habit 12 to 15 in., B&B 15 to 18 in., B&B 2 to 2½ ft., B&B 2 to 2½ ft., B&B 3 to 4 ft., B&B — squarrosa veitchi, 25'-30' (Zone 3) Foliage blue gray, feathery and dense. 12 to 15 in., B&B 15 to 18 in., B&B 15 to 18 in., B&B	one 4 Dwaith 3.00 4.10 well. 1.95 2.60 3.40 4.50 6.75 to pl 1.95 2.40 3.00 3.75 5.25 6.75	rf Hinoki short, dee 2.50 3.50 Plume Reti Bright gr 1.60 2.20 2.80 3.75 5.50 Golden Reti umosa. 1.60 2.00 2.50 3.00 4.40 5.50 Moss Reti 1.60 2.00 2.50 2.50 3.00 4.50 2.50 3.00 4.50 2.50	1.30 1.75 2.25 3.00 4.50 inospora 1.30 2.00 2.50 3.50 4.50 inospora 1.30 1.60


	Unit F	Price in Qua 10-49	ntities 50-249
CHIONANTHUS virginicus, 15'-18 ' (Zone 4) Abundant tassel-like white flower May		White Frin	getree
18 to 24 in,	1.25	1.05	.85
2 to 3 ft	1.90	1.50	1.25
3 to 4 ft	2.60	2.20	1.75
4 to 5 ft	3.40	2.80	2.25
CHRISTMASBERRY (See PHOTINIA)			
CLADRASTIS lutea (tinctoria), 30'-40' (Zon	ie 5)	Yellov	wwood
A striking tree with long panicles of fr June.	agrant	white flow	ers in
2 to 3 ft	$\frac{3.75}{5.25}$	$\frac{3.00}{4.40}$	$\frac{2.50}{3.50}$
3 to 4 ft	$\frac{5.25}{6.75}$	5.50	4.50
5 to 6 ft. CLEMATIS paniculata, 20'-25' (Zone 5)	Sweet	Autumn Cl	ematis
White fragrant flowers. September. Woolent vine.	olly see	d pods. An	excel-
1 year 2 year		.45	.35
2 year		.55	.45
CLETHRA alnifolia, 4'-5' (Zone 3)		Summe	rsweet
Its interesting foliage and spicy, fragr	ant wh	ite flowers	s, July
through Sentember make this one	of the	most des	arabie.
medium growing shrubs. Thrives in m splendid contrast plant for Azaleas and	d Phod	lady locali	ons. A
18 to 24 in	u moo	55	.45
2 to 2½ ft		.75	.60
2½ to 3 ft		.75 .90	.70
3 to 4 ft		1.00	.80
4 to 5 ft		1.25	1.00
——rosea, 4'-5' (Zone 3) Large spikes of clear, pink flowers wit September. Pleasing contrast if interpla	h spicy	nk Summe y fragrance i masses wi	. July-
white variety.			
12 to 18 in		.55 .70	.45
18 to 24 in			.55
2 to 2½ ft		.80	.65
COFFEETREE (See GYMNOCLADUS)			
CORKTREE (See PHELLODENDRON)			
CORNUS alba (sibirica), 8'-10' (Zone 2) Bright red bark. Porcelain blue fruits.	Red Bi	ranched Do	gwood
for winter effects. Very adaptable.	Quick	grower. Ex	cenent
18 to 24 in		.45	.35
2 to 3 ft		.55	.45
3 to 4 ft		.75	.60
4 to 5 ft		.95	
-amomum (sericea), 10' (Zone 5)		Silky Do	gwood
Pale blue fruits. Young twigs purple. Pr	refers n	noist location	on.
18 to 24 in		.45	.35
2 to 3 ft		.55 .75	.45 .60
3 to 4 ft.	17bi+of1		
White flowers. A most popular spring f	lowerir	owering Do ng small tre	ee. Red
berries. 3 to 4 ft., B.R.	2.50	2.05	1.65
4 to 5 ft., B.R.	$\frac{2.75}{3.75}$	3.00	2.50
5 to 6 ft., B&B	8.50	7.00	5.50
6 to 8 ft., B&B	12.00	10.00	8.00
8 to 10 ft., B&B	15.00	12.25	10.00
10 to 12 ft., B&B	18.00	15.00	12.00





CORNUS florida—White flowering Dogwood. As fine as can be grown. Straight trunks, full tops.

	Unit F 1-9	Price in Qu 10-49	
CORNUS florida rubra, 15'-20' (Zone 5) Beautiful bright red flowers in spring.			ogwood 2.00
2 to 3 ft. B.R. 3 to 4 ft., B.R. 4 to 5 ft., B&B 5 to 6 ft., B&B	3.75 7.00 11.20	2.50 3.00 6.00 9.50	2.50 5.00 7.50
6 to 8 ft., B&B	13.50	11.00 Kousa D	9.00 ogwood
White flowers in June. Conspicuous Attractive to birds.	cherry-li		_
18 to 24 in., B&B	2.85 3.75 5.25	2.35 3.00 4.50	1.90 2.50 3. 50
— mas, 20'-25' (Zone 4) Handsome, large shrub. Small yellow scarlet fruits in fall.		Cornelian in April.	
18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft.	1.00 1.20 1.50 2.00	.80 1.00 1.25 1.70	.65 .80 1.00 1.35
— paniculata (racemosa), 10'-12' (Zone 4)		Gray D	ogwood
Small white flowers, May. White fruit 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft.	s on red	.50 .60 .80 1.00	.40 .50 .65 .80



CORNUS florida rubra—Redflowering Dogwood. Perfectly shaped trees.

	Unit Pric	ce in Qu a 10-49	ntities 50-249
CORNUS sanguinea, 8'-10' (Zone 4)	Blood	itwig Do	gwood
Dark red branches. Good foliage. Does w	en m da	110 10cau	35
18 to 24 in		.55	.45
3 to 4 ft		.75	.60
0)	Dod	Ocior Do	gwood
— stolonifera, 7-8 (Zone 2) Spreading. Dark red bark. White frui	ts. Does	well in	damp
locations			
18 to 24 in		.45	.35 .45
2 to 3 ft		.55 . 7 5	.60
3 to 4 ft.		.90	.75
4 to 5 ft. ——lutea (flaviramea), 6'-7' (Zone 3)	Vellov		gwood
TO 1 1 4 11 a-re bowle byzoollont tor Winipi	r ATTACLS		
18 to 24 in		.00	.50
2 to 3 ft.		.75	.60
CODYLLIC americana 6'8' (Zone 4)	Ame	erican Ha	azelnut
A hardy native shrub with ornamental	catkins	in early	spring
a delicious edible nuts in the fall			
18 to 24 in		.60 .80	.00 65
2 to 3 ft			
COTONEASTER acutifolia, 10'-12' (Zone 4)	Peki	ing Coto	neaster
Small pink flowers in clusters. Black in 2 to 3 ft., B&B	3.00 3.75	3.00	2.50
- dammeri, 4'-6' (Zone 5) Evergreen	Bearbe	rry Coto	neaster
mi -li orrongroon grolling cover :	ivaname.	Narrow	migni
green leaves, pretty white flowers, a	nd large	bright	scarlet
fruits which last all winter.			
9 to 12 in., 6" cans	2.25	1.90	1.50

COTONEASTER dielsiana, 4'-5' (Zone 5)		Diels Co	toneaster
Upright growth. 12 to 15 in., 6 in. pots	1.50	1.25	
- divaricata, 5'-6' (Zone 5) Handsome shrub bearing glossy leaves 18 to 24 in., B&B	Spreand to 2.50 3.40	2.05	fruits. 1.65
- franchetii, 5'-6' (Zone 6)	Fra	anchet Cot	toneaster
Evergreen, upright, orange berries. 12 to 15 in., 6" cans	1.50 1.90 2.50	1.25 1.50 2.05	1.00 1.25 1.65
— horizontalis (davidiana), 2'-3' (Zone 4) An outstanding variety for sales yardeliage. Abundant fruits are bright received to 9 in., pots	d. Ric	Rock Coto h, small, 1.25	
9 to 12 in., pots	1.90 2.25	1.50	1.25 1.50
——perpusilla, 2'-3' (Zone 6) Similar to horizontalis but has smaller 9 to 12 in., 6" pot	G leave 1.90 2.25	1.50	ger fruit. 1 .2 5
 microphylla, 2'.3' (Zone 5) Evergreen. Very small leaves of deep and Rock Cotoneaster. 	Rock green.	spray Cot More bus	oneaster hy than
9 to 12 in., 6 in. cans	$\frac{1.90}{2.25}$	$\frac{1.50}{1.90}$	$\frac{1.25}{1.50}$
CRABAPPLE (See MALUS)			
6 to 8 ft., B&B	and c ts in a 11.20 13.40	9.50 11.70 Cockspu	l leaves.
Deep green shiny leaves make this Haw flowers are conspicuous. Makes an exc impenetrable thorny barrier.	thorn ellent	distinctive	e. White
18 to 24 in., B.R. 2 to 3 ft., B.R. 3 to 4 ft., B.R. 4 to 5 ft., B&B 5 to 6 ft., B&B	1.90 2.60 3.40 8.50 11.20	1.50 2.20 2.80 7.00 9.50	1.25 1.75 2.25 5.50
— mollis, 20' (Zone 4) One of the finest of the Crataegus far showy white flowers and large bright large and handsome. This good small habit. We have these grown with sin with low heads. State which you prehead wires.	mily. : t red tree i: gle st	fruits. Fo s quite fo ems. Also	otionally oliage is ormal in
6 to 7 ft., B&B	11.20 14.30 17.00	9.50 11.70 14.25	7.50 9.50 11.50

CRATAEGUS oxycantha pauli, 12'-15' (Zor	ne 4)	Coowlet IIo	···th onn
Double scarlet flowers.	Paurs	Scarlet Ha	WtHOIH
3 to 4 ft., branched 4 to 5 ft., branched 5 to 6 ft., branched 6 to 7 ft., branched 7 to 8 ft., branched 8 to 9 ft., branched	2.25 3.00 4.50 6.00 8.50 11.00	1.90 2.50 3.75 5.00 7.00 9.00	1.50 2.00 3.00 4.00 5.50
— phaenopyrum (cordata), 12'-15' (Zone 4) Colorful in fall. Makes an excellent he		nington Ha horny barr	
2 to 3 ft., B.R. 3 to 4 ft., B.R. 4 to 5 ft., B.R. 5 to 6 ft., B.R. 6 to 8 ft., B.R. 8 to 10 ft., B.R.	1.65 2.50 3.40 5.60 8.50 11.20	1.35 2.05 2.80 4.75 7.00 9.50	1.10 1.65 2.25 3.75 5.50 7.50
——Tree Form, 12'-15' (Zone 4) These trees have been specially trime tree form, with straight trunks and some little shade trees with glossy scarlet fruit.	med and	ops. Make	shade hand-
4 to 5 ft., B.R	3.00 4.50 6.00	2.50 3.75 5.00	2.00 3.00 4.00
- pyracantha lalandi (See PYRACANTHA	A)		
CRYPTOMERIA japonica lobbi, 15'-20' (Zo Forms narrow, irregular column, comporate winter color. Prefers moist to 2 to 3 ft., B&B	one 4) pact and out well	picturesqu	ie. Rich
CYDONIA japonica (chaenomeles lagenar	ia), 4'-5'	(Zone 4) Flowering	Quince
Scarlet flowers, April, May. Spicy fru 12 to 18 in. 18 to 24 in. 2 to 3 ft. 3 to 4 ft.			
— HYBRIDS, 4'-5' (Zone 4) Boule de feu, double red, 12-18"; 18-24" Cardinalis, red flowering, 12-18"; 18-24" Nivalis, white flowering, 12-18"; 18-24"; Rosea plena, semi-double pink, 12-18"; Superba atrosanguinea, red flowering	'; 2-3' "; 2-3' 2-3' 18-24"	Flowering	Quince
Superva an osangumon, red mowering			
12 to 18 in		.50 .75 1.00	.40 .60 .80





DEUTZIA Lemoinei—Lemoine Deutzia. Probably the finest of all medium growing heavy flowering Deutzias.

·[D]·

DEUTZIA gracilis, 3' (Zone 4)	Slender Deutzia
Heavily laden with snow-white flowers in M shrub.	May. Useful facing
9 to 12 in. 12 to 15 in. 15 to 18 in. 18 to 24 in.	.30 .25 .50 .40 .60 .50 .80 .65
	se panicle Deutzia
Similar in growth to above but with pinkish	flowers.
15 to 18 in	.55 .45 .75 .55
— lemoinei, 4-5' (Zone 4)	Lemoine Deutzia
Probably the best of all medium growing, Deutzias. Very hardy.	heavy flowering
15 to 18 in	.45 .35
18 to 24 in	.55 .45
2 to 2½ ft	.70 .55
2½ to 3 ft	.90 .70
DEUTZIA scabra Pride of Rochester, 9'-10' (Zone	5)
Large	Flowered Deutzia
Pink changing to white, June. Fast growing.	
18 to 24 in	.45 .35
2 to 3 ft,	
3 to 4 ft	.70 .55
4 to 5 ft	90 70

DIERVILLA sessilifolia, 4'-5' (Zone 5) South Yellow flowers June-July. Vigorous gr	nern Bu rower;	ısh Honey purplish-	suckle bronze
foliage. Excellent for contrast. 18 to 24 in. 2 to 3 ft.		.45 .55	.35 .45
DOGWOOD (See CORNUS)			
·[E]·			
ELAEAGNUS angustifolia, 15'-18 ' (Zone 4) Silvery leaves and branchlets. Orange b	erries.	Russiar Stands ui	Olive nfavor-
able conditions. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. — longipes (multiflora), 6'-8' (Zone 4)	 	.45 .60 .80 1.00 herry Elac	.35 .50 .65 .80 eagnus
Silvery leaves. Yellow flowers, fragram.	миу. L	arge red i	perries
12 to 18 in. 18 to 24 in. 2 to 3 ft. — umbellata, 8'-10' (Zone 3)	Au	.75 .90 tumn Elac	eagnus
12 to 18 in. 18 to 24 in. 2 to 3 ft.		.37 .50 .60	.30 .40 .50
ELM (See ULMUS)			
A very attractive, medium growing shr light-lilac flower spikes, blooming in Sep	tember	a profus	witen
ELSHOLTZIA stauntoni, 3'-4' (Zone 6)	tember	a profus	sion of when
ELSHOLTZIA stauntoni, 3'-4' (Zone 6) A very attractive, medium growing shr light-lilac flower spikes, blooming in Septhere is a dearth of flowering shrubs. 12 to 18 in. 18 to 24 in. ENGLISH IVY (See HEDERA)		n a profus at a time .60 .95	sion of when .50 .75
ELSHOLTZIA stauntoni, 3'-4' (Zone 6) A very attractive, medium growing shr light-lilac flower spikes, blooming in Septhere is a dearth of flowering shrubs. 12 to 18 in. 18 to 24 in.	Red Wonde	n a profus at a time .60 .95 Vein Enki erful with aty soil.	.50 .75 anthus erica- 3.50 4.50





EUONYMUS alatus—Winged Euonymus. You couldn't find better. Fall foliage is very colorful. Excellent in mass plantings, also makes an easy maintenance screen.

EUONYMUS alatus compactus, 4'-5' (Zone	3)		
Dynam of alatus Compact Even	warf Wi	nged Euo	nymus
Dwarf form of alatus. Compact. Excel fall coloring.	nent for	neage. B	riiiant
12 to 15 in. 15 to 18 in. 18 to 24 in.		.70 .95 1.25	.55 .75 1.00
2 to 2½ ft		$\frac{1.75}{2.05}$	$\frac{1.40}{1.65}$
— curopaeus, 12'-14' (Zone 4)	Europe	an Burnir	ngbush
Pink fruits on long stalks, persisting a	long tim	e.	
18 to 24 in.		.50	.40
2 to 3 ft		.60	.50
3 to 4 ft		.80	.65
4 to 5 ft		1.10	.90
— patens (sieboldianus), 6'-8' (Zone 7) Evergreen. Very vigorous. Forming by Has ornamental fruits.	Sprea road, ratl	ding Euo her loose	nymus shrub.
15 to 18 in., B&B	2.25	1.90	1.50
18 to 24 in., B&B	$\frac{1}{3.40}$	2.80	2.25
2 to 2½ ft., B&B	4.10	3.50	2.75
2½ to 3 ft., B&B	5.25	4.40	
- radicans, 3'-4' (Zone 5)		Winterd	reener
Evergreen, Self-clinging vine, Good for	covering	low wall	s: also
useful for under-planting among everg	reens.	,	,
6 to 9 in., 1 year		.45	.35
9 to 12 in., 2 year		.55	.45
12 to 15 in., 2 year		.70	.55
15 to 18 in., 3 year		.90	.70

EUONYMUS radicans colorata, 3' (Zone 5) Purpleleaved Wintercreepe	or
Evergreen. Foliage is narrow and long, becoming a rich, redish purple in the fall. Good in low foundation plantings arounder low windows. Desirable for winter contrast with other evergreens. Foliage remains until new growth starts in spring and is quickly replaced by the rich, green, glossy new leaves 9 to 12 in., 1 year	d- id er ig
vegetus, 4' (Zone 5) Evergreen. Bushy. Leaves round, dull green. Scarlet fruit. I cellent among evergreens. Makes good formal hedge or bord 6 to 9 in., 2 year	Ex- der. .50 .60 .80
Dazzling, white flowers, May. Is improved by pruning. 18 to 24 in. .50 2 to 3 ft. .60 3 to 4 ft. .75 4 to 5 ft. 1.00	.40 .50 .60 .80
·[F]·	
FAGUS sylvatica riversi, 50'-60' (Zone 4) River's Purple Bee Grafted plants. A selected, dark purple form of the Europe Beech. Slender when young but grows into a magnificent determined to the control of the Europe Beech.	ean
tree. 12 to 18 in., 6 in. cans 3.75 3.00	2.50
FALSE SPIREA (See SORBARIA)	
FIR DOUGLAS (See PSEUDOTSUGA)	
FIRETHORN (See PYRACANTHA) FLEECEVINE (See POLYGONUM) FLOWERING CHERRIES (See PRUNUS) FLOWERING CRAB (See MALUS) FLOWERING PEACH (See PRUNUS PERSICA) FLOWERING QUINCE (See CYDONIA)	
FORSYTHIA intermedia spectabilis, 6'-8' (Zone 4) Showy Border Forsyt	hia
Most profuse of all. Rich golden yellow.	
18 to 24 in .50	.40 .50 .60 .75 .90 hia
18 to 24 in	.45
2 to 3 ft	.55
3 to 4 ft	.65 .80
T 10 0 10	1.00



FORSYTHIA intermedia spectabilis — Showy border Forsythia. As fine as can be grown.

2 0000		Price in Qu 10-49	
FORSYTHIA intermedia Spring Glory, 6'-8'			90-210
New	Sprin	g Glory F	orsythia
Pale lemon-yellow flowers in profusion	1.	8 0.10-7 -	<i>y</i>
2 to 3 ft		.70	.55
3 to 4 ft		.80	
4 to 5 ft		1.00	.80
5 to 6 ft		1.25	1.00
- suspensa, 4'-6' (Zone 5) Bright yellow. Drooping. Excellent on k	V	Veeping F	'orsythia
Bright yellow. Drooping. Excellent on b	anks.		40
18 to 24 in		.00	.40
2 to 3 ft			.50
3 to 4 ft			.75
—— fortunei, 7'-8' (Zone 5) Bright yellow. Strong grower. Arching.	-	Fortune F	orsytma
2 to 3 ft		.60	.50
3 to 4 ft		.75	.60
4 to 5 ft		.95	.75
5 to 6 ft			.90
FRANKLINIA alatamaha, 15'-20' (Zone 5)		F	ranklinia
A small tree with large white cup-si	haped	flowers	3 inches
across. Glossy green foliage turns cri	imson	in the fa	all. Now
extinct in its native habitat. 18 to 24 in., 6" cans			
FRAXINUS americana, 70'-80' (Zone 3)		W	
Medium grower. Good fall coloring. At	home		ocations.
5 to 6 ft	2.25	1.90	1.50
6 to 8 ft.	3.00		
8 to 10 ft., 1 to 1¼ in.	$\frac{3.75}{2}$		
9 to 11 ft., 1¼ to 1½ in.	5.25	$\frac{4.40}{7.50}$	
10 to 12 ft., 1½ to 1¾ in	$9.00 \\ 11.20$	9.50	
12 to 14 ft., 2 to 2½ in.	13.50	11.00	9.00
12 to 11 1to, 2 to 2/2 111	10.00	11.00	0.00



FRAXINUS americana—White Ash.
FRAXINUS lanceolata—Green Ash.
This is a very fine straight trunked well branched lot.

Unit Price in Quantiti					
	1-9	10-49	50-249		
FRAXINUS lanceolata, 50'-60' (Zone 3)			en Ash		
Rapid straight growth. Has dark green	foliage	and thrives	in dry		
locations. 5 to 6 ft	2.25	1.90	1.50		
6 to 8 ft	3.00	2.50	2.00		
8 to 10 ft., 1 to 1¼ in.	3.75	3.00	2.50		
9 to 11 ft., 1¼ to 1½ in	5.25	4.40	3.50		
10 to 12 ft., 1½ to 1¾ in	9.00	7.50	6.00		
11 to 13 ft., 1¾ to 2 in	11.20	9.50	7.50		
12 to 14 ft., 2 to $2\frac{1}{2}$ in	13.50	11.00	9.00		
— Marshall's Seedless, 50'-60' (Zone 3) An extremely desirable seedless type general growth characteristics as Frates to 6 ft. 6 to 8 ft. 8 to 10 ft.	e of (Green Ash. anceolata. 2.50 3.50	2.00 2.75 3.75		
— ornus, 20'-30' (Zone 5) This small tree has dense panicles flowers like Chionanthus. Attractive ideal small tree to plant under utility v 5 to 6 ft. 6 to 8 ft. 8 to 10 ft.	dark	Flowering Flowering Spream Folia, 2.50 3.50 5.00	white		



GINKGO biloba — Maidenhair Tree. Ours are an extremely fine lot. Good straight trunks.

FRAXINUS velutina glabra, 30'-40' (Zone	5)	Modes	sto Ash
A straight clean tree with a compac	et head	of glossy	foliage
which turns clear yellow in the fall.	Thrives	under city	condi-
tions and is resistant to drouth and a	lkali.		
5 to 6 ft	0.00	0.00	4

5	to	6 ft.		2.60	2.20	1.75
					3.00	2.50
					4.40	3.50
9	to	11 ft.,	$1\frac{1}{4}$ to $1\frac{1}{2}$ in	7.50	6.00	5.00


·[G]·

GINKGO biloba (Salisburia), 50'-75' (Zone 4) Maidenhair Tree Picturesque, exotic, stately. Distinct foliage shaped like Maidenhair fern. Immune from insects. Very desirable.

				 	-	 	 .,	UL).	* CLJ	acon and.		
4	to	5	ft.			 	 			3.40	2.80	2.25
5	to	6	ft.	 		 	 			4.10	3.50	2.75
6	to	8	ft.			 				5.25	4.40	3.50
8	to	10	ft.			 	 			7.50	6.00	

— biloba, grafted male plants. Upright growing type. We have a very fine stock block of selected male trees and these grafted trees are of exceptional quality.

4 to 5 ft	AVAILABLE FALL 1960	. 4.90	4.05	3.25
5 to 6 ft	FALL	. 6.75	5.50	4.50
6 to 8 ft	. 'ALL 1960	9.00	7.50	6.00



COLE'S NEW SUNBURST LOCUST

Plant Patent No. 1313 (Zone 4)

Brilliant coloring is limited to 8 to 10 inches of branch tips. Foliage is golden bronze and its brilliant color is retained all summer. Develops a well formed symmetrical top with spreading habit. Very attractive in contrast with green foliaged trees. Excellent for sales yards operations.

OP		Unit P	rice in Qu	antities
		1-9	10-49	50-249
4 to 5 ft. whips		2.60	2.20	1.75
5 to 6 ft. whips		3.00	2.50	2.05
6 to 7 ft. whips		3.75	3.00	2.50
7 to 8 ft. whips		4.50	3.75	3.00
5 to 6 ft., 2 yr., branched		5.25	4.40	3.50
6 to 7 ft., 2 yr., branched		6.20	5.15	4.10
7 to 8 ft., 2 yr., branched		7.15	5.85	4.75
8 to 10 ft., 2 yr., branched	1	10.25	8.40	6.75
9 to 11 ft., 1 to 1¼ in.		12.70	10.60	8.50
10 to 12 ft., 1¼ to 1½ in.		15.00	13.00	11.00



SHADEMASTER LOCUST

GLEDITSIA SHADEMASTER — Princeton's Upright Thornless Honeylocust. Plant Patent #1515. Picture was taken last August, showing 3½ seasons' growth after planting a 1¼" caliper tree. Back screen is 16 ft. wide and 18 ft. high.

SHADEMASTER LOCUST

PRINCETON UPRIGHT THORNLESS HONEYLOCUST

(Zone 4)

Plant Patent No. 1515

For many years there has been a growing need for new and better shade trees. We have been striving to produce a Thornless Honey-locust with all the characteristics which are so evident in the photographs on the previous pages, and to eliminate all of the faults common in ordinary Honeylocusts. We have painstakingly examined over 20,000 individual trees in this program. Our long effort has resulted in the development of what we and our visitors proclaim to be the FINEST THORNLESS HONEYLOCUST AVAILABLE.

We were assisted in our final selection by a large panel of expert professional arborists. (The Princeton Upright Thornless Honey-locust was for many years the famous Number 13 in our research program.)

Its outstanding characteristics are:

200 00000000000000000000000000000000000	
1—Straight, strong trunk	9—Holds foliage late in the fall
2—Ascending branches	10—Deep roots
3—Heavy, dark green foliage	11—Does not heave sidewalks
4—Requires no staking	12—Grass will grow right up to the trunk
5—Rapid growth	13—No leaf raking in the fall
6—Transplants easily	
7—Freedom from diseases and insect pests	14—Forms unbelievably sym- metrical tops—a radical de- parture from other Honey-
8—Drought resistance	Îocusts

THE TREE OF TODAY for Streets, Lawns and Parks

	Unit Price in Quantities		
	1-9	10-49	50-249
Two years or more—branched			
5 to 6 ft	4.50	3.75	3.00
6 to 8 ft.	6.00	5.00	4.00
8 to 10 ft., 1 to 1¼ in	8.50	7.00	5.50
9 to 11 ft., 1¼ to 1½ in	11.20	9.50	7.50
10 to 12 ft., 1½ to 1¾ in	13.50	11.00	9.00
11 to 13 ft., 1% to 2 in	17.00	14.00	11.00
One-year whips—			
4 to 5 ft		1.90	1.50
5 to 6 ft		2.50	2.00
6 to 7 ft		3.00	2.50
7 to 8 ft		3.75	3.00
8 to 9 ft		4.40	3.50

	1-9	10-15	00-215
GLEDITSIA triacanthos inermis, 60'-70' (Z	one 4)		
	Thorn	less Hone	ylocust
Greatly improved strain. Propagated	by b	udding. S	traight
trunks, symmetrical tops, and dark gr	een foli	age. Quick	grow-
ing. A special Princeton selection.			
5 to 6 ft	2.60	2.20	1.75
6 to 8 ft	3.75	3.00	2.50
8 to 10 ft., 1 to 1¼ in	5.60	4.75	3.75
9 to 11 ft., 1¼ to 1½ in	7.50	6.00	5.00
10 to 12 ft., 1½ to 1¾ in	10.00	8.00	6.50
10 to 12 ft., 1¾ to 2 in	13.50	11.00	
— — Moraine \widehat{R}	(Plai	nt Patent N	lo. 836)
(Zone 4)		Moraine	Locust
This variety of Honeylocust is a pater United States Plant Patent No. 836.	nted va	riety cove	red by
United States Plant Patent No. 836.	The na	me "Mora	ine" is
trade-marked in the United States an	d Cana	da, and is	being
handled under license from the patent	and tr	ade-mark	owner.
Thornless, seedless, and in terrific dem	and.		
5 to 6 ft., whips	2.70	2.25	2.00
6 to 7 ft., whips	3.30	2.75	2.50
7 to 8 It., Willps	4.00	3.35	3.00
6 to 8 ft., branched	7.50	6.00	5.00
8 to 10 ft., 1 to 1¼ in.,			
2 yr. branched .	10.50	8.80	7.00
9 to 11 ft., 1¼ to 1½ in.,			
2 yr. branched	13.50	11.00	9.00
10 to 12 ft., $1\frac{1}{2}$ to $1\frac{3}{4}$ in	16.00	12.50	
GOLDENCHAIN (See LABURNUM)			
GYMNOCLADUS dioicus, 40'-50' (Zone 4)	Kor	tucky Cof	footroo
Light blue-green foliage. Slow growing	r Pictu	rosano on	tlino
3 to 4 ft.	1.90	1.50	1.25
4 to 5 ft.	$\frac{1.30}{2.25}$	1.00	1.50
5 to 6 ft.	3.00	1.90 2.50 3.75	2.00
6 to 8 ft.	4.50	3.75	3.00
	1.00	0.10	0.00
·[H]·			
HACKBERRY (See CELTIS)			
HALESIA monticola, 40' (Zone 4)	$\mathbf{M}\mathbf{c}$	ountain Sil	verbell
The tree form of the Silver Bell. Ideal as	s a smal	ll lawn or f	founda-
tion specimen.			
3 to 4 ft	1.45	1.20	.95
, 4 to 5 lt	1.90	1.50	1.25
5 to 6 1t.	2.60	2.20	1.75
- tetraptera (carolina), 12'-15' (Zone 4)		Great Sil	verbell
One of the finest of the popular small f	lowerin	g trees. Pe	est and
drought resistant. These trees are caref	ully tri	mmed into	single
trunk form. White bell-shaped flowers	in may	, profusely	borne
along the branchlets. 3 to 4 ft.	1.00	1 50	1.05
4 to 5 ft	1.90	1.50	1.25
5 to 6 ft	2.60	2.20	1.75
6 to 7 ft	$\frac{3.75}{5.25}$	3.00	2.50
	0.20	4.40	3.50
HAMAMELIS japonica, 10'-12' (Zone 5)	Japai	nese Witch	ı Hazel
Interesting Japanese form, blossoming	in late	e winter. 1	Lemon-
yellow flowers, often purplish within.			
18 to 24 in	.70	.55	.45
2 to 3 ft	.90	.75	,60

HAMAMELIS vernalis, 6'-8' (Zone 4) Pale yellow flowers January and Fel	Ve bruary.	rnal Witc Very inte	h-hazel resting
winter flowering variety. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft.	.70 .90 1.20 1.50	.55 .75 1.00 1.25	.45 .60 . 80 1.00
— virginiana, 10'-12' (Zone 4) Yellow ribbon-like flowers in late fal locations.	Comi ll. Good	mon Witcl in moist,	h-hazel shady
18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft.	.60 .90 1.20 1.50 1.90	.50 .75 1.00 1.25 1.50	.40 .60 .80 1.00 1.25
HAWTHORN (See CRATAEGUS)			
HAZELNUT (See CORYLUS)			
HEDERA helix (hardy strain), 20'-50' (Zor Evergreen. Good ground cover for shad cover, Clinging.	ne 5) ly locatio	Engli ns. An ide	sh Ivy al wall
12 to 15 in., 2¼ in. pots	.22 Ha	.20 .rdy Engli	.15 sh Ivy
A very hardy strain of Hedera helix. 2¼ in. pots	.30 ver for la	.25 Big Engli rge shady	.20 sh Ivy areas.
Huge leaves up to six inches across. 15 to 18 in., 2¼ in. pots	.30	.25	.20
HEMLOCK (See TSUGA)			
HIBISCUS syriacus (Althea), 10'-12' (Zone Rather formal in outline, flowering in Also called Rose of Sharon. Ardens, double rose violet Comte de Haimont, double pink, wh Jeanne d'Arc, semi-double white Lucy, double rose-red Rubis, single red Totus alba, single white	ı August	and Sept	Althea ember.
12 to 18 in		.30	.25
18 to 24 in		.45 .55	.35 .45
3 to 4 ft		.70	.55
— Bluebird, Plant Patent #1739, 10'-12' (Z A brand new fast growing single blu color we have ever seen. Enormous great profusion. 12 to 18 in.	e Althea, s blue fl 1.50	the best owers bo	of its rn in
18 to 24 in	1.90 2.25	$\frac{1.50}{1.90}$	1.25
— coelestis, 10'-12' (Zone 5)	Sir	ngle Blue	Althea
12 to 18 in		.37 .50	.30
18 to 24 in 2 to 3 ft		.70	.40 .50

HONEYLOCUST (See GLEDITSIA)			
HONEYSUCKLE (See LONICERA)			
HOLLY (See ILEX)			
HORNBEAM (See CARPINUS)			
HYDRANGEA arborescens grandiflora alba	(sterilis Snov) , 4'-5 ' (Zo whill Hyd	ne 4) rangea
Large double white flower panicles foliage.	in Augu	ıst. Rich	green
12 to 18 in. 18 to 24 in. 2 to 3 ft.	• • •	.45 .55 .70	.35 .45 .55
— Otaksa , 2'-3' (Zone 5)		Blue Hyd	rangea
Blue flowers throughout the summe acid soil for best color. Does better	er. Shoul with w	d be plar inter prot	ited in ection.
9 to 12 in., 1 yr. field grown heavy strong roots		.60	.50
12 to 15 in., 2 yr, heavy clumps .		.75	.60
15 to 18 in., 2 yr. heavy clumps .		.80	.70
— paniculata grandiflora, 8'-10' (Zone 4)	Pe	egee Hyd	rangea
Very showy. Large closely packed pani August. Turn pink later.	icles of v	white flow	vers in
12 to 18 in.		.37	.30
18 to 24 in. 2 to 3 ft.	• • •	.50 .60	.40 .50
— quercifolia, 3'-4' (Zone 5) Leaves shaped like an oak leaf. Beautificeeds in shade. Very desirable.		Leaf Hyd nn colorin	
12 to 18 in		.75	
18 to 24 in		$\frac{1.00}{1.25}$	
HYPERICUM aureum, 3'-4' (Zone 5) Yellow, July and August. Blue-green f			
18 to 24 in		.50	.40
2 to 3 ft	• • •	$.60 \\ .75$.50 .60
- Hidcote, 2' (Zone 5)			
A much improved Moserianum from Enabundant flowers. Stronger grower, and made for potting.	ngland. I	cote Hypo Bigger and Is hardy.	more
12 to 15 in		.50	.40
15 to 18 in		.70 .90	.55 .70
kalmianum, 3'-5' (Zone 5) Covered with large, yellow flowers in	K Angust	alm Hype	ericum
18 to 24 in		.50	.40
2 to 3 ft		.60	.50





ILEX crenata convexa—Convex leaved Holly. We have a very nice lot of this popular variety.

·[I]·

ILEX crenata, 8'-10' (Zone 6)

Japanese Holly

Unit Price in Quantities 1-9 10-49 50-249

Evergreen. Box-like leaves. Deep green. 12 to 15 in., B&B 15 to 18 in., B&B 18 to 24 in., B&B 2 to 2½ ft., B&B	Black 2.40 3.40 4.50 6.35	berries. 2.00 2.80 3.75 5.30	1.60 2.25 3.00 4.25
convexa (bullata), 4'-5' (Zone 5)	Conv	ex-leaved	Holly
Evergreen. Slow growing. Shiny convex 12 to 15 in., B&B	foliage 3.00 3.75 4.90 6.75	2.50 3.00 4.05 5.50	2.00 2.50 3.25 4.50
—— Hetzi, 5'-6' (Zone 5)		Hetz	Holly
A new Ilex crenata clone which originate vania. Large convex foliage, dark glossy convexa but larger and very resistant to plant, grows rapidly. Broader than tall.	green.	, much lik	e Ilex
12 to 15 in., B&B	3.00 3.75 4.90	2.50 3.00 4.05	2.00 2.50 3.25
2 to 2½ ft., B&B	6.75	5.50	4.50
- microphylla, 6'-8' (Zone 5)	ittleleaf	Japanese	Holly
	3.75 4.90	3.00 4.05	2.50 3.25



ILEX glabra—Inkberry. An excellent landscape variety. Tolerates partial shade.

	Unit Pric	ce in Qua: 10-49	ntities 50-249
ILEX crenata rotundifolia, 8'-10' (Zone 5) Ro Large dark green foliage on a strong plant. Ideal for medium sized formal hed plant.	growin	g globe-s	haped
12 to 15 in., B&B	3.00 3.75 4.90 6.75	2.50 3.00 4.05 5.50	2.00 2.50 3.25 4.50
— glabra, 5'-6' (Zone 3) Evergreen. Shiny dark green leaves. Puberries, Good in shade or sun.	ırplish in	sz Inl winter.	tberry Black
15 to 18 in., B&B 18 to 24 in., B&B 2 to 2½ ft., B&B 2½ to 3 ft., B&B	2.85 3.75 4.90 6.75	2.35 3.00 4.05 5.50	1.90 2.50 3.25 4.50
 — compacta, 3'-4' (Zone 5) Foliage and berries like glabra. Extremely 	melv con	8.00 npact Inl npact in	6.50 kberry habit.
The hardiest, dwarf, broadleaf evergree 9 to 12 in., B&B 12 to 15 in., B&B 15 to 18 in., B&B 18 to 24 in., B&B 2 to 2½ ft., B&B	n we gro 2.60 3.40 4.90 6.75 10.00	2.20 2.80 4.05 5.50 8.00	1.75 2.25 3.25 4.50 6.50
- opaca, berried, 45'-50' (Zone 5) Evergreen. Does best in moist, partially 12 to 18 in., B&B 18 to 24 in., B&B 2 to 3 ft., B&B 3 to 4 ft., B&B	Female A 7 shaded 2.25 3.00 4.10 6.00	merican location. 1.90 2.50 3.50 5.00	Holly





JUNIPER chinensis glauca hetzi—Hetz Blue Juniper. Rapid growing and vigorous. Excellent in contrast with dark green evergreens.

ILEX verticillata (prinos), 6'-8' (Zone 3)	Winterb	erry
A deciduous Holly. Has vivid red berries, which I	persist all	win-
ter. Foliage is narrow and rich green. THRIV	ES IN DA	IMP
AREAS. One of the very finest berried shrubs.	Mass plan	iting
creates striking effects.		
18 to 24 in	.70	.55
2 to 3 ft. 1.05	.90	.70
2 to 3 ft. 1.05 3 to 4 ft. 1.30	1.10	.90
4 to 5 ft 1.65	1.35	1.10
1.65 5 to 6 ft. 2.00	1.70	1.35
INKBERRY (See ILEX)	and the start of t	

IVY (See AMPELOPSIS or HEDERA)

·[J]·

JAPANESE MAPLE (See ACER palmatum)

JAPANESE QUINCE (See CYDONIA)

Vellow, April-May, Needs protection in northern	states. One of
12 to 10 111.	.37 .30 .50 .40
18 to 24 in	.50 .40 .60 .50

JUDAS TREE (See CERCIS)





JUNIPER excelsa stricta—Spiny Greek Juniper. JUNIPER horizontalis plumosa—Andorra Juniper. Our Junipers are good.

		Price in Qu	
	1-9	10-49	50-249
JUNIPERUS chinensis columnaris (pyramic	dalis), i	15'-20' (Zor	ne 4)
		Chinese .	Juniper
Fast growing. Narrow columnar. Gray			
3 to 4 ft., B&B	6.25	5.15	
4 to 5 ft., B&B	8.00		
5 to 6 ft., B&B	10.25	8.50	
— glauca hetzi, 5'-7' (Zone 4)	H	letz Blue J	Juniper
Fast growing. Blue-green foliage. Medi		eading hal	
15 to 18 in., B&B	2.60	2.20	1.75
18 to 24 in., B&B	3.75	3.30	2.50
2 to 2½ ft., B&B	5.25		3.50
2½ to 3 ft., B&B	6.75	5.50	4.50
— — pfitzeriana, 5'-6' (Zone 4)		Pfitzer 3	
Gray-green, feathery appearing. Broad,	bushy	habit. Ve	ry pop-
ular.			
15 to 18 in., B&B	3.00	2.50	2.00
18 to 24 in., B&B	4.50	3.75	3.00
2 to 2½ ft., B&B	6.00	5.00	4.00
2½ to 3 ft., B&B	8.50	7.00	
$$ sargenti, $1\frac{1}{2}$ (Zone 4)		Sargent J	Juniper
Evergreen, prostrate habit. Grass-green	foliage.	Valuable	ground
cover and rock plant.			
9 to 12 in., B&B	1.90	1.50	
92112 to 15 in., B&B	2.60	2.20	
.—communis hibernica, 20'-30' (Zone 2)		Irish .	Juniper
Narrow pyramid. Gray-green foliage.			•
18 to 24 in., B&B	2.10	1.75	1.40
2 to 2½ ft., B&B	2.70	2.25	1.80
2½ to 3 ft., B&B	3.75	3.00	2.50
3 to 4 ft., B&B	5.25	4.40	3.50

	1-9	10-49	JU-243
JUNIPERUS excelsa stricta, 10'-12' (Zone 2) Broad-based pyramid. Gray-green foliage	Spiny	Greek Ju	ıniper
Broad-based nyramid Gray-green foliage	Verv	popular.	
12 to 15 in., B&B	2.10	1.75	1.40
15 to 18 in., B&B	2.60	2.20	1.75
18 to 24 in., B&B	3.75	3.00	2.50
2 to 21/ ft DeD	4.90	4.05	3.25
2 00 2/2 10, 202 1111111111111			
- horizontalis Bar Harbot 2)	Bar	Harbor Ju	ınıper
Gray-green foliage. VAVAILABLE A Service Very effective among FALLABLE und	splendig	ground	cover.
Very effective among FALL 1960	er seasl	hore cond	itions.
9 to 12 in., B&B . FALL 1960	1.90	1.50	
12 to 15 in., B&B (.	2.70	2.25	
— — douglasi, 1'-1½' (Zone 2)	W:	aukegan J	uniner
Long trailing branches of a clear steel	blue c	olor Δ sn	lendid
ground cover which "stays put", and	most	effective :	among
ground cover which stays put, and	a IIIOSC	CIICCUIVC	21110118
rocks. Turns a rich purple hue in winter	1.75	1.40	
9 to 12 in., B&B		2.10	
12 to 15 in., B&B	2.50		
15 to 18 in., B&B	3.00	2.50	
—— plumosa (depressa plum.) (Zone 4)		Andorra J	uniper
Spreading type. Hardy. Purplish in win	iter. At	tractive.	
12 to 15 in., B&B	2.25	1.90	1.50
15 to 18 in., B&B	3.40	2.80	2.25
18 to 24 in., B&B	4.50	3.75	3.00
2 to 2½ ft., B&B	6.00	5.00	4.00
·[K]·			
	3	formatoin 1	r oumal
KALMIA latifolia, 8'-10' (Zone 3 or 4)		Mountain 1	
Evergreen. Pink flowers, June. Glossy f	oliage.	Prefers sn	iade.
15 to 18 in., B&B	3.75	3.00	
18 to 24 in., B&B	4.50	3.75	
2 to 2½ ft., B&B	5. 60	4.75	
KOELREUTERIA paniculata, 25'-30' (Zone	5)	Varnis	h tree
Bright yellow flowers in July. A very	valuabl	e and attr	active
small tree. Also called Goldenraintree.			
3 to 4 ft	2.50	2.05	1.65
4 to 5 ft.	3.75	3.00	2.50
5 to 6 ft.	5.25	4.40	3.50
6 to 8 ft	6.75	5.50	4.50
8 to 10 ft.	8.00	6.75	
-	0.00		
KOLKWITZIA amabilis, 6'-8' (Zone 5)		Beau	tybush
A distinctive pink flowering shrub. Ver		tive.	45
18 to 24 in		.55	.45
2 to 3 ft		.70	.55
3 to 4 ft		.80	.65
4 to 5 ft		1.00	.80
·[L]·			
LABURNUM vulgare, 30' (Zone 5)		Golde	nchain
Attractive, small tree with yellow pea-s	shaped	flowers, i	n long
racemes.	-	,	_
5 to 6 ft	4.50	3.75	3.00
6 to 8 ft.	5.60	4.75	3.75
8 to 10 ft.	7.50	6.00	5.00
		terer Lab	
- Vossi (Watereri), 18'-20' (Zone 5)			
This is a selected hybrid of vulgare w	im lar	ger and s	now ter.
flower clusters.	F 05	4.40	2 50
5 to 6 ft	5.25	4.40	3.50
6 to 8 ft	7.15	5.85	4.75
8 to 10 ft	10.00	8.00	6.50

	1-9	10-49	50-249
LARCH (See LARIX)			
Grows rapidly. Especia FALL 1960	ng effe	European	Larch
2 to 3 ft B&B ALL 1960	3.30	2.75	
LAUREL (See KALMIA)			
LEUCOTHOE axiliaris, 2'-3' (Zone 5) Smaller leafed and more compact than	T on	Dwarf Let	cothoe
companion plant for azaleas and rhodo	lendro	ns.	perrect
12 to 15 in., B&B			
— catesbaei, 3'-4' (Zone 4) Evergreen. White flowers, May. Glossy fo	Dr Niago	ooping Let	lcothoe
12 to 15 in. B&B	2.60	2.20	1.75
15 to 18 in., B&B	3.40	2.80	2.25
12 to 15 in., B&B	4.90	4.05	3.25
Unit	Price	in Quantiti	es
1-9	10-49	50-249	
LIGUSTRUM amurense, 14'-15' (Zone 3) Semi-evergreen. Upright. Olive-green fol	iomo T	Amur	Privet
12 to 18 in	18 18	ery nardy	.12
18 to 24 in	.23	.15 .19	.16
2 to 3 ft	.30	.25	.20
2 to 3 ft	.45	.37	.30
— ibolium , 8'-10' (Zone 4)		Ibolium	Privet
Similar to California Privet, but much 1	nardie	r.	
12 to 18 in	.18	.14	.11
18 to 24 in	.22	.18	.14
2 to 3 ft	.22 .30 .37	.25	.20 .25
- obtusifolium (ibota), 9'-10' (Zone 3) Good dense habit; flowers and fruits fr	reely.	Decorative	Privet black
berries. Very hardy. 12 to 18 in	.25	.20	
18 to 24 in	.30	.25	
2 to 3 ft	.45	.35	
3 to 4 ft	.55	.45	
——regelianum (ibota regel.), 5'-6' (Zone 3) Low, dense spreading. Very desirable.		Regal	Privet
12 to 18 in	.30	.25	
18 to 24 in	.45	.35	
2 to 2½ ft	.55	.45	
2½ to 3 ft	.75	.60	
— vicari, 8'-10' (Zone 4)	Go	lden Ibota	Privet
Striking yellow foliage. Clear even color		best in fu	ll sun.
10 to 12 in	.30	.25	
12 to 15 in	.40	.35	• •
18 to 24 in	.60 .80	.50 .65	• • •
ovalifolium, 12'-15' (Zone 5)			D
Most popular hedge plant. Glossy green	foliace	California	Privet
12 to 18 in	.16	.13	.10
18 to 24 in	.20	.16	.13
2 to 3 ft	.27	.22	.18
3 to 4 ft	.37	.30	.25
4 to 5 ft	.52	.45	.35





LIGUSTRUM ovalifolium—California privet. Ours are heavy cut-back plants.

	Unit Pri	ice in Qu	antities
	1.9	10-49	50-249
LILAC (See SYRINGA)			
LINDEN (See TILIA)			
LIQUIDAMBAR styraciflua, 50'-60' (Zon- Excellent, rich autumn color. Grow Has interesting corky bark.	e 4) vs well in 1	Swee noist lo	et Gum cations.
4 to 5 ft	$3.40 \\ 4.50 \\ 6.00$	2.20 2.80 3.75 5.00 7.00	1.75 2.25 3.00 4.00 5.50
10 to 12 ft., 1¾ to 2 in	. 10.50	8.80	7.00
LIRIODENDRON tulipifera, 60'-80' (Zone	e 4)	T	uliptree
Rapid growing. Yellow tulip-like flo 5 to 6 ft. 6 to 8 ft.	. 3.00	$\frac{2.50}{3.00}$	
LONICERA fragrantissima, 6'-8' (Zone 5 White fragrant flowers, April-May. ideal large informal hedge and folia	Semi-evergr	een. Ma	.kes an
fall. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft.	• • •	.45 .55 .75 .95 1.10	.35 .45 .60 .75
 japonica halliana, 15'-25' (Zone 4) Vine. Almost evergreen. Free blooms fragrant. Ideal for covering steep be 	ing white ar	se Hone; nd yellov	ysuckle v. Very
1 yr. field grown		.22 .30	.18 .25





LIQUIDAMBAR styraciflua—Sweet Gum. ACER platanoides CRIMSON KING—Crimson King Maple, at left. Extra nice, straight well branched trees.

	Unit	Price in Qu 10-49	
LONICERA maacki podacarpa, 8'-9' (Zone 4 Strong grower, Stands neglect, Yellow)	Late Hone	ysuckle
May. Red fruit in fall. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft.		.50 .60 .75	.40 .50 .60
Spreading habit. White flowers, May,	June	rrow Hone . Red berr	ries.
18 to 24 in. 2 to 3 ft. 3 to 4 ft.		.55	.35 . 4 5 . 60
— tatarica alba, 9'-10' (Zone 4) White flowers. Red fruit. Very adaptabl	e Tat e.	arian Hone	ysuckle
2 to 3 ft. 3 to 4 ft. 4 to 5 ft.		.70	.45 .55 .65
5 to 6 ft.	Tat	1.00	.80
Pink flowers. Red fruit. Very adaptable. 18 to 24 in. 2 to 3 ft.		.45 .55	
3 to 4 ft		.70 .80	.55 .65
——zabelli, 9'-10' (Zone 4) An improved strain of red tatarian Hor	eysu	ckle.	
18 to 24 in. 2 to 3 ft. 3 to 4 ft.		.45 .55 .70	.35 .45 .55
4 to 5 ft		.80	.65





 $2\ \ \mathrm{year}\ \mathrm{cut}\ \mathrm{back}\ \mathrm{shrubs}.$ Our flowering shrubs are a very fine heavy lot.

	Unit 1-9	Price in Qua 10-49	
LYCIUM chinense, 10'-12' (Zone 4) Violet flowers, June. Bright red fruits. 12 to 18 in. 18 to 24 in. 2 to 3 ft.		se Matrimo for holding .25 .30 .45	
·[M]·			
MAGNOLIA glauca (virginiana), 15'-20' (Zo Fragrant creamy white flowers, May. N moist location.	one 5) Nearly	Sw evergreen.	reetbay Prefers
18 to 24 in., B&B 2 to 3 ft., B&B 3 to 4 ft., B&B 4 to 5 ft., B&B 5 to 6 ft., B&B 6 to 8 ft., B&B	3.40 4.10 5.25 6.75 9.00 11.20	2.80 3.50 4.40 5.50 7.25 9.50	2.25 2.75 3.50 4.40 5.75 7.50
— soulangeana, 15'-18' (Zone 5) Purplish-pink flowers, May. Most por	ular I	Saucer Ma	agnolia grown
plants. Well branched and budded. Out 2 to 3 ft., B&B 3 to 4 ft., B&B 4 to 5 ft., B&B 5 to 6 ft., B&B 6 to 8 ft., B&B — alexandrina, 15'-18' (Zone 5) This variety is very similar to soulange	4.10 5.60 7.50 9.00 10.50	ng quality. 3.50 4.75 6.00 7.50 8.80 lexander M	2.75 3.75 5.00 6.00 7.00 agnolia
and deeper color. 2 to 3 ft., R&B 3 to 4 ft., B&B 4 to 5 ft., B&B	5.25 6.75 9.00	4.40 5.50 7.25	3. 50



MAGNOLIA soulangeana — Saucer Magnolia. Heavily branched plants. Grown the Princeton way.

	Unit Pr 1.9	rice in Qu 10-49	antities 50-249
MACNOLIA soulangeana lennei 15' 19' (7a			
MAGNOLIA soulangeana lennei, 15'-18' (Zo	one o)	Lenne M	agnona
Late blooming. Rich, deep purple flow	ers in A		
2 to 3 ft., B&B 3 to 4 ft., B&B	5.25	4.40	
	6.75		
verbanica, 12'-15' (Zone 5)	Ver	banica M	agnolia
Rich orchid flowers, May. Very bright	and vivi	d. A late	bloom-
ing type which escapes frost injury.			
2 to 3 ft., B&B	5.25	4.40	
3 to 4 ft., B&B	6.75	5.50	
4 to 5 ft., B&B	8.00	6.75	
— stellata, 8'-10' (Zone 5)		Star M	agnolia
Shrubby habit. Fragrant semi-double	flowers	coming	before
leaves.			201010
18 to 24 in., B&B	6.00	5.00	4.00
2 to 2½ in., B&B	8.50	7.00	5.50
2½ to 3 ft., B&B	10.75	9.00	7.25
3 to 4 ft., B&B	13.50	11.00	8.80
—— rosea, 8'-10' (Zone 5)	Pog	y Star M	0.00
Pink flowering form of above.	1105,	y Star W	agnona
18 to 24 in., B&B	6.00	5.00	4.00
2 to 2½ ft., B&B	8.50	7.00	5.50
2½ to 3 ft., B&B	10.75	9.00	7.25
3 to 4 ft., B&B	13.50	11.00	
			8.80
- tripetala, 30'-40' (Zone 4)	Um Um	ıbrella M	lagnolia
Very large leaves, 8 inch. Fragrant w	nite ilov	vers. Atı	tractive
large seed pods. Handsome novelty for effect.	creating	a bold,	tropical
	F F0		
3 to 4 ft., B&B	5.50	4.50	
4 to 5 ft., B&B	6.75	5.50	
5 to 6 ft., B&B	8.00	6.75	
6 to 8 ft., B&B	10.25	8.50	

Unit Price in Quantities 50-249 10-49 Oregon Holly Grape MAHONIA aquifolia, 4' (Zone 5) Evergreen. Glossy leaves, scarlet in autumn. Yellow flowers in May. Blue-black berries. Likes partial shade. 12 to 15 in., B&B 15 to 18 in., B&B 18 to 24 in., B&B 2 to 2½ ft., B&B 3.00 2.50 2.00 4.50 3.75 3.00 6.00 5.00 MAIDENHAIR (See GINKGO) MALUS—FLOWERING CRAB MALUS arnoldiana, 8'-10' (Zone 4) White flowers. Very compact. Arnold Crab 1.25 1.00 3 to 4 ft. 1.50 1.50 1.25 1.90 4 to 5 ft. 2.20 1.75 2.60 5 to 6 ft. - atrosanguinea, 10'-15' (Zone 4) Carmine Crab Single red flowers in abundance. 1.50 1.25 1.00 3 to 4 ft. 1.50 2.20 1,25 4 to 5 ft. 1.90 1.75 5 to 6 ft. 2.60 6 to 8 ft. 3.75 3.00 2.50 - baccata, 20'-25' (Zone 2) Siberian Crab Very hardy. Pure white flowers in profusion. Wax-like yellow or red fruits. These trees are grown from transplanted seedlings. Seeds were taken from selected stock. 2.25 5 to 6 ft. 1.90 1.50 3.40 2.80 2.254.50 3.75 3.00 - coronaria Charlotte, 15' (Zone 4) Double flowering Coronaria Strong grower. Good fall foliage. Pink flowers. 3 to 4 ft. 1.25 1.00 1.50 1.25 1.50 4 to 5 ft. 1.90 1.75 2.60 2.20 5 to 6 ft. le**yii, 10'-15'** (Zone 4) Ely Flowering Crab A free blooming crab. Reddish foliage, crimson flowers. Vigor-- eleyii, 10'-15' (Zone 4) ous grower. 1.25 1.00 1.50 2.25 1.90 1.50 2.80 3.40 2.25 - floribunda, 10'-15' (Zone 4) Japanese Flowering Crab Single rose-colored flowers. Yellow fruits. 1.50 1.00 1.25 3 to 4 ft. 1.50 4 to 5 ft. 1.90 1.25 2.60 2.201.75 5 to 6 ft. 3.75 3.00 2.50 6 to 8 ft. - halliana parkmani, 10'-15' (Zone 4) Parkman Crab Semi-double pink. Compact habit. Slow growing. 3 to 4 ft. 2.25 1.90 1.50 2.60 2.20 4 to 5 ft. 3.75 3.00 5 to 6 ft. — hoppi, 12'-15' (Zone 4) Hopa Rec Rose-red flowers. Red fruit. Hardy, attractive. Hopa Red Flowering Crab 1.50 1.251.00 2.25 1.90 1.50

8 to 10 ft.

3.40

4.50

2.80

3.75

2.25

3.00



MALUS—Flowering Crab. Picture taken in May. This will be a 2 year block in the Fall. As you can see, they will have nicely balanced full tops and heavy straight trunks.

or unks,			
	Unit P	rice in Qua	ntities
	1-9	10-49	50-249
MALUS ioensis plena, 10'-15' (Zone 4)		Bechte	el Crab
Large double bright pink, Fragrant, La	ate bloor	ming	0100
18 to 24 in	1.10	.95	.75
2 to 3 ft	1.50	1.25	1.00
3 to 4 ft	1.90	1.50	1.25
4 to 5 ft.	2.25	1.90	1.50
	2.20		
- Katherine, 10'-14' (Zone 4)		Katherin	e Crab
A new, double pink Crab with masses of	t two-inc	en flowers	. Even
young plants are covered with flowers.			
3 to 4 ft	1.50	1.25	1.00
4 to 5 ft	2.25	1.90	1.50
5 to 6 ft	2.85	2.35	1.90
6 to 8 ft.	4.10	3.50	2.75
— Prince Georges, 10'-15' (Zone 4)	Prin	ce George	s Crab
A new Bechtel hybrid. Better foliage an	nd more	double f	owers.
18 to 24 in	1.10	.95	.75
2 to 3 ft	1.50	1.25	1.00
3 to 4 ft	1.90	1.50	$\tilde{1}.25$
4 to 5 ft	2.25	1.90	1.50
— purpurea, 10'-15' (Zone 4) Jag	anese P	urple Cra	
Rich, reddish purple foliage; crimson fl	owers	arpic Cra	nappie
5 to 6 ft	2.25	1.90	1.50
6 to 8 ft.	3.40	2.80	$\frac{1.50}{2.25}$
- sargenti, 6'-8' (Zone 5)	0.10		
Spreading, straw-colored flowers. Sca	nlot fm	Sargen	t Crab
winter.	riet Irt	iit hangi	ng all
2 to 3 ft	1.50	1.05	1.00
3 to 4 ft.	$\frac{1.50}{2.25}$	1.25	1.00
4 to 5 ft.		1.90	1.50
	2.60	2.20	

	Unit P 1-9	rice in Qua 10-49	
MALUS scheideckeri, 10'-15' (Zone 5) Double red buds changing to pink. Yel		Scheidecke its.	r Crab
3 to 4 ft.	1.50	1.25	1.00
4 to 5 ft	1.90	1.50	1.25
5 to 6 ft	2.60	2.20	1.75
6 to 8 ft	3.75	3.00	
— spectabilis, 10'-15' (Zone 4) Beautiful, double pink flowers; sweet s		Flowering	g Crab
3 to 4 ft	1.50	1.25	1.00
4 to 5 ft	1.90	$\frac{1.50}{2.20}$	1.25
5 to 6 ft	2.60	2.20	1.75
6 to 8 ft	3.75	3.00	
- theifera (hupehensis), 15'-20' (Zone 4) Picturesque, open habit. Each branch ers. A wonderful espal AVAILABLE 4 to 5 ft. FALL 1960	covered		a Crab c flow-
3 to 4 ft	1.50	1.25	
4 to 5 ft FΔ1	1.90	1.50	
5 to 6 ft 1960	2.60	2.20	
— zumi calocarpa, 12'-15' (Zone 4) Has large handsome bright red fruit as good strong growing type.	nd large	pink flow	ni Crab vers. A
4 to 5 ft	1.90	1.50	
5 to 6 ft	2.60	2.20	
MAPLE (See ACER)			
MOCKORANGE (See PHILADELPHUS)			
MORAINE LOCUST (See GLEDITSIA MO	RAINE)	
MOUNTAIN ASH (See SORBUS)			
MOUNTAIN ASH (See SORBUS) MOUNTAIN LAUREL (See KALMIA)			
MOUNTAIN LAUREL (See KALMIA) MYRICA pennsylvanica, 4-5' (Zone 2)	N	orthern Ba	yberry
MOUNTAIN LAUREL (See KALMIA) MYRICA pennsylvanica, 4-5' (Zone 2) Does well in poor, gravelly soil. Has	decorati	orthern Ba ve, gray b	yberry perries,
MOUNTAIN LAUREL (See KALMIA) MYRICA pennsylvanica, 4-5' (Zone 2) Does well in poor, gravelly soil. Has and glossy green foliage. Good for seas	decorati hore.	ve, gray b	erries,
MOUNTAIN LAUREL (See KALMIA) MYRICA pennsylvanica, 4-5' (Zone 2) Does well in poor, gravelly soil. Has and glossy green foliage. Good for seas	decorati hore. 2.60	ve, gray b 2.20	erries, 1.75
MOUNTAIN LAUREL (See KALMIA) MYRICA pennsylvanica, 4-5' (Zone 2) Does well in poor, gravelly soil. Has and glossy green foliage. Good for seas 15 to 18 in., B&B	decorati hore. 2.60 3.30	ve, gray b 2.20 2.75	1.75 2.20
MOUNTAIN LAUREL (See KALMIA) MYRICA pennsylvanica, 4-5' (Zone 2) Does well in poor, gravelly soil. Has and glossy green foliage. Good for seas 15 to 18 in., B&B	decorati hore. 2.60	ve, gray b 2.20	erries, 1.75
MOUNTAIN LAUREL (See KALMIA) MYRICA pennsylvanica, 4-5' (Zone 2) Does well in poor, gravelly soil. Has and glossy green foliage. Good for seas 15 to 18 in., B&B	decorati hore. 2.60 3.30	ve, gray b 2.20 2.75	1.75 2.20
MOUNTAIN LAUREL (See KALMIA) MYRICA pennsylvanica, 4-5' (Zone 2) Does well in poor, gravelly soil. Has and glossy green foliage. Good for seas 15 to 18 in., B&B	decorati hore. 2.60 3.30	ve, gray b 2.20 2.75	1.75 2.20
MOUNTAIN LAUREL (See KALMIA) MYRICA pennsylvanica, 4-5' (Zone 2) Does well in poor, gravelly soil. Has and glossy green foliage. Good for seas 15 to 18 in., B&B	decorati hore. 2.60 3.30 4.50	ve, gray b 2.20 2.75 3.75	1.75 2.20
MOUNTAIN LAUREL (See KALMIA) MYRICA pennsylvanica, 4-5' (Zone 2) Does well in poor, gravelly soil. Has and glossy green foliage. Good for seas 15 to 18 in., B&B	decorati hore. 2.60 3.30 4.50	ve, gray h 2.20 2.75 3.75	1.75 2.20
MOUNTAIN LAUREL (See KALMIA) MYRICA pennsylvanica, 4-5' (Zone 2) Does well in poor, gravelly soil. Has and glossy green foliage. Good for seas 15 to 18 in., B&B	decorati hore. 2.60 3.30 4.50	ve, gray b 2.20 2.75 3.75 urgum or ' in fall. Wil	1.75 2.20
MOUNTAIN LAUREL (See KALMIA) MYRICA pennsylvanica, 4-5' (Zone 2) Does well in poor, gravelly soil. Has and glossy green foliage. Good for seas 15 to 18 in., B&B	decorati hore. 2.60 3.30 4.50 So t colors	ve, gray b 2.20 2.75 3.75 urgum or ' in fall. Wil	1.75 2.20 Tupelo ll grow 3.25
MOUNTAIN LAUREL (See KALMIA) MYRICA pennsylvanica, 4-5' (Zone 2) Does well in poor, gravelly soil. Has and glossy green foliage. Good for seas 15 to 18 in., B&B	So t colors 4.90 6.00	ve, gray b 2.20 2.75 3.75 urgum or ' in fall. Wil	1.75 2.20
MOUNTAIN LAUREL (See KALMIA) MYRICA pennsylvanica, 4-5' (Zone 2) Does well in poor, gravelly soil. Has and glossy green foliage. Good for seas 15 to 18 in., B&B	decorati hore. 2.60 3.30 4.50 So t colors	ve, gray b 2.20 2.75 3.75 urgum or ' in fall. Wil 4.05 5.00	Tupelo ll grow
MOUNTAIN LAUREL (See KALMIA) MYRICA pennsylvanica, 4-5' (Zone 2) Does well in poor, gravelly soil. Has and glossy green foliage. Good for seas 15 to 18 in., B&B 18 to 24 in., B&B 2 to 2½ ft., B&B MYRTLE (See VINCA) IN 1. NINEBARK (See PHYSOCARPUS) NYSSA sylvatica, 40'-60' (Zone 4) Handsome foliage which assumes bright in wet places. 3 to 4 ft., B&B 4 to 5 ft., B&B 5 to 6 ft., B&B 6 to 8 ft., B&B	So t colors 4.90 6.90 7.50	ve, gray b 2.20 2.75 3.75 urgum or ' in fall. Wil 4.05 5.00 6.00	1.75 2.20 Tupelo Il grow 3.25 4.00 5.00
MOUNTAIN LAUREL (See KALMIA) MYRICA pennsylvanica, 4-5' (Zone 2) Does well in poor, gravelly soil. Has and glossy green foliage. Good for seas 15 to 18 in., B&B 18 to 24 in., B&B 2 to 2½ ft., B&B MYRTLE (See VINCA) •[N]• NINEBARK (See PHYSOCARPUS) NYSSA sylvatica, 40'-60' (Zone 4) Handsome foliage which assumes bright in wet places. 3 to 4 ft., B&B 4 to 5 ft., B&B 5 to 6 ft., B&B 6 to 8 ft., B&B 8 to 10 ft., B&B	decorati hore. 2.60 3.30 4.50 So t colors 4.90 6.90 7.50 10.00	ve, gray b 2.20 2.75 3.75 urgum or ' in fall. Wil 4.05 5.00 6.00 8.00	1.75 2.20 Tupelo Il grow 3.25 4.00 5.00 6.50
MOUNTAIN LAUREL (See KALMIA) MYRICA pennsylvanica, 4-5' (Zone 2) Does well in poor, gravelly soil. Has and glossy green foliage. Good for seas 15 to 18 in., B&B 18 to 24 in., B&B 2 to 2½ ft., B&B MYRTLE (See VINCA) IN 1. NINEBARK (See PHYSOCARPUS) NYSSA sylvatica, 40'-60' (Zone 4) Handsome foliage which assumes bright in wet places. 3 to 4 ft., B&B 4 to 5 ft., B&B 5 to 6 ft., B&B 6 to 8 ft., B&B	decorati hore. 2.60 3.30 4.50 So t colors 4.90 6.90 7.50 10.00	ve, gray b 2.20 2.75 3.75 urgum or ' in fall. Wil 4.05 5.00 6.00 8.00	1.75 2.20 Tupelo Il grow 3.25 4.00 5.00 6.50

OREGON GRAPE (See MAHONIA)

OSTEDVA vinginias 40/ /Zana 4)	1-0	10-19	00-249
OSTRYA virginica, 40' (Zone 4) Slender, spreading branches; handsome, yellow in autumn. Rough gray bark, ho dry locations.	beech-lil	ke foliage	clear
4 to 5 ft. 5 to 6 ft	3.00 3.75 4.50	2.50 3.00 3.75	2.00 2.50
OXYDENDRON arboreum, 25'-30' (Zone 4) White flowers in August. Leathery fol coloring.		Som	rwood itumn
18 to 24 in., B.R. 2 to 3 ft., B.R. 3 to 4 ft., B.R. 4 to 5 ft., B.R. IF WANTED B&B—See schedu	1.50 1.90 2.25 3.40 ale page	1.25 1.50 1.90 2.80	1.00 1.25 1.50 2.25
·[P]·			
PACHYSANDRA terminalis, 6"-8" (Zone 5) Evergreen. Ideal ground cover for shady 1 year, 2 in. pots	' blaces	panese S	purge .15
PARTHENOCISSUS quinquefolia, 30'-50' (Zon Very adaptable. Rapid growing vine. Brill 1 year 2 year —— engelmanni, 30'-40' (Zone 4) Excellent self-clinging vine. Richly color 1 year	ne 3) V	irginia Cr tumn colo .25 .30	eeper
2 year			.20 .25
Dense, self-clinging vine. Blue-black berri 1 year, No. 1 2 year, No. 1 ——lowi, 6'-8' (Zone 5)		.50 .60	.40 .50
Dwarf type of veitchi, with smaller, degraceful and distinct. 3 in. pot	eply cu		Very
PEACH, flowering (See PRUNUS)	• • •	.00	.65
PHELLODENDRON amurense, 25'-30' (Zone : A rapid growing tropical appearing tree, Glossy foliage and interesting corky bark	, perfect	Amur Cor for city	ktree sites.
	6.75	2.80 4.05 5.50 8.00	2.25 3.25 4.50 6.50
PHILADELPHUS—MOCKOR	ANGE		
White fragrant flowers, Profusely borne	Crrro	et Mockoi 1 June.	range
2 to 3 ft. 3 to 4 ft. 4 to 5 ft.	• • • • • • • • • • • • • • • • • • • •	.45 .55 .70 .90	.35 .45 .55 .70
 aurea, 4'-5' (Zone 4) Gold Bwarf compact form. Bright yellow foliage in cool regions. 	den Swe ge. Whit	et Mockor e flowers.	
12 to 15 in. 15 to 18 in.	• • •	.75 .95	.60 .75

PHILADELPHUS lemoine, 4'-5' (Zone 5)				
Good, compact habit. Intensely fragrant	, single	flowers.	A su-	
preme dwarf shrub. 18 to 24 in		.55	.45	
2 to 3 ft. 3 to 4 ft.		.70 .80	.55 .65	
- virginalis, 7'-8' (Zone 5)		nal Mocko		
Our strain is the true virginalis and b semi-double flowers are fragrant and it with the inferior variety which is offere	is not	to be con	nfused	
18 to 24 in		.50 .60	.40 .50	
2 to 3 ft 3 to 4 ft		.80	.65	
4 to 5 ft		$\frac{1.10}{1.35}$	$\frac{.90}{1.10}$	
PHOTINIA subumbellata, 10' (Zone 6)	• • •	Christma		
Slender branched shrub. Shrubby in cha	racter.			
2 to 3 ft		.70	.55	
3 to 4 ft		$\frac{.80}{1.20}$.65 .95	
5 to 6 ft		1.35	1.10	
6 to 8 ft		1.75 riental Ph	1.40	
villosa, 15' (Zone 4) A large shrub; hawthorn-like flowers. Co				
berries.		.75	.60	
2 to 3 ft		.95	.75	
4 to 5 ft		$\frac{1.10}{1.35}$	$\frac{.90}{1.10}$	
		mmon Nir		
PHYSOCARPUS opulifolius, 9'-10' (Zone 2) Abundant creamy white flowers in Jun shaded areas. Show red seed capsules fr	ne. Vig	orous. Go		
2 to 3 ft		.55	.45 .55	
3 to 4 ft		.70 .90	.70	
PICEA excelsa (abies), 80'-100' (Zone 2)		Norway	Spruce	
Dark green foliage. Rapid growth. 15 to 18 in., B&B	2.25	1.90	1.50	
18 to 24 in., B&B	2.60	2.20	1.75	
2 to 3 ft., B&B	3.40 4.50	$\frac{2.80}{3.75}$	$\frac{2.25}{3.00}$	
3 to 4 ft., B&B				
Evergreen. Branches in distinct whork	— pungens, 60'-80' (Zone 3) Colorado Spruce Evergreen. Branches in distinct whorls, forming a handsome			
lawn specimen.	s, form	ing a nar	dsome	
12 to 15 in., B&B				
12 00 20 3101)	1.90	1.50	1.25 1.75	
15 to 18 in., B&B	1.90 2.60 3.75	1.50 2.20 3.00	1.25 1.75 2.50	
15 to 18 in., B&B	1.90 2.60 3.75 Color	1.50 2.20 3.00 ado Blue	1.25 1.75 2.50 Spruce	
15 to 18 in., B&B	1.90 2.60 3.75 Color ces. Ma 1.90	1.50 2.20 3.00 ado Blue kes a har	1.25 1.75 2.50 Spruce idsome	
15 to 18 in., B&B	1.90 2.60 3.75 Color ces. Ma	1.50 2.20 3.00 ado Blue kes a har	1.25 1.75 2.50 Spruce	



PLATANUS accrifolium (orientalis) — London Planetree. This is the true type. You can see how good they are.

		e in Qua	
	1-9	10-49	50-249
PIERIS japonica, 5'-6' (Zone 6)	Japane	se Andre	omeda
Evergreen. Drooping clusters of sma in May.	ll, white	flowers	open
12 to 15 in., B&B	3.40	2.80	2.25
15 to 18 in., B&B	4.50	3.75	3.00
18 to 24 in., B&B	6.75	5.50	4.50
2 to 2½ ft., B&B	9.00	7.50	6.00
2½ to 3 ft., B&B	10.80	9.00	7.50
PINUS densiflora, 25'-30' (Zone 4) A rapid growing quick maturing pine. Soon forms a very picturesque small sp	Thrives in		
2 to 3 ft., B&B	5.60	4.75	3.75
	7.50	6.00	5.00
	10.50	8.80	7.00
5 to 6 ft., B&B	14.50	11.00	
- montana mughus, 3'4' (Zone 3) Evergreen Forms a round-topped clums	- TY - C-1	Mugho	
Evergreen. Forms a round-topped clumping and foundation work.	p. Useful	tor rock	plant-
9 to 12 in., B&B	2.60	2.20	1.75



PLATANUS occidentalis—American Planetree or Sycamore. Straight trunks and full tops.

		Price in Qua	
	1-9	10-49	50-249
PINUS nigra, 60'-70' (Zone 2)		Austria	n Pine
Evergreen, Rich, dark green, Vigorous,	dense	grower. Ge	ood for
background. Thrives at seashore.		8-0	
18 to 24 in., B&B	3.75	3.00	2.50
2 to 2½ ft B&B	5.25	4.40	3.50
2½ to 3 ft., B&B	6.75	5.50	4.50
3 to 4 ft., B&B	9.00	7.50	6.00
strobus, 80'-100' (Zone 2)		Whi	te Pine
Probably our most useful and adaptable	nine	Picturesqua	when
old.	pine.	rictaresqui	WHEH
18 to 24 in., B&B	3.75	3.00	2.50
2 to 2½ ft., B&B	5.60	4.75	3.75
2½ to 3 ft., B&B	7.50	6.00	
— sylvestris, 25'-30' (Zone 2)		Scoto	h Pine
Evergreen. A rapid-growing, handsome	e tree.	especially	when
young. Good for windbreaks.	,		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
2 to 3 ft., B&B	5.60	4.75	3.75
3 to 4 ft., B&B	7.50	6.00	5.00
4 to 5 ft., B&B	10.50	8.80	
PLANE TREE (See PLATANUS)			
•			
PLATANUS acerifolium (orientalis), 70'-80'			
	_]	London Pla	netree
A desirable, quick growing street or	park	tree. With	ıstands
smoky condition.	- 0-	4.40	
8 to 10 ft., 1 to 1¼ in	5.25	4.40	3.50
9 to 11 ft., 1¼ to 1½ in	7.50	6.00	5.00
	10.50	8.80	7.00
and the state of t	13.50	11.00	9.00
12 to 14 It., 2 to 272 III	17.00	14.00	11.00



POPULUS nigra italica — Lombardy Poplar. Single trunks, branched from ground.

1			
	Unit P	rice in Qua	intities
	1-9	10-49	50-249
PLATANUS occidentalis, 75'-100' (Zone 5)			
American Planetre	e or Am	erican Svo	ramore
Rugged, strong growing. Has smooth,	almost v	white bark	when
developed. Very picturesque.		William Sulli	· WHEH
6 to 8 ft.	3.40	2.80	2.25
6 to 8 ft. 8 to 10 ft., 1 to 1¼ in.	4.50	3.75	3.00
9 to 11 ft., 1¼ to 1½ in	6.25	5.30	4.25
10 to 12 ft., 1½ to 1¾ in	8.75	7.25	5.75
11 to 13 ft., 1¾ to 2 in		8.00	6.50
12 to 14 ft., 2 to 2½ in	12.00		8.00
		20.00	0.00
POLYGONUM auberti, 25' (Zone 4)		China Flee	cevine
Strong growing vine producing foamy s	nrave o	f flowers i	n ciim
mer and fall.	prays o	1 110 Wets 1	ii suiii
2 year		70	
2 year	• • •	.70	.55
POPULUS alba bolleana, 50'-60' (Zone 2)		Bolleana	Poplar
Leaves white underneath. Columnar ha	abit Go	od for ser	opiai
4 to 5 ft	1.30	1.10	.90
6 to 8 ft.		1.35	1.10
8 to 10 ft.	3.00	$\frac{1.90}{2.50}$	1.50
10 to 12 ft., 1½ to 1¾ in.	3.75	3.00	$\frac{2.00}{2.50}$
	0.10	3.00	2.50
— eugenie, 75'-90' (Zone 2)		Carolina	Poplar
Rapid grower. Succeeds in dry places a	and near	r seashore	. •
6 to 8 ft	1.90	1.50	1.25
8 to 10 ft., 1 to 1¼ in.		2.20	$\frac{1.25}{1.75}$
9 to 11 ft., 1¼ to 1½ in.	3.75	3.00	2.50
10 to 12 ft., 1½ to 1¾ in.	3	0.00	

1.9 1	in Quantities 10-49 50-249 banese Poplar y-white bark.
5 to 6 ft. 1.50 6 to 8 ft. 2.25 8 to 10 ft., 1 to 1¼ in. 3.00 9 to 11 ft., 1¼ to 1½ in. 4.50 — nigra italica, 60'-80' (Zone 2)	1.25 1.00 1.90 1.50 2.50 2.00 3.75 3.00 bardy Poplar
Tall, spire-like. Good for landscape work and scree 5 to 6 ft. .90 6 to 8 ft. 1.10 8 to 10 ft. 1.50 10 to 12 ft. 1.90	ens. .75 .60 .95 .75 1.25 1.00 1.50 1.25
Blooms profusely, yellow, June-September. Very a 12 to 15 in	oy Cinquefoil daptable. .45 .35 .55 .45 .70 .55 .90 .70
PRIVET (See LIGUSTRUM) PRUNUS cerasifera pissardi (See PRUNUS Thunderel	•
PRUNUS glandulosa alba, 5'-6' (Zone 6) White Flower Double white flowers in May. Very attractive.	
12 to 18 in. 18 to 24 in. 2 to 3 ft. — pink, 5'-6' (Zone 6) Double pink flowers in May, Very attractive. An	.50 .40 .70 .55 .90 .70
2 to 3 ft	.50 .40 .60 .50 .80 .65 1.00 .80
— maritima, 5'-6' (Zone 3) Small white flowers, April. Ideal for sandy soil planting. Edible fruit.	Beach Plum and seaside
18 to 24 in. 2 to 3 ft. 3 to 4 ft.	.50 .40 .75 .60 .95 .75
Rich purple-red foliage which retains its color the summer. Compact symmetrical habit. White flowers at the first term of the summer of the summer of the summer of the symmetrical habit. White flowers at the first term of the summer of the summer of the summer of the symmetrical habit. White flowers at the summer of the summer of the summer of the symmetrical habit. White flowers at the summer of the symmetrical habit. White flowers at the summer of the symmetrical habit. White flowers at the symmetrical habit. White flowers at the symmetrical habit. White flowers at the symmetrical habit. The symmetrical habit. White flowers at the symmetrical habit. White flowers at the symmetrical habit. The symmetri	ers in spring. 1.10 .90
	wering Peach e, spectacular
Alba —white, 2-3'; 3-4'; 4-5'; 5-6'	
	.75 .60 .95 .75 1.25 1.00 1.50 1.25



PRUNUS subhirtella pendula — Weeping Japanese Cherry. On their own stems. Absolutely hardy. Will have a limited quantity.

PRUNUS subhirtella, 25'-30' (Zone 4)		Higan C	Cherry
The native Higan Cherry of Japan. For stature, hidden in clouds of pale pink of the hardiest and toughest of all the	flowers e	ach spring	g. One
3 to 4 ft	2.10	1.75	1.40
4 to 5 ft	2.85	2.35	1.90
5 to 6 ft	3.75	3.00	2.50
6 to 8 ft	4.90	4.05	3.25
8 to 10 ft	6.75	5.50	4.50
autumnalis, 25'-30' (Zone 3) Autumn Small tree. Semi-double flowering in O 2 to 3 ft	october or 1.65	early spi 1.35	ring.
3 to 4 ft	2.25	1.80	• • •
4 to 5 ft	2.60	2.20	
—— Beni Higan, 25'-30' (Zone 3)	Ber	ni Higan (Cherry
Upright growing, dense, small tree w single flowers in early spring.	ith cloud	is of pale	pink,
2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft.	1.65 2.10 2.85 3.75	1.35 1.80 2.35 3.00 4.05	1.10 1.45 1.90 2.50
6 to 8 ft	4.90	4.00	



PRUNUS thundercloud—Purple-leaved flowering Plum. The richest colored foliage of all purple plums.

PRUNUS subhirtella pendula, 12'-15' (Zone 3)

Weeping Japanese Cherry

Pink flowers. Our weeping cherries are grown on their own stems, are winter hardy, and very attractive. They make an outstanding specimen, and are ideal to use as a graceful flowering screen. Side limbs can be removed, if desired, making a good standard weeping tree. The smaller sizes are good to pot for sales yards. These trees are preferred by many to top grafted trees. (See picture Page 55.)

1 0	/		
5 to 6 ft., own stems	 4.50	3.75	3.00
6 to 8 ft., own stems	 5.25	4.40	3.50
8 to 10 ft., own stems	 6.00	5.00	4.00

— Thundercloud, 12'-15' (Zone 3) Purple Leaf Flowering Plum Rich, purple foliage. The very best of the purple leaf plums. Single pink flowers. We have replaced Pissardi by this variety because it is so much better.

3 to 4 ft.	 1.65	1.35	1.10
4 to 5 ft.	 2.10	1.75	1.40
5 to 6 ft.	 3.00	2.50	2.00
6 to 8 ft.	 3.75	3.00	2.50

- tomentosum, 6'-7' (Zone 2) Nanking Cherry Fruits are light red; flowers white, before leaves appear. Very showy.

110 11	.y •					
18	to	24 in.	 	 	 .60	.50
2	to	3 ft.	 	 	 .75	.60
3	to	4 ft.	 	 	 .95	.75
4	to.	5 ft.	 	 	 1.35	1.10





PRUNUS kwanzan. We offer Kwanzan in three forms. See below.

		rice in Qua	
		10-49	
PRUNUS triloba plena, 7'-8' (Zone 5)	Double	Flowering	g Plum
Double pink flowers, April-May. Handso	me and	very usef	ʻul.
18 to 24 in		.75	.60
2 to 3 ft		.90	.70
JAPANESE CHERRI	ES		
- amanogawa, 20'-35' (Zon Semi-double pale pink 4 to 5 ft			
Semi-double pale pink AVAII ADIL'us	ion. Nai	rrow grow	er.
Semi-double pale pink AVAILABLE us 4 to 5 ft FALL 1960	3.40	2.80	
5 to 6 ft TALL 1960	4.50	3.75	
6 to 8 ft	5.25	4.40	

PRUNUS KWANZAN

The most popular of all double pink flowering cherries, offered in three distinct forms as below.

- Kanzan (Serr. Sekiayama) (Kwanzan), 40' (Zone 3).

— Kanzan (Serii Semajama) (Irranza	(2011)	- 0,	
Double deep pink. The best double	flowering cl	herry. (Ours are
young, thrifty, and well grown.	Regular	2 year	•
4 to 5 ft	2.85	2.35	1.90
5 to 6 ft	3.75	3.00	2.50
6 to 8 ft	5.10	4 25	3 30

0 00 0 101 11111111111111111111	. 0,120	**=		0.00
8 to 10 ft	6.75	5.50		
0 00 10 10	. 0.10	0.00		
Heavy—twice transplanted; med	ium short	trunks;	full	well
branched tops.		ŕ		

6 to 8 ft. 6.25 5.25 8 to 10 ft. 8.50 7.00 ...

Standard or tree form with straight trunks and good tops. Branches begin at from 5 to 6 ft. from ground according to grade. There is a terrific street tree demand for Kwanzan grown in this manner. **Limited quantity available.**

6 to 8 ft. 6.00 5.00 4.00 8 to 10 ft. 8.50 7.00 5.50



PYRACANTHA coccinea lalandi—Leland Firethorn. In gallon cans.

guion tuns.	
Unit Price in Q	
1.9 10.49	50 - 249
PRUNUS shirofugen (Serr. Alba-Rosea), 25'-30' (Zone 3)	
Double white. The most vigorous white variety.	
4 to 5 ft 3.30 2.75	
5 to 6 ft. 3.50 3.25 6 to 8 ft. 5.50 4.50	
- shirotae, 20'-25' (Mt. Fuji Cherry) (Zone 3)	10
Double white. Small grower and a very heavy bloome	
3 to 4 ft. 2.50 2.05 4 to 5 ft. 3.40 2.80	
4 to 5 ft 3.40 2.80	
5 to 6 ft	
4 to 5 ft. 3.40 2.80 5 to 6 ft. 4.50 3.25 - yedoensis, 40' (Zone 3) Yoshing	Cherry
Fragrant, single, white to pink flowers. This variety an	d Kwan-
zan comprise the famous cherry blossom display in Was	hington.
3 to 4 ft. 2.10 1.75 4 to 5 ft. 2.85 2.35 5 to 6 ft. 3.75 3.00	1.40
4 to 5 ft. 2.85 2.35	1.90
5 to 6 ft. 3.75 3.00	
EXTRA CHARGE FOR DIGGING CHERRIES B&B—SEI	
SCHEDULE, Page 2	и вав
PSEUDOTSUGA taxifolia (douglasi), 70'-80' (Zone 2)	unglag-fir
Hardy. Dark bluish green coloring. Does best in well	drained
location.	uranneu
15 to 18 in., B&B	1.50
18 to 24 in., B&B	
2 to 2½ ft B&B	
2 10 2/2 100) 2 02 1111111111111111111111111111	
2½ to 3 ft., B&B 6.75 5.50	
PYRACANTHA coccinea lalandi, 9'-12' (Zone 5) Laland F	'irethorn
Evergreen. A beautiful broad-leaved evergreen with la	rge clus-
ters of orange berries in the fall. Needs protection in th	e North.
12 to 15 in., 6 in. cans 1.50 1.25 15 to 18 in., 6 in. cans 1.95 1.60	1.0 0
15 to 18 in 6 in cans 1.95 1.60	1.30
18 to 24 in., 6 in. cans 2.40 2.00	1.60
2 to 2½ ft., 8 in. cans 3.75 3.00	



QUERCUS borealis (rubra)—Northern Red Oak. The last word in Red Oaks.

	Unit Pri 1-9	ice in Qua 10-49	
PYRACANTHA crenulata, 9'-12' (Zone 7) Glossy foliage; bright red berries. Ex desirable.	xtremely	Nepal Fi attracti	rethorn ve and
12 to 15 in., 6 in. pots 15 to 18 in., 6 in. cans 18 to 24 in., 6 in. cans 2 to 2½ ft., 6 in. cans 3 to 4 ft., 6 in. cans	1.65 2.00 2.40 3.75 4.50	1.35 1.70 2.00 3.00 3.75	1.10 1.35 1.60 2.50 3.00
PYRUS calleryana Bradford, 25'-35' (Zone 5	5)	Caller	y Pear
Masses of white flowers. Glossy green f son in fall. Tiny fruits. A new clona USDA at Beltsville.	oliage tur	ns brigh	it crim-
	$\frac{2.85}{3.75}$	$\frac{2.35}{3.00}$	$\frac{1.90}{2.50}$
·[Q]·			
NURSERY GROWN OA	AKS		
QUERCUS alba, 100' (Zone 4) The most rugged oak of all, slow in magnificent tree. Best planted in spring	n growth g.	What but m	ite Oak akes a
5 to 6 ft	4.10	3.30	
6 to 8 ft	5.00	4.10	
- borealis (Rubra), 75'-95' (Zone 4)	Nor	thern R	ed Oak
A quick growing and clean tree. Fine a 6 to 8 ft.			0.00
8 to 10 ft., 1 to 1¼ in.	5.00 6.60	4.10 5.50	$\frac{3.30}{4.40}$
	9.00		6.00
10 to 12 ft., 1½ to 1¾ in		9.50	7.50
11 to 13 ft., 1¾ to 2 in	15.00	12.25	10.00
12 to 14 ft., 2 to 2½ in	20.00	16.25	13.50



QUERCUS palustris—Pin Oak. Our method of growing takes more time but our Oaks are second to none.

•	Unit Pric	ce in Qua 10-49	
	5.00 6.75 9.00		et Oak color.
 macrocarpa, 70'-80' (Zone 4) Vigorous grower of picturesque appears branches. 	ance owi		corky
6 to 8 ft	5.00 6.6 0	$\frac{4.10}{5.50}$	$\frac{3.30}{4.40}$
— palustris, 75'-100' (Zone 4) Most desirable and adaptable. Excellent 6 to 8 ft	4.10 6.00 8.50 10.50	foliage. 3.50 5.00 7.00	2.75 4.00 5.50 7.00 9.50 12.00
phellos, 50'-60' (Zone 6) Narrow, willow-like leaves; distinct from 5 to 6 ft	n other v 3.30 5.00 6.60	arieties 2.75	ow Oak of oak. 2.20 3.30 4.40

·[R]·

KEDBUD (See OEROIS)
RETINOSPORA (See CHAMAECYPARIS)
RHAMNUS cathartica, 9'-10' (Zone 2) Common Buckthorn Dark green foliage. Black berries. Very hardy. 18 to 24 in. .50 .40 2 to 3 ft. .60 .50 3 to 4 ft. .80 .65 4 to 5 ft. 1.00 .80 — frangula, 8'-9' (Zone 2) Glossy Buckthorn Excellent foliage. Red berries turning black when ripe. Very
hardy. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 2 to 3 ft. 1.00 80 1.25
RHODODENDRON catawbiense, 6'-9' (Zone 4) Catawba Rhododendron
Large rosy purple flowers, May-June. Does best in partial shade. 12 to 15 in., B&B
— roseum elegans, 3'-8' (Zone 4) Rich pink flowers. A good strong growing, free flowering variety. Has excellent foliage. 12 to 15 in., B&B
RHODOTYPOS kerrioides (scandens), 4'-5' (Zone 5) White Kerria Fresh green foliage. White flowers, May, June. Shiny bead-like
black berries all winter. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 1.50 2 to 5 ft. 1.50 1.50 1.50
RHUS canadensis (aromatica), 4'-5' (Zone 3) Fragrant Sumac Clusters of small yellow flowers in April and May, followed by coral red fruits in June. Aromatic foliage. 12 to 18 in
or dry locations. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 50 .40 .50 .50 .50 .50 .60

	1-9	10-49 50-249
RHUS cotinus, 14'-15' (Zone 4)	Comm	on Smoke Tree
Also called Purple Fringe. Large p	panicles of t	feathery filmy
smoke-appearing flowers.	, and the contract of the cont	reacticity, initity,
18 to 24 in.		.60 .50
2 to 3 ft.		
3 to 4 ft.		
1 to 5 ft	• • • •	1.05 .85
4 to 5 ft	• • • •	1.70 1.35
— — purpurea, 12'-14' (Zone 4)	Pur	ple Smoke Tree
A handsome purple foliaged strain of	of the popul	ar Smoke Tree
18 to 24 in.	or the popul	.70 .55
18 to 24 in. 2 to 3 ft.		.90 .70
3 to 4 ft	• • • •	1.05 .90
		1.05 .90
glabra, 10'-12' (Zone 2)		Smooth Sumac
Crimson fruits in bunches. Rich auti	umn colorin	g. Good in poor
SOII.		g. acca m poor
2 to 3 ft		.45 .35
3 to 4 ft.		.55 .45
4 to 5 ft		.60 .55
		.00 .00
ROBINIA hispida, 5'-6' (Zone 5)		Rose-acacia
Rosy pink pea-shaped f. 12 to 18 in AVAILABLE 18 to 24 in	lune.	rose dedela
12 to 18 in. AVAILAN	•	.30 .25
18 to 24 in FALL 1960		.45 .35
2 to 3 ft FALL 10/6		
3 to 4 ft		.55 .45
3 10 4 11		.75 .60
ROSA blanda, 4'-5' (Zone 2)		Meadow Rose
Pink, May. Almost thornless. Reddis	h hannahaa	Meadow Rose
19 to 24 in	n branches.	FO 40
18 to 24 in		.50 .40
		.60 .50
- hugonis, 6' (Zone 5)	Golder	Rose of China
Bright vellow flowers, Reddish woo	d Unright	Excellent type
shrub rose. 2 to 3 ft.	op.18	Enconomy type
2 to 3 ft.		.80 .65
3 to 4 ft	• • •	1.00 .80
4 to 5 ft		1.25 1.00
4 to 5 ft.		
- humilis (carolina), 2'-3' (Zone 4)		Pasture Rose
The common, sweetly scented, pink,	wild rose o	of the pastures.
18 to 24 in		.50 .40
2 to 3 ft		.60 .50
— lucida (virginiana), 5'-6' (Zone 3)		Virginia Rose
Pink, June, July. Excellent border	r or natura	alizing variety
Stands neglect		mzmg variety.
18 to 24 in		.50 .40
2 to 3 ft	• • •	.50 .40 .60 .50
2 to 3 ft	• • •	.00 .00
- multiflora, 9'-10' (Zone 5)		Japanese Rose
Fragrant, white flowers in June. Str	ong grower.	In popular de-
mand for hedges, screens and game	conservation	n planting. Use
these strong transplants for quick pe	ermanent re	sults.
12 to 18 in		.20 .15
18 to 24 in		.25 .20
2 to 3 ft		.37 .30
3 to 4 ft		.50 .40
-nitida, 3'-4' (Zone 3)		Bristly Rose
Deep pink, June. Good for holding	hanka and	Dilatiy Rose
planting good autumn coloning	, panks and	general mass
planting; good autumn coloring.		E O 40
18 to 24 in		.50 .40
2 to 3 ft		.60 .50
3 to 4 ft		.80 .65

ROSA palustris, 6'-8' (Zone 4)	Swamp	Rose
Pink, June-August. The best rose for moist location 12 to 18 in. 18 to 24 in. 2 to 3 ft.	.50 .60	.30 .40 .50
- rubiginosa, 5'-6' (Zone 4) Bright pink flowers in June. Good foliage with a 18 to 24 in. 2 to 3 ft. 3 to 4 ft.	.60 .75	.40 .50 .60
-rugosa, 4'-6' (Zone 2) Rick green foliage. Large red fruits. Pink flowers	Rugosa June-Se	Rose otem-
ber. Good seaside plant. 12 to 18 in. 18 to 24 in. 2 to 2½ ft.	.45 .55 .70	
11 7' 6' (7'ono 1)	Prairie	Rose
Deep rose flowers, June-July. Vigorous grower. 18 to 24 in. 2 to 3 ft. 3 to 4 ft.	.50 .60 .75	.40 .50 .60
- wichuraiana white, 10'-12' (Zone 5) W.	ichurian ost everg	Rose green.
White flowers, late blooming. Excellent ground of 12 to 18 in., 1 year 18 to 24 in., 1 year 2 to 3 ft., 2 year	.30 .45 . 55	.25 .35 .45

·[S]·

SALISBURIA adiantifolia (See GINKGO)

SALIX

The Weeping Willows are very useful in sales yards. Pot small trees for easy handling and quick sales.

SALIX babylonica, 50'-60' (Zones 5 and 6) One of the best weepers. Long pendulo	Babylon us branch	Weeping les. Excell	Willow lent for
One of the best weepers. Long pendano	0.0 10 = 0		
waterside planting.	1.10	.95	.75
4 to 5 ft		1.25	1.00
5 to 6 ft	1.50		
6 to 8 ft.	2.25	1.90	1.50
8 to 10 ft	3.00	2.50	2.00
10 to 12 ft	3.75	3.00	2.50
10 to 12 it.	0110		TT7:11
- caprea, 15'-20' (Zone 4)		Goat	Willow
Very desirable for spring effects. Will	do well	in dr y as	well as
very desirable for spring circuit was			
wet locations.		.60	.50
3 to 4 ft	• • •	.75	.60
4 to 5 ft		•••	
- elegantissima, 60'-70' (Zone 4)	Thurlow	Weeping	Willow
- elegantissima, ou -to (Zone 4)	et planti	ng.	
Vigorous upright grower; best for stre	1.50	1.25	1.00
5 to 6 ft	1.00	1.90	1.50
6 to 8 ft	2.25		
8 to 10 ft	3.00	2.50	2.00
0 10 10 10 10			



SALIX elegantissima—Thurlow Weeping Willow. SALIX babylonica—Babylon Weeping Willow. Our willows are carefully grown.

8			
	Unit P	rice in Qua	ntities
	1-9	10-49	50-249
SALIX incana, 8'-10' (Zone 4) Attractive silvery leaves. Slow growin Olive in appearance.	ng. Res	llaeagnus ' sembles R	Willow tussian
18 to 24 in. 2 to 3 ft. 3 to 4 ft.		.45 .55 .70	.35 .45 .55
— mutabilis, 5'-6' (Zone 4) The earliest to bloom of all the pussy we curved silver catkins. A handsome low s	villows, hrub.		large
18 to 24 in		.45 .55	.35 .45
— niobe, 40'-50' (Zone 4) Weeping form with golden bark.	Niobe	Weeping '	Willow
4 to 5 ft. 5 to 6 ft. 6 to 8 ft. 8 to 10 ft.	1.10 1.50 2.25 3.00	.95 1.25 1.90 2.50	.75 1.00 1.50 2.00
- pentandra, 20'-30' (Zone 4)		Laurel V	
Upright. Shiny dark green leaves. Excell 4 to 5 ft. 5 to 6 ft. 6 to 8 ft. 8 to 10 ft.	0.90 0.10	.75 .95 1.25	.60 .75
- purpurea, 15'-20' (Zone 4)	a hmana	Purple	Osier
Vigorous shrub producing long, flexible for tying or basket making.	e pranc	mes. Ofter	ı used
2 to 3 ft		.50 .60	.40 .50
4 to 5 ft.		.75	.60



SORBUS aucuparia — European Mountain Ash. Extra fine.

Unit	Price in Qua	ntities
1-9	10-49	50-249
1.9	10-19	00-210

SAMBUCUS canadensis, 8'-9' (Zone 3) Useful in swampy locations, fragrant	flowers	American June-July.	Elder Black
fruit relished by birds.		.50	.40
18 to 24 in		.60	.50
2 to 3 ft		.80	.65
3 to 4 ft		.00	

ST. JOHNSWORTH (See HYPERICUM)

 ${\bf SHADBLOW} \ ({\tt See} \ {\bf AMELANCHIER})$

SHADEMASTER LOCUST

(Plant Patent #1515) See pages 34 and 35

SILVERBELL (See HALESIA)

SNOWBALL (See VIBURNUM)

SNOWBELL (See STYRAX)

 ${\bf SNOWBERRY} \ ({\tt See} \ {\bf SYMPHORICARPOS})$

SOPHORA japonica, 30'-40' (Zone 5) Chinese Scholartree White flowers in late summer. Noticeable green bark in winter. Also called Pagoda Tree. An excellent, small street tree, withstands city conditions. Very shiny when in bloom.

 4 to 5 ft.
 5.25
 4.40
 3.50

 5 to 6 ft.
 7.50
 6.00
 5.00

 6 to 8 ft.
 10.00
 8.00
 6.50

 8 to 10 ft.
 12.50
 10.00
 ...

	1-9	10-49	50-249
SORBARIA aitchisoni, 6'-8' (Zones 5 and Graceful compound foliage. Creamy tember.			
3 to 4 ft. 4 to 5 ft. 5 to 6 ft.	$\begin{array}{c} .90 \\ 1.10 \\ 1.50 \end{array}$.75 .95 1.25	.75 1.00
SORBUS aucuparia, 25'-30' (Zone 2) A valuable tree on a small lawn; the striking.		pean Mour t berries	
4 to 5 ft. 5 to 6 ft. 6 to 8 ft. 8 to 10 ft. 10 to 12 ft.	1.90 2.60 3.75 5.25 7.50	1.50 2.20 3.00 4.40 6.00	1.25 1.75 2.50 3.50 5.00
SOURGUM (See NYSSA)			
SOUTHERN BUSH HONEYSUCKLE (See	DIERV	(ILLA)	
SPIREA arguta, 5'-6' (Zone 4) Very free flowering. Somewhat simila vigorous.	ar to th		d Spirea out more
18 to 24 in. 2 to 3 ft. 3 to 4 ft.	• • •	.50 .60 .80	.40 .50 .65
— billardi, 5'-6' (Zone 4) Bright pink, fluffy flower spikes, Julian locations.	uly-Octo		d Spirea l in dry
2 to 3 ft		. 50 .60	.40 .50
— bumalda Anthony Waterer, 3' (Zone 4 Useful as a flowering hedge. Easy flowers all summer. Good fall foliage	Anthor mainte	.60 ny Wateren nance. Ro	.50 r Spirea
— bumalda Anthony Waterer, 3' (Zone 4 Useful as a flowering hedge, Easy	Anthor mainte	.60 ny Wateren nance. Ro	.50 r Spirea
Juseful as a flowering hedge. Easy flowers all summer. Good fall foliage early spring. 12 to 15 in. 15 to 18 in. 18 to 24 in. 2 to 2½ ft. 2½ to 3 ft.	Anthor mainte color.	.60 ny Waterer nance. Ro Frim only .30 .45 .55 .75 .90 Frobeaterer wit	Spirea se-pink once in .25 .35 .45 .60 .70 .70
Juseful as a flowering hedge. Easy flowers all summer. Good fall foliage early spring. 12 to 15 in. 15 to 18 in. 18 to 24 in. 2 to 2½ ft. 2½ to 3 ft. —froebeli, 4'-5' (Zone 5) Taller and more vigorous than Anthermal	Anthor mainte color.	.60 ny Waterer nance. Ro Frim only .30 .45 .55 .75 .90 Frobeaterer wit	Spirea se-pink once in .25 .35 .45 .60 .70 .70
Juseful as a flowering hedge. Easy flowers all summer. Good fall foliage early spring. 12 to 15 in. 15 to 18 in. 18 to 24 in. 2 to 2½ ft. 2½ to 3 ft. froebeli, 4'-5' (Zone 5) Taller and more vigorous than Anthopink flowers. Hardy in New England is not. 15 to 18 in. 18 to 24 in.	Anthormainte color. The color of the color where where white covered to the color of the color o	.60 ny Waterer nance. Ro Trim only .30 .45 .55 .75 .90 Frobe aterer wit Anthony .37 .50 .60 te Japanes with flat	Spirea se-pink once in .25 .35 .45 .60 .70 .50 se Spirea



SPIREA vanhouttei—Vanhoutte Spirea. An extra fine lot. Note crimson clover in foreground. We have an extensive crop rotation and soil improvement program. This clover will be plowed under at the proper time.

1-9 10-49 50-249		Unit Price in Quantities		
The true bridalwreath. White double flowers in abundance. Glossy dark green leaves. Rich fall coloring. 18 to 24 in		1-9		
Glossy dark green leaves. Rich fall coloring. 18 to 24 in	SPIREA prunifolia plena, 7'-8' (Zone 3)			
18 to 24 in. .50 .40 2 to 3 ft. .60 .50 3 to 4 ft. .80 .65 Thunbergi, 4'-5' (Zone 4) Thunberg Spirea Slender arching branches covered with pure white flowers, April-May. Feathery light green foliage. 12 to 18 in. .37 .30 18 to 24 in. .50 .40 2 to 3 ft. .60 .50 3 to 4 ft. .75 .60 Hardhack Woolly, rose-pink flowers, July-September. Good in low ground plantings. 18 to 24 in. .37 .30 2 to 3 ft. .50 .40 3 to 4 ft. .50 .40 3 to 4 ft. .50 .50 - vanhouttei, 8'-9' (Zone 4) Vanhoutte Spirea White, May-June. Graceful habit. Free flowering. A most adaptable and useful shrub. .37 .30 12 to 18 in. .37 .30 2 to 3 ft. .50 .40 3 to 4 ft. .60 .50 4 to 5 ft. .80 .65	The true bridalwreath. White double	flowers	in abur	idance.
18 to 24 in. .50 .40 2 to 3 ft. .60 .50 3 to 4 ft. .80 .65 Thunbergi, 4'-5' (Zone 4) Thunberg Spirea Slender arching branches covered with pure white flowers, April-May. Feathery light green foliage. 12 to 18 in. .37 .30 18 to 24 in. .50 .40 2 to 3 ft. .60 .50 3 to 4 ft. .75 .60 Hardhack Woolly, rose-pink flowers, July-September. Good in low ground plantings. 18 to 24 in. .37 .30 2 to 3 ft. .50 .40 3 to 4 ft. .50 .40 3 to 4 ft. .50 .50 - vanhouttei, 8'-9' (Zone 4) Vanhoutte Spirea White, May-June. Graceful habit. Free flowering. A most adaptable and useful shrub. .37 .30 12 to 18 in. .37 .30 2 to 3 ft. .50 .40 3 to 4 ft. .60 .50 4 to 5 ft. .80 .65	Glossy dark green leaves. Rich fall color	ring.		40
3 to 4 ft	18 to 24 in			
— thunbergi, 4'-5' (Zone 4) Thunberg Spirea Slender arching branches covered with April-May. Feathery light green foliage. 37 .30 12 to 18 in. .37 .30 18 to 24 in. .50 .40 2 to 3 ft. .60 .50 3 to 4 ft. .75 .60 — tomentosa, 4' (Zone 4) Hardhack Woolly, rose-pink flowers, July-September. Good in low ground plantings. 18 to 24 in. .37 .30 2 to 3 ft. .50 .40 .50 3 to 4 ft. .60 .50 — vanhouttei, 8'-9' (Zone 4) Vanhoutte Spirea White, May-June. Graceful habit. Free flowering. A most adaptable and useful shrub. 30 .25 18 to 24 in. .37 .30 2 to 18 in. .37 .30 2 to 3 ft. .50 .40 3 to 4 ft. .50 .40 3 to 4 ft. .50 .40 3 to 5 ft. .50 .40 3 to 6 ft. .50 .40 3 to 6 ft. .50 .40 3 to 7 ft. .50 .40 3 to 6 ft. .50 .40 3 to 6 ft. .50 .40 3 to 6 ft. .50 .50 3 to 6 ft. .50 .60				
Slender arching branches covered with pure white flowers, April-May. Feathery light green foliage. 12 to 18 in. .37 .30 18 to 24 in. .50 .40 .2 to 3 ft. .60 .50	3 to 4 ft		.80	.60.
Slender arching branches covered with pure white flowers, April-May. Feathery light green foliage. 12 to 18 in. .37 .30 18 to 24 in. .50 .40 .2 to 3 ft. .60 .50	thunbergi, 4'-5' (Zone 4)	T	hunberg	Spirea
12 to 18 in	Slender arching branches covered wit	h pure	white f	lowers,
12 to 18 in	April-May. Feathery light green foliage	e.		
2 to 3 ft	12 to 18 in		.37	.30
3 to 4 ft	20 00 21			
— tomentosa, 4' (Zone 4) Hardhack Woolly, rose-pink flowers, July-September. Good in low ground plantings. 37 .30 18 to 24 in. .50 .40 3 to 4 ft. .60 .50 — vanhouttei, 8'-9' (Zone 4) Vanhoutte Spirea White, May-June. Graceful habit. Free flowering. A most adaptable and useful shrub. 30 .25 18 to 24 in. .37 .30 2 to 3 ft. .50 .40 3 to 4 ft. .60 .50 4 to 5 ft. .80 .65				
Woolly, rose-pink flowers, July-September. Good in low ground plantings. 18 to 24 in	3 to 4 ft		.75	.60
Woolly, rose-pink flowers, July-September. Good in low ground plantings. 18 to 24 in. .37 .30 2 to 3 ft. .50 .40 3 to 4 ft. .60 .50 - vanhouttei, 8'-9' (Zone 4) Vanhoutte Spirea White, May-June. Graceful habit. Free flowering. A most adaptable and useful shrub. 30 .25 12 to 18 in. .37 .30 2 to 3 ft. .50 .40 3 to 4 ft. .60 .50 4 to 5 ft. .80 .65	- tomentosa, 4' (Zone 4)			
18 to 24 in. .37 .30 2 to 3 ft. .50 .40 3 to 4 ft. .60 .50 - vanhouttei, 8'-9' (Zone 4) Vanhoutte Spirea White, May-June. Graceful habit. Free flowering. A most adaptable and useful shrub. 30 .25 12 to 18 in. .37 .30 2 to 3 ft. .50 .40 3 to 4 ft. .60 .50 4 to 5 ft. .80 .65	Woolly, rose-pink flowers, July-Septemb	oer. Good	l in low	ground
2 to 3 ft	plantings.			
3 to 4 ft	20 11 22 22			
— vanhouttei, 8'-9' (Zone 4) Vanhoutte Spirea White, May-June. Graceful habit. Free flowering. A most adaptable and useful shrub. 30 .25 12 to 18 in. .37 .30 2 to 3 ft. .50 .40 3 to 4 ft. .60 .50 4 to 5 ft. .80 .65	_ 00 0 -00			
White, May-June. Graceful habit. Free flowering. A most adaptable and useful shrub. 30 .25 12 to 18 in. .37 .30 2 to 24 in. .37 .30 2 to 3 ft. .50 .40 3 to 4 ft. .60 .50 4 to 5 ft. .80 .65	3 to 4 ft		.60	.50
able and useful shrub. 12 to 18 in	— vanhouttei, 8'-9' (Zone 4)	V	anhoutte	Spirea
able and useful shrub. 12 to 18 in	White, May-June. Graceful habit. Free f	lowering	g. A most	t adapt-
18 to 24 in. .37 .30 2 to 3 ft. .50 .40 3 to 4 ft. .60 .50 4 to 5 ft. .80 .65	able and useful shrub.			
2 to 3 ft				
3 to 4 ft				
4 to 5 ft				
1 60 6 10.				
SPRUCE (See PICEA)	4 to 5 ft.		.80	.6 5
,	SPRUCE (See PICEA)			

Unit Price in Quantities 1-9 10-49 50-249

	Unit Pric	ce in Qu 10-49	antities 50-249
SPURGE (See PACHYSANDRA)	Cutleaf	Stepha	nandra
STEPHANANDRA flexuosa, 5'-6' (Zone 4) Graceful, compact habit; handsome folia			
Graceful, compact habit; handsome folia; 18 to 24 in. 2 to 3 ft.		.50 .60	.40 .50
STYRAX japonica, 12'-15' (Zone 5)	 Japa	nese Si	nowbell
TITLE hall channel nondent flowers lille	e-July. Ma	kes a s	triking,
handsome specimen. The ideal small Azaleas, Kalmia and Rhododendron.	tree to	COMMO	ie with
2 to 3 ft B&B	4.10	3.50	2.75
3 + 0.4 ft B & B	5.25 7.15	$\frac{4.40}{5.85}$	$\frac{3.50}{4.75}$
7 to 5 it., Dan	9.50	5.85 7.25	5.75
6 to 8 ft B&B	11.20 15.00	$9.50 \\ 12.25$	$7.50 \\ 10.00$
0 00 10 10 10 10 10	10.00	12.20	
SUMAC (See RHUS) SUMMERSHADE MAPLE—(See page 8)			
SUMMERSHADE MATTER (See Page 8) SUMMERSWEET (See CLETHRA)			
SWEET GUM (See LIQUIDAMBAR)			
SWEETLEAF (See SYMPLOCUS)			
SVCAMORE (See PLATANUS)	() Chan	oult Sn	omborry
SYMPHORICARPOS chenaulti, 6'-8' (Zone 5 Brighter berries than vulgaris. Excelle			
18 to 24 in		.30	.25
2 to 3 ft		.45 .55	.45
(II) F' C' (Zono 2)		Sn	owberry
Conspicuous white berries. Attractive ic	oliage. Goo	od in ha	lf shade
and moist locations. 18 to 24 in		.30	.25
2 to 3 ft		.45 .55	
3 to 4 ft		Co	ralberry
— vulgaris (orbiculatus), 4'-5' (Zone 3) Coral-red berries through winter. Go	od in sl	nade ai	nd bank
nlanting			
18 to 24 in		.30 .45	.35
		.55	.45 weetleaf
SYMPLOCUS paniculata, 25'-40' (Zone 5) Deciduous shrub with slender spreadin	g branche	es. Hard	ly; white
fragrant flowers			
18 to 24 in		.5 5 .70	
2 to 3 ft		.85	
4 to 5 ft.	 (F	1.00 Chin	ese Lilac
SYRINGA chinensis (rothomagensis), 8'-9' Slender branches. Graceful habit. Viol	(Zone 5) let flower	s in M	ay. Free
flowering		.50	.40
18 to 24 in		.60	.50
3 to 4 ft.	Ton	.75	60. Delit con
— japonica, 18'-20' (Zone 4) An unusual small tree with large p	Japa anicles o	anese 1 f crean	ree Lilac ny white
flowers in early June.			
18 to 24 in		.50 .60	
2 to 3 ft		.75	
-			

Unit Price in Quantities 1-9 10-49 50-249

	A-0	10-10	30 = 10
SYRINGA persica, 9'-10' (Zone 5) Blooms freely; lilac flowers, May-June.		Persian	Lilac
12 to 18 in.		.45	
18 to 24 in		.55	
0 to 2 ft		.65	
2 to 3 ft		•	
villosa, 7'-8' (Zone 2)		Late	Lilac
Pale pinkish-lilac, fragrant. Compact, bus	hv habit.		
12 to 18 in		.30	.25
18 to 24 in.		.45	.35
2 to 3 ft.		.60	.50
		.80	.65
3 to 4 ft			
4 to 5 ft		1.00	.80
— vulgaris, 12'-15' (Zone 3) Delicate purple flowers, fragrant, May.	Commo	n Purple	
12 to 18 in		.37	.30
18 to 24 in		.50	.40
2 to 3 ft.		.60	.50
3 to 4 ft		.80	.65
4 to 5 ft	* * *	1.00	.80
—— alba, 12'-15' (Zone 3) Fragrant, white, single flowers, May.	Commo	n White	
15 to 18 in		.45	.35
18 to 24 in		.55	.45
2 to 3 ft		.70	.55
3 to 4 ft		.90	.70
Alphonse Lavalle. Double. Blue. 12-18"; 18-24" Belle de Nancy. Double. Pink. 12-18"; 18-24"; Charles Joly. Double. Red. 12-18"; 18-24". Ellen Willmott. Double. White. 12-18"; 18-24". Florent Stepman. Single. White large flower. Jan Van Tol. Single. White. 12-18"; 18-24". Ludwig Spaeth. Single. Red. 12-18"; 18-24". Mme. F. Morel. Single. Red. 12-18"; 18-24". Mme. Lemoine. Double. White. 12-18"; 18-24"; Michel Buchner. Double. Pinkish lilac. 12-18" President Grevy. Double. Light blue. 12-18"; 18-24"; 20-24.	2-3'. 12-18"; 18 2-3'. ; 18-24". 8-24". 18-24".		
Wm. Robinson. Double. Pink. 12-18"; 18-24". FRENCH LILAC PRICE	ES		
12 to 18 in	-	.55	.45
18 to 24 in. 2 to 3 ft.	• • • • • • • • • • • • • • • • • • • •	.75 1.00	.60 .80
-[▼]-			
TAMARIX parviflora, 12'-14' (Zone 4) Panicles of pink flowers. Blue-green everg 2 to 3 ft. 3 to 4 ft. 4 to 5 ft.	reen-ann	erian Tam earing fol .50 .60 .80	narix iage. .40 .50 .65



TAXUS cuspidata—Spreading Japanese Yew. We will have a good lot of Taxus this year.

	Unit Pri 1-9	ce in Qua 10-49	
TAMARIX pentandra (amurensis), 12'-15' (Zone 2)	tamen T	'amarix
Slender and spreading growth. Pink fl- very dry or sandy soils.			
2 to 3 ft		.50 .60 .80	.50
4 to 5 ft. — Pink Cascade (Plant Patent No. 1275) (Ze	one 3)		
An outstanding novelty. Masses of casca in late summer. Excellent for seashore	iding fles planting.		
18 to 24 in		.60 .75 .95	.60
TAXODIUM distichum, 75'-100' (Zone 4) Tall, pyramidal, symmetrical, deciduo foliage. Distinct in appearance.	Comm us tree,	on Baldo with fe	cypress eathery
4 to 5 ft., B&B	6.00 9.00	$\frac{5.00}{7.50}$	
TAXUS—THE YEWS			
TAXUS baccata repandens (Zone 5) A very low growing dense spreading various foundation planting. Will thrive in sha	ariety, pe	ng Engli rmanent	sh Yew ; in the
12 to 15 in., B&B	3.75	3.00	2.50
Rich, deep green leaves. Spreading, bush	Spreading y habit.	Very ada	aptable.
18 to 24 in., B&B	4.50 6.75 8.50	5.50	4.50
2½ to 3 ft B&B		8.50	

	Unit P	rice in Qua 10-49	ntities 50-249
TAXUS cuspidata capitata, 25'-40' (Zone 4)	Uprigi	ht Ja <mark>pane</mark> s	se Yew
Upright form of cuspidata. Broad pyran 15 to 18 in., B&B 18 to 24 in., B&B 2 to 2½ ft., B&B 2½ to 3 ft., B&B	3.00 5.25 6.75 8.75	2.50 4.40 5.50 7.25	2.00 3.50 4.50 5.75
—— densiformis, 6'-8' (Zone 4) The finest dense spreading yew. Far cuspidata type. Top rating of all spreading at Rutgers.	ders in	or to any the New	Jersey
12 to 15 in., B&B 15 to 18 in., B&B	3.75 5.25	$\frac{3.00}{4.40}$	$\frac{2.50}{3.00}$
—— nana (brevifolia), 2'-3' (Zone 4) Broad, thick leaves, very dark green. spreading habit. Very hardy.	Dwarfis		egular
9 to 12 in., B&B	3.40 4.50	2.80 3.75	2.25 3.00
——sieboldi, 10'-15' (Zone 4) Large berried spreading Taxus. A select data. Large fruit borne in profusion. A 12 to 15 in., B&B	ted type rapid, 3.40 4.50	of Taxus vigorous g 2.80	d Yew cuspi- grower. 2.25 3. 00
— intermedia, 12'-15' (Zone 4)		Hybri	d Yew
Hybrid between baccata and cuspidata. 12 to 15 in., B&B	3.75 5.25 7.50	3.00 4.40 6.00	2.50 3.50 5.00
— media brevimedia, 8'-10' (Zone 4)	Bro	ad Uprigh	nt Yew
Hardy, broad upright form. Bright gree 15 to 18 in., B&B	4.50 5.60 7.50	3.75 4.75 6.00	3.00 3.75 5.00
 — browni, 10'-12' (Zone 4) An outstanding variety. Excellent dark medium spreading. Shears well. Can be 	green for used as	s a specim	mpact,
hedge or foundation plantings. Full and	1 tight a 3.75	t base. 3.00	2.50
	5.25 7.50	4.40 6.00	3.50 5.00
—— hatfieldi, 8'-10' (Zone 4)		Hatfiel	
Similar to Hicks Yew, but more compa 15 to 18 in., B&B	ct.	3.75	3.00
18 to 24 in., B&B	5.60	4.75	3.7 5
2 to 2½ ft., B&B	7.50	6.00	5.00 ry Yew
A fine dense-foliaged spreading yew	which	retains its	fresh
green color all through the winter. 12 to 15 in., B&B	3.75	3.00	2.50
15 to 18 in., B&B	5.25	4.40 Hicl	3.50 ks Yew
Columnar form with upright branches.			
15 to 18 in., B&B	$\frac{4.50}{5.60}$	$\frac{3.75}{4.75}$	$\frac{3.00}{3.75}$
2 to 2½ ft., B&B	7.50	6.00	5.00

THORN, FLOWERING (See CRATAEGUS)





THUJA occidentalis compacta—Parsons Arborvitae. As fine as can be grown.

Unit Price in Quantities 1-9 10-49 50-249

THUJA—ARBORVITAE

THUJA occidentalis compacta, 21/2'-4' (Zone 4)

THUJA occidentalis compacta, 2½'-4' (Zor	ne 4)		i i		
Parsons Arborvitae					
The finest of all globe type Arborvitae. Very compact plants. Rich, dark green foliage. A low "must" for sales yards.					
12 to 15 in., B&B	1.90	1.50	1.25		
15 to 18 in., B&B	2.60	2.20	1.75		
18 to 24 in., B&B	3.40	2.80	2.25		
2 to 2½ ft., B&B	4.50	3.75	3.00		
—— globosa, 3'-4' (Zone 4)		Globe Arb	orvitae		
Rich green. Globe shape.					
12 to 15 in., B&B		1.50			
15 to 18 in., B&B	2.60		1.75		
18 to 24 in., B&B	3.40	2.80	2.25		
— hoveyi, 3'-4' (Zone 4)		Hovey Arb	orvitae		
Evergreen. Oval in shape, nearly as bro	oad as h	iigh. Brigh	t green		
foliage.		_			
15 to 18 in., B&B	2.60	2.20	1.75		
18 to 24 in., B&B	3.40	2.80	2.2 5		
2 to 2½ ft., B&B	4.50	3.75	3.00		
nigra. 15'-30' (Zone 4)	rk Am	erican Arb	orvitae		
New improved strain of American Arbo	rvitae; :	more symn	ietrical		
in form, deeper in color, especially di	aring th	ie winter.	Grown		
from cuttings. Very desirable. The best	of the	taller Arbo	orvitae.		
Dark green. Compact. Shears well.					
18 to 24 in., B&B	2.25	1.90	1.50		
2 to 2½ ft., B&B	3.00	2.50	2.00		
2½ to 3 ft., B&B	3.75	3.00	2.50		
3 to 4 ft., B&B	5.25	4.40	3.50		
4 to 4½ ft., B&B	7.50	6.00	5.00		
	1.00	0.00	0.00		





THUJA occidentalis nigra—Dark American Arborvitae. We think the finest of all Arborvitaes of this type.

•• • • • • • • • • • • • • • • • • • • •	Unit P	rice in Qu	antities
	1.9		50-249
THUJA occidentalis pyramidalis, 15'-30' (Zo	ne 4)		
		midal Art	orvitae
Bright, rich green foliage, narrow colum	nnar sha	ape.	
18 to 24 in., B&B	2.25	1.90	1.50
2 to 2½ ft. B&B	3.00	2.50	2.00
2½ to 3 ft., B&B	3.75	3.00	2.50

3 to 4 ft., B&B	5.25	4.40	3.50
4 to 5 ft., B&B		6.00	5.00
—— wareana, 12'-15' (Zone 3)	Sib	erian Arbo	rvitae
Light green. Fleshy foliage. Broad py	ramid. V	Jery adapta	able.
15 to 18 in., B&B	2.25		
18 to 24 in., B&B	3.00	2.50	2.00
2 to 21/4 ft B&B	3 75	3.00	2.50

GOLDEN BIOTA					
THUJA orientalis aurea nana, 2½'-3' (Zone 4)					
Berckmans Golden Arborvitae					
Extra nice, very full and compact plants. Rich, golden yellow					
foliage. A very outstanding sale		у.	_		
9 to 12 in., B&B		1.45	1.20		
12 to 15 in., B&B		1.75	1.40		
15 to 18 in., B&B	2.85	2.35	1.90		
18 to 24 in., B&B	3.75	3.00	2.50		

TILIA americana, 75'-90' (Zone 2)		American	Linden
Grows rather quickly, forming an open	head.		
6 to 8 ft.	3.40	2.80	2.25
8 to 10 ft.	4.50	3.75	3.00
	6.00	5.00	4.00
9 to 11 ft., 1½ to 1¾ in	7.50	6.00	5.00
	10.00	8.00	6.50
11 to 13 ft., 2 to $2\frac{1}{2}$ in	12.00	10.00	8.00

Unit Price in Quantities 1-9 10-49 50-249

TILIA cordata, 70' (Zone 3)	ittleleaf	Europea	n Linden
Small leaves. Very symmetrical tree,			
diseases. Very fragrant flower.	-		•
6 to 7 ft	4.90	4.05	3.25
7 to 8 ft., 1 to 1¼ in	6.00 8.50	$\frac{5.00}{7.00}$	4.00
8 to 10 ft., 1¼ to 1½ in 9 to 11 ft., 1½ to 1¾ in	10.80	9.00	$5.50 \\ 7.25$
10 to 12 ft., 1% to 2 in.	15.00	12.00	1.20
11 to 13 ft., 2 to 2½ in	18.00	15.00	
— tomentosa, 40'-60' (Zone 4)		Silve	r Linden
Handsome, dense-headed tree that drought. Leaves dark green above, wh	will wi	thstand heath.	neat and
5 to 6 ft	4.10	3.50	2.75
6 to 8 ft	5.00	4.10	3.30
8 to 10 ft., 1 to 1¼ in	6.00	5.00	4.00
9 to 11 ft., 1¼ to 1½ in 10 to 12 ft., 1½ to 1¾ in	$7.50 \\ 10.00$	6.00 8.00	5.00 6.50
11 to 13 ft., 1¾ to 2 in	12.00	10.00	8.00
12 to 14 ft., 2 to 2½ in	15.50	12.50	10.00
— vulgaris, 70'-80' (Zone 3)		European	n Linden
A vigorous hybrid between T. cordata	a and T.	platyphy	llos. Fra-
grant flowers in late June. Symmetr mation.		l compact	top for-
6 to 8 ft	5.00	4.10	3.30
8 to 10 ft., 1 to 1¼ in 9 to 11 ft., 1¼ to 1½ in	$\frac{6.00}{7.50}$	5.00 6.00	$\frac{4.00}{5.00}$
10 to 12 ft., 1½ to 1¾ in	10.00	8.00	6.50
HOME OOK			
HEMLOCK TSUCA considers 75' 99' (7one 4)		Canada	II om logle
TSUGA canadensis, 75'-90' (Zone 4)	nt for 1		Hemlock
TSUGA canadensis, 75'-90' (Zone 4) Most graceful and adaptable. Excelle planting. Shears well.	ent for l		
TSUGA canadensis, 75'-90' (Zone 4) Most graceful and adaptable. Excelle planting. Shears well. 1½ to 2 ft., B&B	3.75	nedge or 3.00	informal 2.50
TSUGA canadensis, 75'-90' (Zone 4) Most graceful and adaptable. Excelle planting. Shears well. 1½ to 2 ft., B&B	3.75 5.25	3.00 4.40	2.50 3.50
TSUGA canadensis, 75'-90' (Zone 4) Most graceful and adaptable. Excelle planting. Shears well. 1½ to 2 ft., B&B 2 to 2½ ft., B&B 2½ to 3 ft., B&B	3.75 5.25 6.75	3.00 4.40 5.50	2.50 3.50 4.50
TSUGA canadensis, 75'-90' (Zone 4) Most graceful and adaptable. Excelle planting. Shears well. 1½ to 2 ft., B&B 2 to 2½ ft., B&B 2½ to 3 ft., B&B 3 to 4 ft., B&B	3.75 5.25	3.00 4.40	2.50 3.50
TSUGA canadensis, 75'-90' (Zone 4) Most graceful and adaptable. Excelle planting. Shears well. 1½ to 2 ft., B&B 2 to 2½ ft., B&B 2½ to 3 ft., B&B 3 to 4 ft., B&B 4 to 5 ft., B&B	3.75 5.25 6.75 9.00	3.00 4.40 5.50 7.50	2.50 3.50 4.50 6.00
TSUGA canadensis, 75'-90' (Zone 4) Most graceful and adaptable. Excelle planting. Shears well. 1½ to 2 ft., B&B 2 to 2½ ft., B&B 2½ to 3 ft., B&B 3 to 4 ft., B&B 4 to 5 ft., B&B TULIPTREE (See LIRIODENDRON)	3.75 5.25 6.75 9.00	3.00 4.40 5.50 7.50	2.50 3.50 4.50 6.00
TSUGA canadensis, 75'-90' (Zone 4) Most graceful and adaptable. Excelle planting. Shears well. 1½ to 2 ft., B&B 2 to 2½ ft., B&B 2½ to 3 ft., B&B 3 to 4 ft., B&B 4 to 5 ft., B&B TULIPTREE (See LIRIODENDRON)	3.75 5.25 6.75 9.00	3.00 4.40 5.50 7.50 9.00	2.50 3.50 4.50 6.00
TSUGA canadensis, 75'-90' (Zone 4) Most graceful and adaptable. Excelle planting. Shears well. 1½ to 2 ft., B&B 2 to 2½ ft., B&B 2½ to 3 ft., B&B 3 to 4 ft., B&B 4 to 5 ft., B&B TULIPTREE (See LIRIODENDRON) •[U]• ULMUS americana, 80'-100' (Zone 2)	3.75 5.25 6.75 9.00	3.00 4.40 5.50 7.50 9.00	2.50 3.50 4.50 6.00
TSUGA canadensis, 75'-90' (Zone 4) Most graceful and adaptable. Excelle planting. Shears well. 1½ to 2 ft., B&B 2 to 2½ ft., B&B 2½ to 3 ft., B&B 3 to 4 ft., B&B 4 to 5 ft., B&B TULIPTREE (See LIRIODENDRON) •[U]• ULMUS americana, 80'-100' (Zone 2) Fast growing, forming graceful head.	3.75 5.25 6.75 9.00 11.00	3.00 4.40 5.50 7.50 9.00	2.50 3.50 4.50 6.00
TSUGA canadensis, 75'-90' (Zone 4) Most graceful and adaptable. Excelle planting. Shears well. 1½ to 2 ft., B&B 2 to 2½ ft., B&B 2½ to 3 ft., B&B 3 to 4 ft., B&B 4 to 5 ft., B&B TULIPTREE (See LIRIODENDRON) •[U]• ULMUS americana, 80'-100' (Zone 2) Fast growing, forming graceful head. 6 to 8 ft.	3.75 5.25 6.75 9.00 11.00	3.00 4.40 5.50 7.50 9.00 Ameri 1.90	2.50 3.50 4.50 6.00
TSUGA canadensis, 75'-90' (Zone 4) Most graceful and adaptable. Excelle planting. Shears well. 1½ to 2 ft., B&B 2 to 2½ ft., B&B 3 to 4 ft., B&B 4 to 5 ft., B&B TULIPTREE (See LIRIODENDRON) *[U]* ULMUS americana, 80'-100' (Zone 2) Fast growing, forming graceful head. 6 to 8 ft. 8 to 10 ft. 8 to 10 ft., 1¼ to 1½ in.	3.75 5.25 6.75 9.00 11.00	3.00 4.40 5.50 7.50 9.00	2.50 3.50 4.50 6.00
TSUGA canadensis, 75'-90' (Zone 4) Most graceful and adaptable. Excelle planting. Shears well. 1½ to 2 ft., B&B 2 to 2½ ft., B&B 2½ to 3 ft., B&B 3 to 4 ft., B&B 4 to 5 ft., B&B TULIPTREE (See LIRIODENDRON) *[U]* ULMUS americana, 80'-100' (Zone 2) Fast growing, forming graceful head. 6 to 8 ft. 8 to 10 ft. 8 to 10 ft., 1½ to 1½ in. 9 to 11 ft., 1½ to 1¾ in.	3.75 5.25 6.75 9.00 11.00 2.25 3.40 4.50 6.00	3.00 4.40 5.50 7.50 9.00 Ameri 1.90 2.80 3.75 5.00	2.50 3.50 4.50 6.00 can Elm 1.50 2.25
TSUGA canadensis, 75'-90' (Zone 4) Most graceful and adaptable. Excelle planting. Shears well. 1½ to 2 ft., B&B 2 to 2½ ft., B&B 2½ to 3 ft., B&B 3 to 4 ft., B&B 4 to 5 ft., B&B TULIPTREE (See LIRIODENDRON) *[U]* ULMUS americana, 80'-100' (Zone 2) Fast growing, forming graceful head. 6 to 8 ft. 8 to 10 ft. 8 to 10 ft., 1½ to 1½ in. 9 to 11 ft., 1½ to 1½ in. 10 to 12 ft., 1½ to 2 in.	3.75 5.25 6.75 9.00 11.00 2.25 3.40 4.50 6.00 7.50	3.00 4.40 5.50 7.50 9.00 Ameri 1.90 2.80 3.75 5.00 6.00	2.50 3.50 4.50 6.00 can Elm 1.50 2.25 3.00
TSUGA canadensis, 75'-90' (Zone 4) Most graceful and adaptable. Excelle planting. Shears well. 1½ to 2 ft., B&B 2 to 2½ ft., B&B 2½ to 3 ft., B&B 3 to 4 ft., B&B 4 to 5 ft., B&B TULIPTREE (See LIRIODENDRON) •[U]• ULMUS americana, 80'-100' (Zone 2) Fast growing, forming graceful head. 6 to 8 ft. 8 to 10 ft. 8 to 10 ft., 1½ to 1½ in. 9 to 11 ft., 1½ to 1½ in. 10 to 12 ft., 1¾ to 2 in. 11 to 13 ft., 2 to 2½ in.	3.75 5.25 6.75 9.00 11.00 2.25 3.40 4.50 6.00 7.50 10.00	3.00 4.40 5.50 7.50 9.00 Ameri 1.90 2.80 3.75 5.00 6.00 8.00	2.50 3.50 4.50 6.00 can Elm 1.50 2.25 3.00 4.00
TSUGA canadensis, 75'-90' (Zone 4) Most graceful and adaptable. Excelle planting. Shears well. 1½ to 2 ft., B&B 2 to 2½ ft., B&B 2½ to 3 ft., B&B 3 to 4 ft., B&B 4 to 5 ft., B&B TULIPTREE (See LIRIODENDRON) *[U]* ULMUS americana, 80'-100' (Zone 2) Fast growing, forming graceful head. 6 to 8 ft. 8 to 10 ft., 1½ to 1½ in. 9 to 11 ft., 1½ to 1¾ in. 10 to 12 ft., 1¾ to 2 in. 11 to 13 ft., 2 to 2½ in. —Augustine, 80'-100' (Zone 2)	3.75 5.25 6.75 9.00 11.00 2.25 3.40 4.50 6.00 7.50 10.00 Augusti	3.00 4.40 5.50 7.50 9.00 Ameri 1.90 2.80 3.75 5.00 6.00 8.00 ne Ascend	2.50 3.50 4.50 6.00 can Elm 1.50 2.25 3.00 4.00
TSUGA canadensis, 75'-90' (Zone 4) Most graceful and adaptable. Excelle planting. Shears well. 1½ to 2 ft., B&B 2 to 2½ ft., B&B 2½ to 3 ft., B&B 3 to 4 ft., B&B 4 to 5 ft., B&B TULIPTREE (See LIRIODENDRON) *[U]* ULMUS americana, 80'-100' (Zone 2) Fast growing, forming graceful head. 6 to 8 ft. 8 to 10 ft., 1½ to 1½ in. 9 to 11 ft., 1½ to 1½ in. 10 to 12 ft., 1½ to 1½ in. 11 to 13 ft., 2 to 2½ in. —Augustine, 80'-100' (Zone 2) A new form of American Elm. Tall cocrotches and upright branches. Large	3.75 5.25 6.75 9.00 11.00 2.25 3.40 4.50 6.00 7.50 10.00 Augusti	3.00 4.40 5.50 7.50 9.00 Ameri 1.90 2.80 3.75 5.00 6.00 8.00 ne Ascendihabit wit	2.50 3.50 4.50 6.00 can Elm 1.50 2.25 3.00 4.00
TSUGA canadensis, 75'-90' (Zone 4) Most graceful and adaptable. Excelle planting. Shears well. 1½ to 2 ft., B&B 2 to 2½ ft., B&B 2½ to 3 ft., B&B 3 to 4 ft., B&B 4 to 5 ft., B&B TULIPTREE (See LIRIODENDRON) *[U]* ULMUS americana, 80'-100' (Zone 2) Fast growing, forming graceful head. 6 to 8 ft. 8 to 10 ft. 8 to 10 ft., 1¼ to 1½ in. 9 to 11 ft., 1½ to 1¾ in. 10 to 12 ft., 1¾ to 2 in. 11 to 13 ft., 2 to 2½ in. Augustine, 80'-100' (Zone 2) A new form of American Elm. Tall cocrotches and upright branches. Large growth rate. Very popular. 6 to 8 ft.	3.75 5.25 6.75 9.00 11.00 2.25 3.40 4.50 6.00 7.50 10.00 Augusti olumnar e clean 6.00	3.00 4.40 5.50 7.50 9.00 Ameri 1.90 2.80 3.75 5.00 6.00 8.00 ne Ascendi habit wit foliage at	2.50 3.50 4.50 6.00 can Elm 1.50 2.25 3.00 4.00 ling Elm h sturdy nd rapid 5.00
TSUGA canadensis, 75'-90' (Zone 4) Most graceful and adaptable. Excelle planting. Shears well. 1½ to 2 ft., B&B 2 to 2½ ft., B&B 2½ to 3 ft., B&B 3 to 4 ft., B&B 4 to 5 ft., B&B TULIPTREE (See LIRIODENDRON) *[U]* ULMUS americana, 80'-100' (Zone 2) Fast growing, forming graceful head. 6 to 8 ft. 8 to 10 ft. 8 to 10 ft., 1½ to 1½ in. 9 to 11 ft., 1½ to 1½ in. 10 to 12 ft., 1½ to 1½ in. 11 to 13 ft., 2 to 2½ in. —Augustine, 80'-100' (Zone 2) A new form of American Elm. Tall co crotches and upright branches. Large growth rate. Very popular.	3.75 5.25 6.75 9.00 11.00 2.25 3.40 4.50 6.00 7.50 10.00 Augusti olumnar e clean	3.00 4.40 5.50 7.50 9.00 Ameri 1.90 2.80 3.75 5.00 6.00 8.00 ne Ascendi habit wit	2.50 3.50 4.50 6.00 can Elm 1.50 2.25 3.00 4.00 ling Elm h sturdy nd rapid

		ice in Qu	antities
	1-9	10-49	50-249
ULMUS americana Moline, 80'-100' (Zone 2) A remarkable variety with handsome	, large,	deeply	ine Elm grained
foliage. 6 to 8 ft.	2.60	2.20	1.75
8 to 10 ft 1 to 1½ in.	4.50 6.75	3.75 5.50	3.00 4.50
9 to 11 ft., 1½ to 1½ in 10 to 12 ft., 1½ to 1¾ in	9.00	7.50	6.00
—— "Princeton," 80'-100' (Zone 2) A selected strain of American Elm.	All budo	Prince led stoc	ton Elm k. Good
spreading habit. Glossy foliage.	2.60	2.20	1.75
8 to 10 ft., 1 to 1¼ in,	4.50	3.75	3.00
8 to 10 ft. 1¼ to 1½ in	$6.75 \\ 9.00$	$\frac{5.50}{7.50}$	4.50 6.00
9 to 11 ft., 1½ to 1¾ in	11.20	9.50	7.50
— pumila, 50'-75' (Zone 4) Forms symmetrical head. Rapid grower,	. Good fo	Chin oliage. D	ese Elm oes well
under city conditions. 6 to 8 ft.	2.25	1.90	1.50
8 to 10 ft	3.40	2.80	2.25
9 to 11 ft., 1½ to 1¾ in	5.25 6.75	4.40 5.50	3.50 4.50
10 to 12 ft., 1% to 2 in	9.00	7.50	6.00
12 to 14 ft., 2½ to 3 in	11.20	9.50	7.50
·[v]·			
VARNISHTREE (See KOELREUTERIA)			
VIBURNUM americanum (trilobum), 8'-9'	(Zone 2)	L	
VIBURNUM americanum (trilobum), 8'-9'	American	ı Cranbe	errybush v hardy
VIBURNUM americanum (trilobum), 8'-9' Good foliage. Bright scarlet berries all v 12 to 18 in	American	tranbe Extremel	y hardy. . 30
Good foliage. Bright scarlet berries all v	American winter. E	ranbe Extremel .37 .55	y hardy. .30 .45
Good foliage. Bright scarlet berries all v 12 to 18 in. 18 to 24 in. 2 to 3 ft.	American vinter. E	r Cranbe Extremel .37 .55 .70	y hardy. .30 .45 .55
Good foliage. Bright scarlet berries all v	American winter. E	ranbe Extremel .37 .55	y hardy. .30 .45
Good foliage. Bright scarlet berries all v 12 to 18 in. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft.	American winter. E	.37 .55 .70 .80 1.00	y hardy. .30 .45 .55 .70
Good foliage. Bright scarlet berries all v 12 to 18 in. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. — burkwoodi, 4' (Zone 5) Medium, open growing. Pinkish white if fragrant.	American winter. E	.37 .55 .70 .80 1.00	y hardy. .30 .45 .55 .70
Good foliage. Bright scarlet berries all v 12 to 18 in. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. - burkwoodi, 4' (Zone 5) Medium, open growing. Pinkish white if fragrant. 18 to 24 in., B&B	American winter. E	1 Cranbe Extremel .37 .55 .70 .80 1.00 Ewood V May, Ju	y hardy. .30 .45 .55 .70 iburnum ne. Very
Good foliage. Bright scarlet berries all v 12 to 18 in. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. - burkwoodi, 4' (Zone 5) Medium, open growing. Pinkish white if fragrant. 18 to 24 in., B&B 2 to 2½ ft., B&B	American vinter. E Burk flowers, 3.00 4.10	1 Cranbe Extremel .37 .55 .70 .80 1.00 Wood V May, Ju 2.50 3.50	y hardy. .30 .45 .55 .70 iburnum ne. Very 2.00 2.75
Good foliage. Bright scarlet berries all v 12 to 18 in. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. -burkwoodi, 4' (Zone 5) Medium, open growing. Pinkish white if fragrant. 18 to 24 in., B&B 2 to 2½ ft., B&B 3 to 4 ft., B&B	American vinter. E Burk flowers, 3.00 4.10 4.90 6.00	1 Cranbe Extremel .37 .55 .70 .80 1.00 .wood V May, Ju 2.50 3.50 4.05 5.00	y hardy. .30 .45 .55 .70 iburnum ne. Very 2.00 2.75 3.25 4.00
Good foliage. Bright scarlet berries all v 12 to 18 in. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. -burkwoodi, 4' (Zone 5) Medium, open growing. Pinkish white if fragrant. 18 to 24 in., B&B 2 to 2½ ft., B&B 2½ to 3 ft., B&B 3 to 4 ft., B&B 4 to 5 ft., B&B	Burk flowers, 3.00 4.10 4.90 6.00 6.75	2.50 3.50 4.05 5.50 5.50 2.60 1.00 2.60 3.50 4.05 5.50	y hardy. .30 .45 .55 .70 iburnum ne. Very 2.00 2.75 3.25 4.00 4.50
Good foliage. Bright scarlet berries all v 12 to 18 in. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. -burkwoodi, 4' (Zone 5) Medium, open growing. Pinkish white if fragrant. 18 to 24 in., B&B 2 to 2½ ft., B&B 2½ to 3 ft., B&B 3 to 4 ft., B&B 4 to 5 ft., B&B -carlesi, 4'-6' (Zone 4) One of the most desirable, semi-dwarf very fragrant flower clusters of white.	Burk flowers, 3.00 4.10 4.90 6.00 6.75 Fra flower, shaded	2.50 3.50 4.05 5.00 2.50 2.50 3.50 4.05 5.00 5.50 2.50 3.50 4.05	y hardy30 .45 .55 .70 iburnum ne. Very 2.00 2.75 3.25 4.00 4.50 iburnum nbs, with
Good foliage. Bright scarlet berries all v 12 to 18 in. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. - burkwoodi, 4' (Zone 5) Medium, open growing. Pinkish white is fragrant. 18 to 24 in., B&B 2 to 2½ ft., B&B 2½ to 3 ft., B&B 3 to 4 ft., B&B 4 to 5 ft., B&B - carlesi, 4'-6' (Zone 4) One of the most desirable, semi-dwarf very fragrant flower clusters of white, 18 to 24 in., B&B	Burkflowers, 3.00 4.10 4.90 6.00 6.75 Fra f, flower, shaded 3.00	2.50 2.50 2.50 2.50 2.50 2.50 2.50 2.50	y hardy. .30 .45 .55 .70 iburnum ne. Very 2.00 2.75 3.25 4.00 4.50 iburnum ibs, with
Good foliage. Bright scarlet berries all v 12 to 18 in. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. -burkwoodi, 4' (Zone 5) Medium, open growing. Pinkish white if fragrant. 18 to 24 in., B&B 2 to 2½ ft., B&B 2½ to 3 ft., B&B 3 to 4 ft., B&B 4 to 5 ft., B&B -carlesi, 4'-6' (Zone 4) One of the most desirable, semi-dwarf very fragrant flower clusters of white.	Burk flowers, 3.00 4.10 4.90 6.00 6.75 Fra flower, shaded	2.50 3.50 4.05 5.00 5.00 2.50 3.50 4.05 5.00 5.50 2.50 3.50 4.05 5.00 5.50 2.50	y hardy30 .45 .55 .70 iburnum ne. Very 2.00 2.75 3.25 4.00 4.50 iburnum nbs, with
Good foliage. Bright scarlet berries all v 12 to 18 in. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft.	Burkflowers, 3.00 4.10 4.90 6.00 6.75 Fra flowerd shaded 3.00 4.90 6.00	2.50 3.50 3.60 3.70 3.80 1.00 2.50 3.50 4.05 5.00 4.05 5.00 4.05 5.00 4.05 5.00	y hardy30 .45 .55 .70 iburnum ne. Very 2.00 2.75 3.25 4.00 4.50 iburnum ibs, with 2.00 3.25 4.00 Vithe-rod
Good foliage. Bright scarlet berries all v 12 to 18 in. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. - burkwoodi, 4' (Zone 5) Medium, open growing. Pinkish white is fragrant. 18 to 24 in., B&B 2 to 2½ ft., B&B 3 to 4 ft., B&B 4 to 5 ft. - carlesi, 4'-6' (Zone 4) One of the most desirable, semi-dwarf very fragrant flower clusters of white, 18 to 24 in., B&B 2 to 2½ ft., B&B - carlesi, 4'-6' (Zone 4) One of the Most desirable, semi-dwarf very fragrant flower clusters of white, 18 to 24 in., B&B 2 to 2½ ft., B&B - cassinoides, 5'-6' (Zone 3) White flowers, May-June. Pink berrie autumn foliage coloring. Good planted	Burkflowers, 3.00 4.10 4.90 6.00 6.75 Fra flowerd shaded 3.00 4.90 6.00	2.50 3.50 4.05 5.00 2.50 3.50 4.05 5.00 2.50 4.05 5.00 4.05 5.00 4.05 5.00	y hardy30 .45 .55 .70 iburnum ne. Very 2.00 2.75 3.25 4.00 4.50 iburnum abs, with 2.00 3.25 4.00 Vithe-rod ue. Rich
Good foliage. Bright scarlet berries all v 12 to 18 in. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft.	Burkflowers, 3.00 4.10 4.90 6.00 6.75 Fra flowerd shaded 3.00 4.90 6.00	2.50 3.50 3.60 3.70 3.80 1.00 2.50 3.50 4.05 5.00 4.05 5.00 4.05 5.00 4.05 5.00	y hardy30 .45 .55 .70 iburnum ne. Very 2.00 2.75 3.25 4.00 4.50 iburnum ibs, with 2.00 3.25 4.00 Vithe-rod

Unit Price in Quantities 1-9 10-49 50-249

VIBURNUM chenaulti, 4'-5' (Zone 5) A fine semi-evergreen Viburnum with in ers in May. Of the same parentage as, but	ntensely	ault Vibu fragrant perior ha	flow-
Burkwood Viburnum. 18 to 24 in., B&B 2 to 2½ ft., B&B	2.00 4.10	2.50 3.50	3.00 2.75
— dentatum, 10'-12' (Zone 2) White flowers, May-June. Blue-black be autumn coloring. Excellent in wet soil.	erries. P		wood d red
18 to 24 in	• • • • • • • • • • • • • • • • • • • •	.50 .60 .80 1.00	.40 .50 .65 .80
 dilatatum, 8'-9' (Zone 5) White flowers in May and June. Scarlet shate. Very handsome. 	Line howy ber	den Vibu ries pers	rnum isting
18 to 24 in		.70 .80 1.00	.55 .65 .80
— lantana, 15'-18' (Zone 3) White flowers, May-June. Dark green berries changing to black.	wrinkled	Wayfarin I foliage	g-tree . Red
18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft.		.50 .60 .80 1.00 1.25	.40 .50 .65 .80 1.00
— lentago, 18'-20' (Zone 2) White flowers, May, June. Glossy foliage	Blue-bl	Nanny ack fruit	S.
2 to 3 ft.	1.55	.70	.45 .55 .75
— molle, 10'-12' (Zone 5) White flowers, May, June. Large, dark g coloring.	Kentu green fol	cky Vibu iage. Goo	rnum od fall
18 to 24 in		1.00	.40 .50 .65 .80
- opulus, 9'-10' (Zone 3) Every similar in habit of growth and from	iropean iit to Vil	Cranberr burnum	ybush ameri-
canum. 12 to 18 in. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft.	• • • •	.37 .55 .70 .90 1.10	.30 .45 .55 .70 .95
—— nana, 18"-24" (Zone 3) Very compact. Rarely flowers.		Cranberr	•
4 to 6 in 6 to 9 in		.55 .75	.45 .60

Please order in multiples of 10 shrubs and other small bare root items. See page 1 for explanation in box.

A Control of the Cont	1-9	10-49	50 - 249
VIBURNUM opulus sterile, 9'-10' (Zone 3) White flowers, May, June. Very showy.	.•	Common S	
12 to 18 in		.45	.35
18 to 24 in		.55	.45
2 to 3 ft		.75	.60
3 to 4 ft		.95 1.10	.75 .90
4 to 5 ft			
- prunifolium, 10'-12' (Zone 3) White flowers, May, June. Blue-black fr	uits.	В	lackhaw
18 to 24 in		.80	
2 to 2½ ft		1.00	
2½ to 3 ft		1.25	
3 to 4 ft		1.50	
4 to 5 ft		2.20	
The best evergreen Viburnum. Its larg foliage is especially interesting throu	e, cri ghout	the winte	green er. Ex-
broadleaf evergreens. Here is a broad thrives under trees.	with dleaf	evergreen	which
	2.25	1.90	1.50
	3.00 3.75	$\frac{2.50}{3.00}$	$\frac{2.00}{2.50}$
	5.25	4.40	3.50
3 to 4 ft., B&B	7.50	6.00	5.00
	0.00	8.00	6.50
- SETIGERUM (See Viburnum theiferum)			
— sieboldi (japonicum), 9'-10' (Zone 5) White flowers, May, June. Pink fruits dark green foliage.	chang		burnum ek. Rich
18 to 24 in		.55	
2 10 5 11,		.70	.45 .55
 theiferum (setigerum), 8'-9' (Zone 5) Narrow, upright grower. Very handsom let berries in clusters. A spectacular fa 	e foli:	Tea Vi age. Brillia m.	.55 burnum
 theiferum (setigerum), 8'-9' (Zone 5) Narrow, upright grower. Very handsomlet berries in clusters. A spectacular fa 	e foli:	Tea Vi age. Brillia m.	.55 burnum nt, scar-
- theiferum (setigerum), 8'-9' (Zone 5) Narrow, upright grower. Very handsome let berries in clusters. A spectacular fa 2 to 3 ft	e folia	Tea Vi age. Brillia m. .95 1.25	.55 burnum nt, scar-
 theiferum (setigerum), 8'-9' (Zone 5) Narrow, upright grower. Very handsom let berries in clusters. A spectacular fa 2 to 3 ft	e folia all ite Do . Red	Tea Vi age. Brillia m95 1.25 publefile Vi to black be	.55 burnum nt, scar- 1.00 burnum erries.
 theiferum (setigerum), 8'-9' (Zone 5) Narrow, upright grower. Very handsom let berries in clusters. A spectacular fa 2 to 3 ft. 3 to 4 ft. tomentosum, 7'-8' (Zone 4) White flowers borne in flat heads, June 12 to 18 in. 	e foliall ite	Tea Vi age. Brillia m95 1.25 oublefile Vi to black be .45	.55 burnum nt, scar- 1.00 burnum erries.
 theiferum (setigerum), 8'-9' (Zone 5) Narrow, upright grower. Very handsome let berries in clusters. A spectacular fa 2 to 3 ft. 3 to 4 ft. tomentosum, 7'-8' (Zone 4) White flowers borne in flat heads, June 12 to 18 in. 18 to 24 in. 	e folia all ite Do . Red	Tea Vi age. Brillia m95 1.25 publefile Vi to black be .45 .55	.55 burnum nt, scar- 1.00 burnum erries. .35 .45
 theiferum (setigerum), 8'-9' (Zone 5) Narrow, upright grower. Very handsom let berries in clusters. A spectacular fa 2 to 3 ft. 3 to 4 ft. tomentosum, 7'-8' (Zone 4) White flowers borne in flat heads, June 12 to 18 in. 18 to 24 in. 2 to 3 ft. 	e foliall ite	Tea Vi age. Brillia m95 1.25 publefile Vi to black b .45 .55 .75	.55 burnum nt, scar- 1.00 burnum erries. .35 .45 .60
 theiferum (setigerum), 8'-9' (Zone 5) Narrow, upright grower. Very handsome let berries in clusters. A spectacular fa 2 to 3 ft. 3 to 4 ft. tomentosum, 7'-8' (Zone 4) White flowers borne in flat heads, June 12 to 18 in. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 	e foliall ite	Tea Vi age. Brillia m95 1.25 publefile Vi to black .45 .55 .75 .95	.55 burnum nt, scar- 1.00 burnum erries. .35 .45 .60 .75
 theiferum (setigerum), 8'-9' (Zone 5) Narrow, upright grower. Very handsome let berries in clusters. A spectacular fa 2 to 3 ft. 3 to 4 ft. tomentosum, 7'-8' (Zone 4) White flowers borne in flat heads, June 12 to 18 in. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 	e foliall ite	Tea Vi age. Brillia m95 1.25 publefile Vi to black be .45 .55 .75 .95 1.25	.55 burnum nt, scar- 1.00 burnum erries. .35 .45 .60 .75 1.00
 theiferum (setigerum), 8'-9' (Zone 5) Narrow, upright grower. Very handsom let berries in clusters. A spectacular fa 2 to 3 ft. 3 to 4 ft. tomentosum, 7'-8' (Zone 4) White flowers borne in flat heads, June 12 to 18 in. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 	e foliall ite	Tea Vi age. Brillia m95 1.25 publefile Vi to black b .45 .55 .75 .95 1.25 1.50	.55 burnum nt, scar- 1.00 burnum erries. .35 .45 .60 .75 1.00 1.25
 theiferum (setigerum), 8'-9' (Zone 5) Narrow, upright grower. Very handsome let berries in clusters. A spectacular factor of 2 to 3 ft. 3 to 4 ft. tomentosum, 7'-8' (Zone 4) White flowers borne in flat heads, June 12 to 18 in. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. — plicatum, 7'-8' (Zone 4) Showy white flowers in 	e foliali ite	Tea Vi age. Brillia m95 1.25 publefile Vi to black be .45 .55 .75 .95 1.25	.55 burnum nt, scar- 1.00 burnum erries35 .45 .60 .75 1.00 1.25
 theiferum (setigerum), 8'-9' (Zone 5) Narrow, upright grower. Very handsom let berries in clusters. A spectacular fa 2 to 3 ft. 3 to 4 ft. tomentosum, 7'-8' (Zone 4) White flowers borne in flat heads, June. 12 to 18 in. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. — plicatum, 7'-8' (Zone 4) Showy white flowers in ple autumn coloring. 	e foliali ite	Tea Viage. Brilliam. 95 1.25 publefile Vito black 45 .55 .75 .95 1.25 1.50 Japanese Sefoliage, w	burnum nt, scar- 1.00 burnum erries35 .45 .60 .75 1.00 1.25 snowball with pur-
 theiferum (setigerum), 8'-9' (Zone 5) Narrow, upright grower. Very handsom let berries in clusters. A spectacular fa 2 to 3 ft. 3 to 4 ft. tomentosum, 7'-8' (Zone 4) White flowers borne in flat heads, June. 12 to 18 in. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. — plicatum, 7'-8' (Zone 4) Showy white flowers in ple autumn coloring. 	e foliali ite	Tea Vi age. Brillia m95 1.25 bublefile Vi to black b .45 .55 .75 .95 1.25 1.50 Japanese S e foliage, w	burnum nt, scar- 1.00 burnum erries. .35 .45 .60 .75 1.00 1.25 Snowball
 theiferum (setigerum), 8'-9' (Zone 5) Narrow, upright grower. Very handsom let berries in clusters. A spectacular fa 2 to 3 ft. 3 to 4 ft. tomentosum, 7'-8' (Zone 4) White flowers borne in flat heads, June. 12 to 18 in. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. — plicatum, 7'-8' (Zone 4) Showy white flowers in ple autumn coloring. 	e foliali ite	Tea Vi age. Brillia m95 1.25 bublefile Vi to black b .45 .55 .75 .95 1.25 1.50 Japanese S e foliage, w	.55 burnum nt, scar- 1.00 burnum erries35 .45 .60 .75 1.00 1.25 snowball vith pur-
 theiferum (setigerum), 8'-9' (Zone 5) Narrow, upright grower. Very handsom let berries in clusters. A spectacular fa 2 to 3 ft. 3 to 4 ft. tomentosum, 7'-8' (Zone 4) White flowers borne in flat heads, June 12 to 18 in. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. — plicatum, 7'-8' (Zone 4) Showy white flowers in ple autumn coloring. 12 to 18 in. 18 to 24 in. 2 to 2½ ft. 2½ to 3 ft. 	e foliali ite	Tea Viage. Brilliam. 95 1.25 publefile Vito black be .45 .55 .75 .95 1.26 Japanese Se foliage, w	burnum nt, scar- 1.00 burnum erries. .35 .45 .60 .75 1.00 1.25 Snowball
 theiferum (setigerum), 8'-9' (Zone 5) Narrow, upright grower. Very handsom let berries in clusters. A spectacular fa 2 to 3 ft. 3 to 4 ft. tomentosum, 7'-8' (Zone 4) White flowers borne in flat heads, June 12 to 18 in. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. —plicatum, 7'-8' (Zone 4) Showy white flowers in ple autumn coloring. 12 to 18 in. 18 to 24 in. 2 to 2½ ft. 	e foliali ite	Tea Viage. Brilliam. 95 1.25 publefile Vito black be .45 .55 .75 .95 1.25 1.50 Japanese Se foliage, w	.55 burnum nt, scar- 1.00 burnum erries35 .45 .60 .75 1.00 1.25 snowball vith pur45 .60 .75

Unit Price in Quantities



VIBURNUM tomentosum — Doublefile Viburnum. We grow extremely fine Viburnums.


	Unit Pr 1-9	ice in Qua 10-49	
VINCA minor, 6"-8" (Zone 5) Trailing evergreen. Glossy foliage. Blue cellent ground cover in sun or shade.		rinkle or s in sprir	
3 in. pots, 2 year	.30	.25	.20
VITEX macrophylla (latifolia), 3'-4' (Zone 6) Large-leaved Lilac Chaste tree			
Lilac flowers, August, September. Gray-g Prefers sun.	reen sta	r-shaped	leaves.
18 to 24 in		.45	.35
2 to 3 ft		.55 .70	.45 .55
·[w]·			
WEIGELA candida, 7'-8' (Zone 5)		Snow V	Veigela
One of the strongest and fastest growing pure white flowers.	ig Weig	elas with	large,
18 to 24 in		.45	.35
2 to 3 ft		.55	.45
3 to 4 ft	• • •	.70	.55
- Eva Rathke, 4'-5' (Zone 5) Carmine, free-flowering, June-August. Ri		owered V ge.	Veigela
12 to 18 in		.45	.35
18 to 24 in		.55 .70	.45 .55
2 10 0 11		.10	.00

	1.9 1	0-49 50-	249
WEIGELA Gustav Mallot, 6'-7' (Zone 4)	Rose	red Weig	
One of the hardiest of the good, free-ile	owering We	eigelas.	
18 to 24 in			.40
2 to 3 ft		.00	.50
3 to 4 ft		.75	.60
- nana variegata, 6'-8' (Zone 5)	/ariegate d I	Leaf Weig	ela
Pale pink flowers; variegated leaves.		.45	.35
12 to 18 in		.55	.45
18 to 24 in		.70	.55
2 to 3 ft		.90	.70
- rosea (florida rosea), 7'-8' (Zone 5)		Pink Weig	ela
Pink flowers, June. Strong grower. Goo	d foliage.	_	
18 to 24 in.		.45	.35
2 to 3 ft		.55	.45
3 to 4 ft		.70	.55
			.70
4 to 5 ft		1.10	.90
- Vaniceki, 5'-6' (Zone 4)	Vanicek	Red Weig	ela
Vigorous growing red Weigela Similar	in flower a	nd foliage	to
Eva Rathke. The finest red Weigela. Vo	ery naruy.	.37	.30
15 to 18 in		.55	.45
18 to 24 in		70	.55
2 to 3 ft			.70
WHITE ASH (See FRAXINUS)	* * * *		
WHITE KERRIA (See RHODOTYPOS)			
WILLOW (See SALIX)			
WINTERCREEPER (See EUONYMUS)	OE' EO'	(7ana 1)	
WISTERIA floribunda macrobotrys (Multij	Longeliis	ster Wiste	ria
the first control of the control of	outorg IInus	moller fine	
Has long drooping racemes of purple flo	IWELS. UHUS	suanty inne	to :
Has long drooping racemes of purple flo	wers. Onus		to
cover a trellis or pergola.	r	.75	.60
cover a trellis or pergola.	r	.75	.60
cover a trellis or pergola. 2 year grafts ——alba, 35'-50' (Zone 4) Whi	te Longclus	.75 Eter Wiste	.60 eria
Has long drooping racemes of purple flocover a trellis or pergola. 2 year grafts ——alba, 35'-50' (Zone 4) Whi Fragrant white flowers. 2 year grafts	te Longclus	.75 Eter Wiste	.60
cover a trellis or pergola. 2 year grafts ——alba, 35'-50' (Zone 4) Whi Fragrant white flowers. 2 year grafts	te Longclus	.75 Eter Wiste	.60 eria
cover a trellis or pergola. 2 year grafts ——alba, 35'-50' (Zone 4) Whi Fragrant white flowers. 2 year grafts WITCH-HAZEL (See HAMAMELIS)	te Longclus	.75 Eter Wiste	.60 eria
cover a trellis or pergola. 2 year grafts ——alba, 35'-50' (Zone 4) Whi Fragrant white flowers. 2 year grafts	te Longclus	.75 Eter Wiste	.60 eria
cover a trellis or pergola. 2 year grafts ——alba, 35'-50' (Zone 4) Whi Fragrant white flowers. 2 year grafts WITCH-HAZEL (See HAMAMELIS) •[Y]•	te Longclus	.75 Eter Wiste	.60 eria
cover a trellis or pergola. 2 year grafts ——alba, 35'-50' (Zone 4) Whi Fragrant white flowers. 2 year grafts WITCH-HAZEL (See HAMAMELIS) •[Y]• YELLOWWOOD (See CLADRASTIS)	te Longclus	.75 Eter Wiste	.60 eria
cover a trellis or pergola. 2 year grafts ——alba, 35'-50' (Zone 4) Whi Fragrant white flowers. 2 year grafts WITCH-HAZEL (See HAMAMELIS) •[Y]• YELLOWWOOD (See CLADRASTIS) YEW (See TAXUS)	te Longclus	.75 Eter Wiste	.60 eria
cover a trellis or pergola. 2 year grafts ——alba, 35'.50' (Zone 4) Fragrant white flowers. 2 year grafts WITCH-HAZEL (See HAMAMELIS) •[Y]• YELLOWWOOD (See CLADRASTIS) YEW (See TAXUS) •[Z]•	te Longclus	.75 Ester Wiste	.60 eria .70
cover a trellis or pergola. 2 year grafts ——alba, 35'-50' (Zone 4) Whi Fragrant white flowers. 2 year grafts WITCH-HAZEL (See HAMAMELIS) •[Y]• YELLOWWOOD (See CLADRASTIS) YEW (See TAXUS) •[Z]• ZANTHORIZA apiifolia, 2'-3' (Zone 4)	te Longclus	.75 ter Wiste	.60 eria .70
cover a trellis or pergola. 2 year grafts ——alba, 35'-50' (Zone 4) Whi Fragrant white flowers. 2 year grafts WITCH-HAZEL (See HAMAMELIS) •[Y]• YELLOWWOOD (See CLADRASTIS) YEW (See TAXUS) •[Z]• ZANTHORIZA apiifolia, 2'-3' (Zone 4) Good ground cover. Succeeds in dry san	te Longclus	.75 ter Wiste .90 Yellowrly banks,	.60 eria .70
cover a trellis or pergola. 2 year grafts ——alba, 35'.50' (Zone 4) Whi Fragrant white flowers. 2 year grafts WITCH-HAZEL (See HAMAMELIS) •[Y]• YELLOWWOOD (See CLADRASTIS) YEW (See TAXUS) •[Z]• ZANTHORIZA apiifolia, 2'-3' (Zone 4) Good ground cover. Succeeds in dry san The cut-leaf foliage turns a clear yellow	te Longclus dy soil, shace in the fall	.75	.60 eria .70
cover a trellis or pergola. 2 year grafts ——alba, 35'-50' (Zone 4) Whi Fragrant white flowers. 2 year grafts WITCH-HAZEL (See HAMAMELIS) •[Y]• YELLOWWOOD (See CLADRASTIS) YEW (See TAXUS) •[Z]• ZANTHORIZA apiifolia, 2'-3' (Zone 4) Good ground cover. Succeeds in dry san The cut-leaf foliage turns a clear yellow 3 inch pots	te Longclus dy soil, shace in the fall	Yellowrly banks,	.60 cria .70 coot etc.
cover a trellis or pergola. 2 year grafts ——alba, 35'-50' (Zone 4) Whi Fragrant white flowers. 2 year grafts WITCH-HAZEL (See HAMAMELIS) •[Y]• YELLOWWOOD (See CLADRASTIS) YEW (See TAXUS) •[Z]• ZANTHORIZA apiifolia, 2'-3' (Zone 4) Good ground cover. Succeeds in dry san The cut-leaf foliage turns a clear yellow 3 inch pots 4 inch pots	te Longclus dy soil, shace in the fall	Yellowrly banks,	.60 eria .70 eoot etc30 .45
cover a trellis or pergola. 2 year grafts ——alba, 35'-50' (Zone 4) Whi Fragrant white flowers. 2 year grafts WITCH-HAZEL (See HAMAMELIS) •[Y]• YELLOWWOOD (See CLADRASTIS) YEW (See TAXUS) •[Z]• ZANTHORIZA apiifolia, 2'-3' (Zone 4) Good ground cover. Succeeds in dry san The cut-leaf foliage turns a clear yellow 3 inch pots 4 inch pots 4 inch pots ZELKOVA serrata, 50' (Zone 5)	dy soil, shady in the fall	Yellowr ly banks, l37 .55 nese Zelk	.60 eria .70 eoot etc30 .45 ova
cover a trellis or pergola. 2 year grafts ——alba, 35'-50' (Zone 4) Whi Fragrant white flowers. 2 year grafts WITCH-HAZEL (See HAMAMELIS) ·[Y]· YELLOWWOOD (See CLADRASTIS) YEW (See TAXUS) ·[Z]· ZANTHORIZA apiifolia, 2'-3' (Zone 4) Good ground cover. Succeeds in dry san The cut-leaf foliage turns a clear yellow 3 inch pots 4 inch pots ZELKOVA serrata, 50' (Zone 5) A very refined, medium-sized tree with much like the American Elm but not si	dy soil, shady in the fall Japan foliage and usceptible to	Yellowr ly banks, l37 .55 nese Zelk growth ha	.60 eria .70 .70 eoot etc30 .45 ova abit
cover a trellis or pergola. 2 year grafts ——alba, 35'-50' (Zone 4) Whi Fragrant white flowers. 2 year grafts WITCH-HAZEL (See HAMAMELIS) •[Y]• YELLOWWOOD (See CLADRASTIS) YEW (See TAXUS) •[Z]• ZANTHORIZA apiifolia, 2'-3' (Zone 4) Good ground cover. Succeeds in dry san The cut-leaf foliage turns a clear yellow 3 inch pots 4 inch pots 4 inch pots ZELKOVA serrata, 50' (Zone 5)	dy soil, shady in the fall Japan foliage and usceptible to	Yellowr ly banks, l37 .55 nese Zelke growth had	.60 eria .70 coot etc30 .45 obit Elm
cover*a trellis or pergola. 2 year grafts ——alba, 35'.50' (Zone 4) Whi Fragrant white flowers. 2 year grafts WITCH-HAZEL (See HAMAMELIS) •[Y]• YELLOWWOOD (See CLADRASTIS) YEW (See TAXUS) •[Z]• ZANTHORIZA apiifolia, 2'-3' (Zone 4) Good ground cover. Succeeds in dry san The cut-leaf foliage turns a clear yellow 3 inch pots 4 inch pots 4 inch pots 5 XELKOVA serrata, 50' (Zone 5) A very refined, medium-sized tree with much like the American Elm but not si disease. Rare and very desirable shade 3 to 4 ft.	dy soil, shady in the fall Japan foliage and susceptible to tree. 2.25	Yellowr ly banks, l37 .55 nese Zelk growth ha o Dutch E	.60 eria .70 .70 .45 ova abit 1.50
cover*a trellis or pergola. 2 year grafts ——alba, 35′-50′ (Zone 4) Whi Fragrant white flowers. 2 year grafts WITCH-HAZEL (See HAMAMELIS) •[Y]• YELLOWWOOD (See CLADRASTIS) YEW (See TAXUS) •[Z]• ZANTHORIZA apiifolia, 2′-3′ (Zone 4) Good ground cover. Succeeds in dry san The cut-leaf foliage turns a clear yellow 3 inch pots 4 inch pots 4 inch pots 2ELKOVA serrata, 50′ (Zone 5) A very refined, medium-sized tree with much like the American Elm but not so disease. Rare and very desirable shade 3 to 4 ft. 4 to 5 ft.	dy soil, shady in the fall usceptible to tree.	Yellowr ly banks, l37 .55 nese Zelk growth had Dutch E	.60 eria .70 .70 .45 ova abit clm 1.50 2.00
cover a trellis or pergola. 2 year grafts ——alba, 35'-50' (Zone 4) Whi Fragrant white flowers. 2 year grafts WITCH-HAZEL (See HAMAMELIS) •[Y]• YELLOWWOOD (See CLADRASTIS) YEW (See TAXUS) •[Z]• ZANTHORIZA apiifolia, 2'-3' (Zone 4) Good ground cover. Succeeds in dry san The cut-leaf foliage turns a clear yellow 3 inch pots 4 inch pots 4 inch pots 2ELKOVA serrata, 50' (Zone 5) A very refined, medium-sized tree with much like the American Elm but not so disease. Rare and very desirable shade 3 to 4 ft. 4 to 5 ft. 5 to 6 ft.	dy soil, shady in the fall second sec	Yellowr ly banks, l37 .55 nese Zelk growth had Dutch E	.60 eria .70 .70 .45 ova abit clm 1.50 2.00 2.50
cover*a trellis or pergola. 2 year grafts ——alba, 35′-50′ (Zone 4) Whi Fragrant white flowers. 2 year grafts WITCH-HAZEL (See HAMAMELIS) •[Y]• YELLOWWOOD (See CLADRASTIS) YEW (See TAXUS) •[Z]• ZANTHORIZA apiifolia, 2′-3′ (Zone 4) Good ground cover. Succeeds in dry san The cut-leaf foliage turns a clear yellow 3 inch pots 4 inch pots 4 inch pots 2ELKOVA serrata, 50′ (Zone 5) A very refined, medium-sized tree with much like the American Elm but not so disease. Rare and very desirable shade 3 to 4 ft. 4 to 5 ft.	dy soil, shady in the fall usceptible to tree. 2.25 3.00 3.75 4.90	Yellowr ly banks, l37 .55 nese Zelk growth had Dutch E	.60 eria .70 .70 .45 ova abit clm 1.50 2.00

Unit Price in Quantities

How to prune your Princeton trees for planting

During the transplanting process, trees of necessity lose a small portion of the root system they formerly had. To insure rapid, vigorous growth in their new location, the top should be pruned back so that there is a favorable balance of root over top. Damaged branches should be trimmed off below the point of injury. The central trunk or "leader" should be left intact to build a high crown and the side branches should be shortened in by at least one-half their length. This seems harsh treatment but the rapid re-growth which results more than justifies it. Broken roots should be cut off above the break and bruised ends cut off cleanly as they will regenerate more rapidly.



Norway Maple, London Plane, Shademaster Locust, etc.

SALES YARD SUGGESTIONS

A properly managed sales yard, or plant market, can be a very profitable operation.

The following suggestions are made to assist you in selecting popular quick-selling varieties and in handling them successfully in your establishment. We will be pleased to help you select the very best plants for your own particular location or requirements.

FLOWERING SHRUBS

Flowering shrubs established in pots or containers are easy to handle, solve your replacement problem, and give you a very long selling season. Moreover, the plants steadily improve in appearance and fullness as the selling season advances. Pot as early in spring as possible.

In potting shrubs a No. 2 Cloverset, or similar sized pot is good for the average size shrub. Use a mixture of 1/3 fibrous peat, 1/3 loam or good top soil and 1/3 sand. Spread the roots evenly in the pot and firm the soil as the pot is filled. Leave a rim of pot 1 to $1\frac{1}{2}$ above the soil to facilitate watering.

After potting, soak well with a liquid fertilizer at about 1/4 the strength the manufacturer recommends. Place potted plants in a lath house, shaded cold greenhouse, or in a well sheltered area. Shift plants and space out as foliage develops. In caring for all potted material, water thoroughly often enough to keep the soil moist and mellow, but definitely not wet and soggy. Apply liquid fertilizer once a month after growth starts.

SHRUBS — Ideal for Potting

Canaia ahinancia	Chinaga Radhud
Cercis chinensis	Chinese Headad
Clethra alnifolia	Summersweet
Deutzia gracilis rosea	. Rose panicle Deutzia
Euonymus alatus	. Winged Euonymus
Forsythia spectabilis	. Showy Border Forsythia
Hydrangea, A.G	. Snowhill Hydrangea
Lonicera tatarica alba	White Tatarian Honeysuckie
Lonicera tatarica rosea	. Pink Tatarian Honeysuckle
Lonicera tatarica zabelli	. Red Zabell Honeysuckle
Philadelphus lemoine	Lemoine Mockorange (dwarf)
Philadelphus virginalis	Virginal Mockorange
Prunus glandulosa pink	. Pink Flowering Almond
Prunus triloba plena	Double Pink Flowering Plum
Rosa hugonis (Shrub-rose)	. Golden Rose of China
Spirea bumalda Anthony Waterer	. Anthony Waterer Spirea
Spirea prunifolia plena	. Bridalwreath
Spirea vanhouttei	. Vanhoutte Spirea
Syringa vulgaris	Common Purple Lilac
Syringa vulgaris alba	Common White Lilac
Syringa vulgaris hybrids	French Hybrid Lilacs
Vitex macrophylla	Large-leaf Lilac Chaste Tree
Weigela Eva Rathke	Redflowered Weigela
Weigela rosea	Pink Weigela
Weiberg roped	mir weigeta

VINES — Ideal for Potting

Euonymus radicans	
Euonymus radicans colorata	a Purpleleaved Wintercreeper
	Bigleaf Wintercreeper
Jasminum nudiflorum	

SHADE, ORNAMENTAL AND FLOWERING TREES

New housing has created a remarkable demand for shade and flowering trees. Sales yard operators can capitalize on this demand because potted trees are easy to handle, thrive after planting and can be sold throughout the entire spring season and on into summer. It is best to pot small sized trees for the cash and carry business. Large sizes require too heavy a container and will not go in or on a passenger car.

For potting small trees the No. 4 Cloverset pot, or its equivalent is a good size. Use the same potting soil mixture and procedure as for shrubs. After potting soak thoroughly with liquid fertilizer at 1/4 the strength the manufacturer recommends.

Place potted trees under a high lath shade, or in a protected location and space out as foliage and branches develop. Stake slender or weeping trees with a light bamboo cane. Fertilize with liquid fertilizer once a month.

The following list of trees covers the best varieties for potting and the sizes recommended are easily re-established and handled.

TREES — Ideal for Potting

Acer platanoides, 6/8'	Norway Maple
Acer platanoides Crimson King, 4/5', 5/6'	& 6/8'Crimson King Maple
Acer platanoides schwedleri, 6/8'	Schwedler Maple
Acer rubrum, 6/8'	Red or Scarlet Maple
Betula alba, 4/5′, 5/6′	European White Birch
Crataegus mollis, 5/6'	Downy Hawthorn
Shademaster Locust (Plant Patent No. 1	
Summershade Maple (Plant Patent No. :	1748)
Cole's Sunburst Locust Whips (Plant Par	
Moraine Locust Whips (Plant Patent No.	. 836)
Malus assorted, 4/5' & 5/6'	Flowering Crab
Platanus acerifolium, 6/8'	London Planetree
Prunus Newport, 3/4'	Purpleleaf Plum
Prunus subhirtella pendula, 4/5' & 5/6'.	. Weeping Japanese Cherry
Prunus Kwanzan, 4/5' & 5/6' Dot	able Pink Flowering Cherry
Salix elegantissima, 5/6' & 6/8'	. Thurlow Weeping Willow

EVERGREENS AND OTHER BALLED AND BURLAPPED PLANTS

Balled and burlapped plants are of course "tailor made" for the plant market. They are in good demand and are easy to handle.

Display them under a lath house, or in a suitable partially shaded or protected area. Cut the strings around the branches

as soon as they are received. Heel the balls in neat beds of peat moss or sawdust. Moderately raised beds make the plants appear at their best. Label each plant individually as to variety and price.

As soon as active growth begins in the spring, spray every two weeks with a foliar feeding spray at ½ the manufacturer's recommended dilution, or inject the mixture into the balls with a root feeding needle. Plenty of nitrogen is necessary to maintain good foliage color in B&B plants growing actively.

The following list covers the most popular and profitable varieties.

Balled and Burlapped Plants

A HELPFUL SERVICE

WHAT SHALL I PLANT?

To assist in the proper selection of plant material for various conditions, uses and requirements, and to easily classify plants as to fruit, colors, and other characteristics, we refer you to the following lists.

All plants recommended are offered in this catalogue and the use of this reference will enable you to quickly and easily arrive at the proper variety list to cover your needs for any special or unusual requirements.

For a Quick-Growing Screen

TREES

Acer dasycarpum Chamaecyparis pisifera and varieties Picea excelsa Pinus strobus Pinus sylvestris Populus in variety Pseudotsuga douglasi Salix in variety Thuja occid. pyramidalis Thuja occidentalis nigra Tsuga canadensis

SHRUBS

Eleagnus angustfolia Euonymus bungeanus Ligustrum ibota Ligustrum ovalifolium Lonicera in variety Photinia villosa Physocarpus opulifolius Rhamnus frangula Viburnum lantana Viburnum lentago

For a Formal Clipped Hedge

TREES

Acer campestre
Acer ginnala
Carpinus carolinianum
Crataegus cordata
Crataegus crusgalli
Crataegus oxycantha

Picea excelsa
Pinus strobus
Taxus in variety
Thuja occidentalis and
varieties
Tsuga canadensis

SHRUBS

Berberis thunbergi Buxus sempervirens Euonymus alatus Euonymus alatus compactus Euonymus radicans vegetus Ilex crenata bullata Ilex crenata microphylla Ligustrum ibolium Ligustrum ovalifolium Pyracantha coccinea lalandi Rhamnus cathartica Rhamnus frangula

For an Informal, Flowering or Fruiting, or Evergreen Hedge

Berberis in variety
Cydonia japonica
Deutzia gracilis
Deutzia lemoinei
Euonymus patens
Forsythia spectabilis
Hibiscus syriacus
Juniperus pfitzeriana
Juniperus hetzi
Lonicera (bush forms)
Mahonia aquifolia
Philadelphus coronarius
Philadelphus lemoinei
Rhodotypos kerrioides

Rosa hugonis
Rosa rubiginosa
Rosa rugosa
Spirea bum. Anthony Waterer
Spirea thunbergi
Spirea Van Houttei
Sorbaria aitchisoni
Syringa alba
Syringa vulgaris
Taxus browni
Taxus hatfieldi
Viburnum dentatum
Viburnum lantana
Viburnum tomentosum

For a Wet Location

TREES

Evergreen

Chamaecyparis thyoides Thuja occidentalis and varieties Tsuga canadensis

Deciduous

Acer dasycarpum and types Acer rubrum Amelanchier canadensis Carpinus caroliniana
Liquidambar styraciflua
Magnolia glauca
Nyssa sylvatica
Platanus occidentalis
Populus in variety
Quercus palustris
Salix in variety
Tilia americana
Ulmus americana

SHRUBS

Aronia arbutifolia
Benzoin aestivale
Cephalanthus occidentalis
Chionanthus virginica
Clethra alnifolia
Cornus alba
Cornus amomum
Cornus stolonifera
Hypericum densiflorum
Ilex glabra

Ilex verticillata
Rosa lucida
Rosa palustris
Salix in variety
Spirea tomentosa
Viburnum americanum
Viburnum cassinoides
Viburnum dentatum
Viburnum lentago
Viburnum opulus

For a Dry Location

TREES

Acer campestre
Acer ginnala
Ailanthus glandulosa
Betula populifolia
Celtis occidentalis
Fraxinus lanceolata
Gleditsia varieties

Koelreuteria paniculata Pinus strobus Pinus sylvestris Quercus coccinea Quercus macrocarpa Sophora japonica Ulmus pumila

For a Dry Location

SHRUBS

Acanthopanax pentaphyllum
Amorpha fruticosa
Ceanothus americanus
Caragana arborescens
Colutea arborescens
Cornus paniculata
Eleagnus angustifolia
Eleagnus longipes
Juniperus chin. sargenti
Juniperus communis and
varieties
Juniperus horiz. douglasi

Ligustrum in variety

Lonicera tatarica varieties
Lycium chinense
Potentilla fruticosa
Prunus maritima
Rhamnus frangula
Rhus in variety
Robinia hispida
Rosa nitida
Rosa rugosa
Tamarix parviflora
Tamarix pentandra
Viburnum prunifolium

Berry-Bearing Trees and Shrubs

RED BERRIES

Aronia arbutifolia
Benzoin aestivale
Berberis thunbergi
Cornus florida
Cornus kousa
Cornus mas
Cotoneaster dielsiana
Cotoneaster divaricata
Cotoneaster franchetti
Cotoneaster horizontalis
Cotoneaster rotundifolia
Cotoneaster salicif. floccosa
Cotoneaster simonsi
Crataegus coccinea
Crataegus cordata
Crataegus crusgalli
Eleagnus longipes
Euonymus alatus
Euonymus alatus compacta
Euonymus radicans vegetus
Ilex opaca

Ilex verticillata
Lonicera maacki
Lonicera morrowi
Lonicera tatarica
Magnolia glauca
Malus hopa
Malus sargenti
Photinia villosa
Pyracantha cocc. lalandi
Rhus canadensis
Rosa blanda
Rosa palustris
Rosa rubiginosa
Rosa rugosa
Sorbus aucuparia
Symphoricarpos chenaulti
Symphoricarpos vulgaris
Viburnum americanum
Viburnum dilatatum
Viburnum opulus
Viburnum theiferum
Viburnum wrighti

BLACK BERRIES

Amelanchier canadensis
Aronia melanocarpa
Berberis verruculosa
Cotoneaster acutifolia
Ilex crenata convexa
Ilex glabra
Ligustrum ibota
Ligustrum regelianum

Rhamnus cathartica Rhamnus frangula Rhodotypos kerrioides Viburnum acerifolium Viburnum lantana Viburnum lentago Viburnum prunifolium Viburnum sieboldi

WHITE BERRIES

Cornus alba (sibirica) Cornus stolonifera Cornus paniculata Myrica carol. (gray) Pachysandra terminalis Symphoricarpos racemosus Berry-Bearing Trees and Sbrubs DEEP BLUE-BLACK BERRIES

Berberis julianae Berberis triacanthophora Callicarpa japonica Callicarpa purpurea Cornus amomum Viburnum cassinoides Viburnum dentatum Viburnum molle Viburnum nudum

Small or Dwarf Plants for the Border

Abelia grandiflora Acer palmatum and varieties Azalea amoena Azalea hinodegiri Berberis triacanthophora Berberis verruculosa Buxus Ceanothus americanus Cotoneaster horiz, perpusilla Cotoneaster microphylla Deutiza gracilis Deutzia lemoinei Diervilla sessilifolia Euonymus radicans and varieties Hypericum moserianum Ilex convexa (bullata) Ilex crenata microphylla

Juniperus (spreading types) Leucothoe catesbaei Mahonia aquifolium Pachysandra terminalis Pieris floribunda Pieris japonica Potentilla varieties Prunus glandulosa Rosa nitida Spirea bum. Anthony Waterer Spirea thunbergi Stephanandra flexuosa Symphoricarpos (various) Taxus cuspidata nana Thuja (dwarf & globe forms) Viburnum opulus nana Zanthorhiza apiifolia

For a Smoky, Dusty, City Situation

TREES

Acer platanoides

Acer plat. Summershade

(P.P. #1748)

Ailanthus glandulosa

Carpinus betulus

Celtis occidentalis

Crataegus crusgalli

Ginkgo biloba

Gleditsia triacanthos varieties

SHRUBS

Gleditsia Shademaster (P.P. #1515) Phellodendron species Pinus nigra austriaca Pinus sylvestris Platanus orientalis Populus eugenie and maximowiczii Sophora japonica

Acanthopanax pentaphyllum Aralia spinosa Berberis thunbergi Colutea arborescens Crataegus cordata Forsythia in variety Ilex crenata Ilex microphylla Ligustrum in variety Lonicera fragrantissima
Lonicera morrowi
Physocarpus opulifolius
Rhodotypos kerrioides
Spiraea Van Houttei
Symphoricarpos in variety
Syringa vulgaris
Viburnum cassinoides

For Partially Shaded Locations

TREES

Acer ginnala Amelanchier canadensis Chionanthus virginica Cornus florida and rubra Halesia tetraptera Magnolia glauca Ilex opaca (Evergreen) Oxydendron arboreum Tsuga canadensis (Evergreen)

SHRUBS

Abelia grandiflora
Acanthopanax pentaphyllum
Aronia species
*Benzoin aestivale
Berberis julianae

Calycanthus floridus Cephalanthus occidentalis Cercis canadensis and chinensis Clethra alnifolia

For a Partially Shaded Location SHRUBS

Cornus alternifolia Cornus mas Diervilla sessilifolia

Euonymus fortunei and varieties

*Hamamelis

*Hedera helix Hydrangea arborescens grand. Hydrangea quercifolia

Hypericum aureum Ilex crenata microphylla

Ilex glabra *Kerria japonica

*Kalmia

*Leucothoe cataesbaei

Ligustrum ibota regelianum Ligustrum ovalifolium Lonicera fragrantissima Lonicera morrowi

*Mahonia aquifolia

Pachysandra terminalis Pieris floribunda Pieris japonica

Pieris japonica Potentilla fruticosa Pyracantha cocc. lalandi

*Rhododendron maximum Rhodotypos kerrioides Stephanandra flexuosa

*Symphoricarpos Taxus baccata repandens

Taxus cuspidata

Viburnum acerifolium Viburnum lentago

Viburnum opulus Viburnum prunifolium

*Vinca minor

Zanthorhiza apiifolia (*tolerates dense shade)

Trees for Avenues and Streets

Habit—Tall, formal and heavy

Acer platanoides Acer plat. Summershade (P.P. #1748)

Acer saccharum

Liriodendron tulipifera

Platanus orientalis Quercus rubra

Tilia americana Tilia tomentosa

Habit—Tall, medium to light

textured

Acer dasycarpum Acer rubrum Ailanthus glandulosa Fraxinus americana Fraxinus lanceolata Ginkgo biloba Gleditsia triac. Shademaster

(P.P. #1515) Quercus coccinea Quercus palustris Ulmus americanum

Habit—Medium height for narrow, residential street

Acer campestre
Acer plat. columnare
Betula alba
Celtis occidentalis
Cercidiphyllum japonicum
Koelreuteria paniculata
Liquidambar styraciflua
Phellodendron chinense
Prunus Kwanzan
Prunus yedoensis
Sophora japonica
Sorbus aucuparia

For Seashore Locations

TREES

Acer pseudoplatanus Amelanchier canadensis Ilex opaca Nyssa sylvatica Pinus thunbergi Platanus acerifolium Populus alba bolleana Populus eugenei

Tilia cordata


SHRUBS

Myrica pennsylvanicum
Prunus maritima
Rhus species
Rosa rugosa
Rosa blanda
Rosa wichuriana
Syringa vulgaris
Tamarix species
Viburnum dentatum

Aronia arbutifolia
Clethra alnifolia
Eleagnus angustifolia
Eleagnus umbellata
Hibiscus syriacus
Hydrangea Otaksa
Ilex glabra
Juniperus horiz. Bar Harbor
Juniperus horiz. plumosa
Ligustrum ovalifolium

HARDINESS ZONES

UNITED STATES



MAP OF CLIMATIC ZONES 3-7

After each plant name, zone of hardiness is indicated. Many other factors besides winter temperature influence the hardiness and growth of certain plants.

SPECIAL OFFER ASSORTED SHRUBS AND GROUND COVERS

Our selection includes all desirable varieties for landscape plantings.

Many of our customers have asked for assorted plants where the varieties do not have to be specified. We are, therefore, offering three groups of plants this season. The varieties used will naturally be made up of items that we have in good supply at the time.

	100 or	1000 or
	more	more
GROUP A-Shrubs, 2 yr. Average 2 ft. or		
more, including many good ornamental		
varieties of Cornus, Deutzia, Spirea, Loni-		
cera and others	.40	.35
GROUP B—Shrubs, 3 yr. average 3 ft. or more, including many good ornamental		
varieties as above	.45	.40
GROUP C—Ground Covers, 2 yr. Average 15		
in. or more, including many excellent low-		
growing, woody ground covers	.35	.30

We may also from time to time have special offers of assorted SHADE TREES, SMALL EVERGREENS, or other items. Consult us first and take advantage of the savings involved.



PRINCETON PRODUCTS ARE QUALITY PRODUCTS